


Opening Precast | S001 | Slab plan


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 4000 x 3000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: S001	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Opening Precast | S002 | Section A-A / local X


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 4000 x 3000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: S002	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Opening Precast | S003 | Section B-B / local Y


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 4000 x 3000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: S003	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Precast | S004 | B-13840C502A75 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-13840C502A75 | QTY 14 | Diameter 4 mm
ROLE: Wire mesh A
Cut length 3946.000 mm | Inside bend radius 2 mm
Straight tangent lengths mm: 3946.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: S004	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Precast | S005 | B-394D2C15ADCD / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-394D2C15ADCD | QTY 14 | Diameter 4 mm
ROLE: Wire mesh B
Cut length 946.000 mm | Inside bend radius 2 mm
Straight tangent lengths mm: 946.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: S005	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Precast | S006 | B-5020BFFB85A5 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-5020BFFB85A5 | QTY 7 | Diameter 4 mm
ROLE: Wire mesh A
Cut length 1946.000 mm | Inside bend radius 2 mm
Straight tangent lengths mm: 1946.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: S006	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Precast | S007 | B-76E6B4EB7BA0 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-76E6B4EB7BA0 | QTY 21 | Diameter 4 mm
ROLE: Wire mesh B
Cut length 2946.000 mm | Inside bend radius 2 mm
Straight tangent lengths mm: 2946.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: S007	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Precast | S008 | B-8028EB8D3CBD / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-8028EB8D3CBD | QTY 7 | Diameter 4 mm
ROLE: Wire mesh A
Cut length 946.000 mm | Inside bend radius 2 mm
Straight tangent lengths mm: 946.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: S008	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Opening Precast | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

BAR MARK	ROLE / STEEL	D mm	QTY	CUT m	TOTAL m	MASS kg
B-13840C502A75	Wire mesh A Nominal diameter; grade unspecified	4	14	3.946	55.244	5.450
B-394D2C15ADCD	Wire mesh B Nominal diameter; grade unspecified	4	14	0.946	13.244	1.306
B-5020BFFB85A5	Wire mesh A Nominal diameter; grade unspecified	4	7	1.946	13.622	1.344
B-76E6B4EB7BA0	Wire mesh B Nominal diameter; grade unspecified	4	21	2.946	61.866	6.103
B-8028EB8D3CBD	Wire mesh A Nominal diameter; grade unspecified	4	7	0.946	6.622	0.653

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

PROJECT: Opening Precast	DATE: 2026-10-04
SHEET: BBS01	REV: 01
SCALE: NTS / table	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab