


Opening Two-way | S001 | Slab plan


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 4000 x 3000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: S001	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Opening Two-way | S002 | Section A-A / local X


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 4000 x 3000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: S002	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Opening Two-way | S003 | Section B-B / local Y


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 4000 x 3000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: S003	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Two-way | S004 | B-2BE9B41137A6 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-2BE9B41137A6 | QTY 7 | Diameter 12 mm
ROLE: Two-way A Bottom
Cut length 1938.000 mm | Inside bend radius 6 mm
Straight tangent lengths mm: 1938.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: S004	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Two-way | S005 | B-36E9874FA8E3 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-36E9874FA8E3 | QTY 14 | Diameter 12 mm
ROLE: Two-way A Bottom
Cut length 3938.000 mm | Inside bend radius 6 mm
Straight tangent lengths mm: 3938.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: S005	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Two-way | S006 | B-B2949D6AFDFA / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-B2949D6AFDFA | QTY 7 | Diameter 12 mm
ROLE: Two-way A Bottom
Cut length 938.000 mm | Inside bend radius 6 mm
Straight tangent lengths mm: 938.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: S006	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Two-way | S007 | B-BF9E2A427313 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-BF9E2A427313 | QTY 15 | Diameter 6 mm
ROLE: Two-way B Bottom
Cut length 2944.000 mm | Inside bend radius 3 mm
Straight tangent lengths mm: 2944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: S007	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Opening Two-way | S008 | B-CB61F9FD1C45 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-CB61F9FD1C45 | QTY 12 | Diameter 6 mm
ROLE: Two-way B Bottom
Cut length 944.000 mm | Inside bend radius 3 mm
Straight tangent lengths mm: 944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: S008	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Opening Two-way | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

BAR MARK	ROLE / STEEL	D mm	QTY	CUT m	TOTAL m	MASS kg
B-2BE9B41137A6	Two-way A Bottom Nominal diameter; grade unspecified	12	7	1.938	13.566	12.044
B-36E9874FA8E3	Two-way A Bottom Nominal diameter; grade unspecified	12	14	3.938	55.132	48.947
B-B2949D6AFDFA	Two-way A Bottom Nominal diameter; grade unspecified	12	7	0.938	6.566	5.829
B-BF9E2A427313	Two-way B Bottom Nominal diameter; grade unspecified	6	15	2.944	44.160	9.801
B-CB61F9FD1C45	Two-way B Bottom Nominal diameter; grade unspecified	6	12	0.944	11.328	2.514

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

PROJECT: Opening Two-way	DATE: 2026-10-04
SHEET: BBS01	REV: 01
SCALE: NTS / table	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab