


Thai BIM L synthetic | S001 | Stair plan / all levels


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



Rise  $18 \times 166.667 = 3000$  mm | Dimensions from verified schema-2 concrete; heavy = cut, grey = projected context

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.


Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S001                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |

Thai BIM L synthetic | S002 | Section A-A


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



Rise 18 x 166.667 = 3000 mm | Dimensions from verified schema-2 concrete; heavy = cut, grey = projected context

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.


Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S002                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |

Thai BIM L synthetic | S003 | Section B-B


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



Rise 18 x 166.667 = 3000 mm | Dimensions from verified schema-2 concrete; heavy = cut, grey = projected context

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S003                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S004 | B-3277E335E6D1 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-3277E335E6D1 | QTY 6 | Diameter 6 mm  
ROLE: Top landing Two-way B Bottom  
Cut length 1144.000 mm | Inside bend radius 3 mm  
Straight tangent lengths mm: 1144.00  
Bend angles deg:  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S004                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S005 | B-32F15357266F / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-32F15357266F | QTY 8 | Diameter 12 mm  
ROLE: Flight 2 Main Bottom  
Cut length 3331.847 mm | Inside bend radius 24 mm  
Straight tangent lengths mm: 191.75, 2916.14, 191.75  
Bend angles deg: 30.7627, 30.7627  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S005                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S006 | B-38707CCB2B4F / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-38707CCB2B4F | QTY 8 | Diameter 12 mm  
ROLE: Intermediate landing Two-way A Bottom  
Cut length 1138.000 mm | Inside bend radius 6 mm  
Straight tangent lengths mm: 1138.00  
Bend angles deg:  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S006                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S007 | B-3A798472730A / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-3A798472730A | QTY 8 | Diameter 12 mm  
ROLE: Flight 1 Main Bottom  
Cut length 3331.847 mm | Inside bend radius 24 mm  
Straight tangent lengths mm: 191.75, 2916.14, 191.75  
Bend angles deg: 30.7627, 30.7627  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S007                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S008 | B-5739902BD987 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-5739902BD987 | QTY 14 | Diameter 6 mm  
ROLE: Flight 1 Distribution Bottom  
Cut length 944.000 mm | Inside bend radius 24 mm  
Straight tangent lengths mm: 944.00  
Bend angles deg:  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S008                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S009 | B-59AD460A2A9A / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-59AD460A2A9A | QTY 14 | Diameter 6 mm  
ROLE: Flight 2 Distribution Bottom  
Cut length 944.000 mm | Inside bend radius 24 mm  
Straight tangent lengths mm: 944.00  
Bend angles deg:  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S009                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S010 | B-79A9D9D1ECC2 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-79A9D9D1ECC2 | QTY 7 | Diameter 6 mm  
ROLE: Bottom landing Two-way B Bottom  
Cut length 944.000 mm | Inside bend radius 3 mm  
Straight tangent lengths mm: 944.00  
Bend angles deg:  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S010                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S011 | B-8E5A3583AD39 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-8E5A3583AD39 | QTY 8 | Diameter 12 mm  
ROLE: Bottom landing Two-way A Bottom  
Cut length 1138.000 mm | Inside bend radius 6 mm  
Straight tangent lengths mm: 1138.00  
Bend angles deg:  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S011                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S012 | B-92B50C0ED3DA / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-92B50C0ED3DA | QTY 9 | Diameter 12 mm  
ROLE: Top landing Two-way A Bottom  
Cut length 938.000 mm | Inside bend radius 6 mm  
Straight tangent lengths mm: 938.00  
Bend angles deg:  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S012                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |


Thai BIM L synthetic | S013 | B-9E18AB2BF40E / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-9E18AB2BF40E | QTY 7 | Diameter 6 mm  
ROLE: Intermediate landing Two-way B Bottom  
Cut length 944.000 mm | Inside bend radius 3 mm  
Straight tangent lengths mm: 944.00  
Bend angles deg:  
Steel: Nominal diameter; grade unspecified  
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: S013                   | REV: 01          |
| SCALE: 1:50 @ A3              | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |

Thai BIM L synthetic | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

| BAR MARK       | ROLE / STEEL                                                              | D mm | QTY | CUT m | TOTAL m | MASS kg |
|----------------|---------------------------------------------------------------------------|------|-----|-------|---------|---------|
| B-3277E335E6D1 | Top landing Two-way B Bottom Nominal diameter; grade unspecified          | 6    | 6   | 1.144 | 6.864   | 1.523   |
| B-32F15357266F | Flight 2 Main Bottom Nominal diameter; grade unspecified                  | 12   | 8   | 3.332 | 26.655  | 23.664  |
| B-38707CCB2B4F | Intermediate landing Two-way A Bottom Nominal diameter; grade unspecified | 12   | 8   | 1.138 | 9.104   | 8.083   |
| B-3A798472730A | Flight 1 Main Bottom Nominal diameter; grade unspecified                  | 12   | 8   | 3.332 | 26.655  | 23.664  |
| B-5739902BD987 | Flight 1 Distribution Bottom Nominal diameter; grade unspecified          | 6    | 14  | 0.944 | 13.216  | 2.933   |
| B-59AD460A2A9A | Flight 2 Distribution Bottom Nominal diameter; grade unspecified          | 6    | 14  | 0.944 | 13.216  | 2.933   |
| B-79A9D9D1ECC2 | Bottom landing Two-way B Bottom Nominal diameter; grade unspecified       | 6    | 7   | 0.944 | 6.608   | 1.467   |
| B-8E5A3583AD39 | Bottom landing Two-way A Bottom Nominal diameter; grade unspecified       | 12   | 8   | 1.138 | 9.104   | 8.083   |
| B-92B50C0ED3DA | Top landing Two-way A Bottom Nominal diameter; grade unspecified          | 12   | 9   | 0.938 | 8.442   | 7.495   |
| B-9E18AB2BF40E | Intermediate landing Two-way B Bottom Nominal diameter; grade unspecified | 6    | 7   | 0.944 | 6.608   | 1.467   |

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

|                               |                  |
|-------------------------------|------------------|
| PROJECT: Thai BIM L synthetic | DATE: 2026-10-04 |
| SHEET: BBS01                  | REV: 01          |
| SCALE: NTS / table            | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW | MODEL: L         |