


Thai BIM Spiral synthetic | S001 | Stair plan / all levels


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



Rise 18 x 166.667 = 3000 mm | WALKING radius 700.0 mm; arc going 244.3 mm; sweep 360 deg

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S001	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S002 | Radial section 90.0 deg


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



Rise 18 x 166.667 = 3000 mm | Dimensions from verified schema-2 concrete; heavy = cut, grey = projected context

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S002	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S003 | B-183EF6478DF8 / Plan projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-183EF6478DF8 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 4253.508 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 499.00 mm; sweep 352.88 deg; rise/rad 477.46 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S003	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S004 | B-183EF6478DF8 / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-183EF6478DF8 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 4253.508 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 499.00 mm; sweep 352.88 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S004	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S005 | B-3C1F6F044D78 / Plan projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-3C1F6F044D78 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 6336.738 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 901.00 mm; sweep 356.06 deg; rise/rad 477.46 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S005	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S006 | B-3C1F6F044D78 / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-3C1F6F044D78 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 6336.738 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 901.00 mm; sweep 356.06 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S006	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S007 | B-41279203185C / Plan projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-41279203185C | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 7093.433 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 1035.00 mm; sweep 356.57 deg; rise/rad 477.46 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S007	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S008 | B-41279203185C / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-41279203185C | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 7093.433 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 1035.00 mm; sweep 356.57 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S008	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral


Thai BIM Spiral synthetic | S009 | B-79A9D9D1ECC2 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-79A9D9D1ECC2 | QTY 7 | Diameter 6 mm
ROLE: Bottom landing Two-way B Bottom
Cut length 944.000 mm | Inside bend radius 3 mm
Straight tangent lengths mm: 944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S009	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral


Thai BIM Spiral synthetic | S010 | B-8E5A3583AD39 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-8E5A3583AD39 | QTY 8 | Diameter 12 mm
ROLE: Bottom landing Two-way A Bottom
Cut length 1138.000 mm | Inside bend radius 6 mm
Straight tangent lengths mm: 1138.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S010	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral


Thai BIM Spiral synthetic | S011 | B-9847DB235E5B / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-9847DB235E5B | QTY 7 | Diameter 6 mm
ROLE: Top landing Two-way B Bottom
Cut length 944.000 mm | Inside bend radius 3 mm
Straight tangent lengths mm: 944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S011	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S012 | B-AD5CC6927E2D / Plan projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-AD5CC6927E2D | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 3673.967 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 365.00 mm; sweep 350.26 deg; rise/rad 477.46 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S012	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S013 | B-AD5CC6927E2D / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-AD5CC6927E2D | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 3673.967 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 365.00 mm; sweep 350.26 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S013	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral


Thai BIM Spiral synthetic | S014 | B-AECF3DC789B0 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-AECF3DC789B0 | QTY 38 | Diameter 6 mm
ROLE: Radial distribution Bottom
Cut length 944.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S014	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S015 | B-BDE7A8C50ABC / Plan projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-BDE7A8C50ABC | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 4904.133 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 633.00 mm; sweep 354.39 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S015	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S016 | B-BDE7A8C50ABC / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-BDE7A8C50ABC | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 4904.133 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 633.00 mm; sweep 354.39 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S016	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S017 | B-C09128B42BA7 / Plan projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-C09128B42BA7 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 3189.866 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 231.00 mm; sweep 344.58 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S017	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S018 | B-C09128B42BA7 / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-C09128B42BA7 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 3189.866 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 231.00 mm; sweep 344.58 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S018	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral


Thai BIM Spiral synthetic | S019 | B-C416FCD111CB / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage



BAR MARK B-C416FCD111CB | QTY 8 | Diameter 12 mm
ROLE: Top landing Two-way A Bottom
Cut length 1138.000 mm | Inside bend radius 6 mm
Straight tangent lengths mm: 1138.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S019	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S020 | B-E3446832C8D5 / Plan projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-E3446832C8D5 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 5603.630 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 767.00 mm; sweep 355.37 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S020	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S021 | B-E3446832C8D5 / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-E3446832C8D5 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 5603.630 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 767.00 mm; sweep 355.37 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S021	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S022 | B-EEFE2D785400 / Plan projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-EEFE2D785400 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 7867.103 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 1169.00 mm; sweep 356.96 deg; rise/rad 477.46 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S022	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | S023 | B-EEFE2D785400 / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-EEFE2D785400 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 7867.103 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 1169.00 mm; sweep 356.96 deg; rise/rad 477.46 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: S023	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral

Thai BIM Spiral synthetic | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

BAR MARK	ROLE / STEEL	D mm	QTY	CUT m	TOTAL m	MASS kg
B-183EF6478DF8	Helical main Bottom Nominal diameter; grade unspecified	12	1	4.254	4.254	3.776
B-3C1F6F044D78	Helical main Bottom Nominal diameter; grade unspecified	12	1	6.337	6.337	5.626
B-41279203185C	Helical main Bottom Nominal diameter; grade unspecified	12	1	7.093	7.093	6.298
B-79A9D9D1ECC2	Bottom landing Two-way B Bottom Nominal diameter; grade unspecified	6	7	0.944	6.608	1.467
B-8E5A3583AD39	Bottom landing Two-way A Bottom Nominal diameter; grade unspecified	12	8	1.138	9.104	8.083
B-9847DB235E5B	Top landing Two-way B Bottom Nominal diameter; grade unspecified	6	7	0.944	6.608	1.467
B-AD5CC6927E2D	Helical main Bottom Nominal diameter; grade unspecified	12	1	3.674	3.674	3.262
B-AECF3DC789B0	Radial distribution Bottom Nominal diameter; grade unspecified	6	38	0.944	35.872	7.962
B-BDE7A8C50ABC	Helical main Bottom Nominal diameter; grade unspecified	12	1	4.904	4.904	4.354
B-C09128B42BA7	Helical main Bottom Nominal diameter; grade unspecified	12	1	3.190	3.190	2.832
B-C416FCD111CB	Top landing Two-way A Bottom Nominal diameter; grade unspecified	12	8	1.138	9.104	8.083
B-E3446832C8D5	Helical main Bottom Nominal diameter; grade unspecified	12	1	5.604	5.604	4.975
B-EEFE2D785400	Helical main Bottom Nominal diameter; grade unspecified	12	1	7.867	7.867	6.985

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

PROJECT: Thai BIM Spiral synthetic	DATE: 2026-10-04
SHEET: BBS01	REV: 01
SCALE: NTS / table	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Spiral