

## BÀI BÁO CÁO KẾT QUẢ SAU KHI CHẠY CHƯƠNG TRÌNH

Họ và tên :Bùi Quang Thành – 20127329

Giảng Viên : Lê Quốc Hòa

### TEST CASE

#### I)Số nguyên dương

```
Microsoft Visual Studio Debug Console
Hay nhap so x:
1
A (Binary):0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1
-A (Binary):1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-A (Decimal): -1
C:\Users\Dell\source\repos\HTMT\Debug\20127329.exe (process 5636) exited with code 1.
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .
```

```
Microsoft Visual Studio Debug Console
Hay nhap so x:
9
A (Binary):0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1
-A (Binary):1 1 1 1 1 1 1 1 1 1 1 1 1 0 1 1
-A (Decimal): -9
C:\Users\Dell\source\repos\HTMT\Debug\20127329.exe (process 16548) exited with code 1.
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .
```

#### II)Số nguyên âm

```
Microsoft Visual Studio Debug Console
Hay nhap so x:
-2
A (Binary):1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0
-A (Binary):0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0
-A (Decimal): 2
C:\Users\Dell\source\repos\HTMT\Debug\20127329.exe (process 18212) exited with code 1.
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .
```

```
Microsoft Visual Studio Debug Console
Hay nhap so x:
-9
A (Binary):1 1 1 1 1 1 1 1 1 1 1 0 1 1 1
-A (Binary):0 0 0 0 0 0 0 0 0 0 0 1 0 0 1
-A (Decimal): 9
C:\Users\Dell\source\repos\HTMT\Debug\20127329.exe (process 14736) exited with code 1.
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .
```

### III) Số 0

```
Microsoft Visual Studio Debug Console
Hay nhap so x:
0
A (Binary):0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
-A (Binary):0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
-A (Decimal): 0
C:\Users\Dell\source\repos\HTMT\Debug\20127329.exe (process 3008) exited with code 1.
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .
```

### IV) Số thực

```
Microsoft Visual Studio Debug Console
Hay nhap so x:
5.6
A (Binary):0 0 0 0 0 0 0 0 0 0 0 0 1 0 1
-A (Binary):1 1 1 1 1 1 1 1 1 1 1 1 1 0 1 1
-A (Decimal): -5
C:\Users\Dell\source\repos\HTMT\Debug\20127329.exe (process 12572) exited with code 1.
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .
```

V)Số vượt quá phạm vi biến (-32768 đến 32767)

```
Microsoft Visual Studio Debug Console
Hay nhap so x:
-32768
A (Binary):1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
-A (Binary):1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
-A (Decimal): -32768
C:\Users\Dell\source\repos\HTMT\Debug\20127329.exe (process 7504) exited with code 1.
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .
```

```
Microsoft Visual Studio Debug Console
Hay nhap so x:
32767
A (Binary):0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-A (Binary):1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1
-A (Decimal): -32767
C:\Users\Dell\source\repos\HTMT\Debug\20127329.exe (process 14900) exited with code 1.
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .
```

**ĐÁNH GIÁ MỨC ĐỘ HOÀN THÀNH :100%**