Object-Oriented Language and Theory

Lecturer: NGUYEN Thi Thu Trang, trangntt@soict.hust.edu.vn
Teaching Assistant: DO Minh Hieu, hieudominh@hotmail.com

Lab 05: Memory Management and Class Organization

* Objectives:

In this lab, you will practice with:


- Creating packages to manage classes in Eclipse
- Using some common packages/classes of Java API, e.g. Wrapper classes, Math, System
- Practicing memory management with String and StringBuffer and other cases

You need to use the project that you did with the previous labs including both AimsProject and other projects.

1. Import/export a project

- Open Eclipse

- You can import/export a project from/to an archive file. For example, if you want to import from a zip file, you can follow the following steps:
- + Open File -> Import.
- + Type zip to find Archive File if you have exported as a zip file before. You may choose Existing Projects into Workspace if you want to open an existing project in your computer. Ignore this step if the AimsProject is already opened in the workspace.



- Click Next and Browse to a zip file or a project to open

2. Re-organize your projects

- Rename project, use packages and re-organize all hands-on labs and exercises from the Lab01 up to now.
- + For renaming or moving an item (i.e. a project, a class, a variable...), right click to the item, choose Refactor -> Rename/Move and follow the steps.

	Refactor	Alt+Shift+T >	Rename	Alt+Shift+R
	Convert to Xtend		Move	Alt+Shift+V
2	Import		Extract Interface	

Figure 1-Refactoring

- + For creating a package, right click to the project (or go to menu File) and choose New -> Package. Type the full path of package including parent packages, separated by a dot.
- Your **structure of your labs** should be at least as below. You can create sub-packages for more efficiently organizing your classes in both projects and all listing packages. All hands-on labs and excercises of lab01 and lab02 should be put in the corresponding package in the OtherProjects project.

For Global ICT

```
+ AimsProject
```

```
hust.soict.globalict.aims.disc.DigitalVideoDisc
    hust.soict.globalict.aims.order.Order
    hust.soict.globalict.aims.Aims
    hust.soict.globalict.aims.utils.DateUtils
    hust.soict.globalict.aims.utils.MyDate
    hust.soict.globalict.test.utils.DateTest
    hust.soict.globalict.test.disc.TestPassingParameter
+ OtherProjects
    hust.soict.globalict.lab01
    hust.soict.globalict.lab02
```

For HEDSPI

+ AimsProject

```
hust.soict.hedspi.aims.disc.DigitalVideoDisc
    hust.soict.hedspi.aims.order.Order
    hust.soict.hedspi.aims.Aims
    hust.soict.hedspi.aims.utils.DateUtils
    hust.soict.hedspi.aims.utils.MyDate
    hust.soict.hedspi.test.utils.DateTest
    hust.soict.hedspi.test.disc.TestPassingParameter
+ OtherProjects
```

```
hust.soict.hedspi.lab01
hust.soict.hedspi.lab02
```

- - > Marcon JRE System Library [jre1.8.0_241]
 - hust.soict.globalict.aims
 - Aims.java
 - hust.soict.globalict.aims.disc
 - DigitalVideoDisc.java
 - - > 🛭 Order.java
 - hust.soict.globalict.aims.utils
 - > DateUtils.java
 - > **1** MyDate.java
 - hust.soict.globalict.test.disc
 - TestPassingParameter.java
 - hust.soict.globalict.test.utils
 - DateTest.java

Figure 2-Recommended Structure for Global ICT

- - > A JRE System Library [jre1.8.0_241]
 - hust.soict.hedspi.aims
 - > 🛽 Aims.java
 - hust.soict.hedspi.aims.disc
 - DigitalVideoDisc.java
 - hust.soict.hedspi.aims.order
 - Order.java
 - hust.soict.hedspi.aims.utils
 - DateUtils.java
 - MyDate.java
 - # hust.soict.hedspi.test.disc
 - > I TestPassingParameter.java
 - hust.soict.hedspi.test.utils
 - DateTest.java

Figure 3-Recommended Structure for HEDSPI

3. Search a dvd in AimsProject project:

- In the DigitalVideoDisc class, write a boolean search (String title) method which finds out (case insensitive) if the corresponding disk of the current object contains the title. Remember that if the title has multiple tokens (e.g. "Harry Potter"), the method still returns true if the disc has a title including all the tokens (e.g. both two tokens "Harry" and "Potter") regardless their order and their distance (so true for all title including a token "Harry" and a token "Potter" in any position in the title)
- In the Order class, write a method DigitalVideoDisc getALuckyItem() which randomly pick out (remember to use Math.random()) an item for free. Remember to update and test the methods for listing of dvds and total cost of an order (specifying a lucky and free item).
- Create **DiskTest** class to test these methods

4. String, StringBuilder and StringBuffer:

- In the OtherProjects project, create a new package hust.soict.globalict.garbage for ICT or hust.soict.hedspi.garbage for HEDSPI. We work with this package in this exercise.
- Create a new class **ConcatenationInLoops** to test the processing time to construct **String** using + operator, **StringBuffer** and **StringBuilder**. The following piece of code is a suggestion:

```
1
     public class ConcatenationInLoops {
2
         public static void main(String[] args) {
3
             Random r = new Random(123);
             long start = System.currentTimeMillis();
4
 5
             String s = "";
             for (int i = 0; i < 65536; i++)
 6
 7
                 s += r.nextInt(2);
             System.out.println(System.currentTimeMillis() - start); // This prints roughly 4500.
 8
9
10
             r = new Random(123);
11
             start = System.currentTimeMillis();
12
             StringBuilder sb = new StringBuilder();
13
             for (int i = 0; i < 65536; i++)
                 sb.append(r.nextInt(2));
14
15
             s = sb.toString();
             System.out.println(System.currentTimeMillis() - start); // This prints 5.
16
17
         }
    }
18
```

More information on **String** concatenation, please refer https://redfin.engineering/java-string-concatenation-which-way-is-best-8f590a7d22a8.

- Create a new class **GarbageCreator**. Create "garbage" as much as possible and observe when you run a program (it should let the program stop working when too much "garbage". Write another class **NoGarbage** to solve the problem.

Some suggestions:

- Read a text file to a **String** without using **StringBuffer** to concatenate String (only use **+** operator). Observe and capture your screen when you choose a very long file
- Improve the code using StringBuffer

5. Assignment Submission

You must put all your work, written by yourself, to a directory Lab05, and push it to your master branch of the valid repository before the deadline announced in the class.

Each student is expected to turn in his or her own work and not give or receive unpermitted aid. Otherwise, we would apply extreme methods for measurement to prevent cheating.