API V1 · OPERATIONAL

on Cuppon'sHub.

Sell live products from your own bot, website, or backend. Purchases debit your Cuppon'sHub USDT wallet and deliver reserved inventory atomically.

JSON responses | USDT pricing | Idempotent purchases | Instant delivery

Quick start

Generate your single reseller key in @Cupponbot under **API**. You can rotate or disable it at any time.

```
https://cupponhub.shop/reseller/api/
```

Copy

Keep your API key server-side. Never embed it in public browser JavaScript, an APK, a repository, query parameters, screenshots, or application logs.

Safe retries: every purchase needs an `Idempotency-Key`. Retry the same logical purchase with the same key to receive the original result without a second debit.

REQUIRED HEADERS

HTTP

Copy

```
X-API-Key: ch_live_REPLACE_ME
Idempotency-Key: your-unique-order-key
```

Endpoint overview

All authenticated requests count against the per-key rate window. The default is 60 requests per minute and may be changed by the administrator.

METHOD	ACTION	PURPOSE
GET	`?action=balance`	Read your USDT wallet balance
GET	`?action=products`	Live products, stock and your starting price
POST	`?action=purchase`	Atomic wallet debit, stock reservation and delivery
GET	`?action=order&order_id=RA-…`	Read one order belonging to your account

GET `/?action=balance` Wallet

Returns the authenticated reseller account's cash-wallet balance as a fixed six-decimal USDT string.

CURL

REQUEST Copy

```
curl -sS 'https://cupponhub.shop/reseller/api/?action=balance' \
  -H 'X-API-Key: ch_live_REPLACE_ME'
```

200 RESPONSE

JSON

```
{
  "ok": true,
  "balance_usdt": "12.500000"
}
```

GET /?action=products — Catalog

Lists configured products with current stock, your price starting at quantity one, the active price version, and maximum order quantity.

CURL

REQUEST — Copy

```
curl -sS 'https://cupponhub.shop/reseller/api/?action=products' \
  -H 'X-API-Key: ch_live_REPLACE_ME'
```

200 RESPONSE

JSON


```
{
  "ok": true,
  "products": [
    {
      "key": "gemini_link",
      "name": "GEMINI LINK",
      "stock": 262,
      "price_usdt_from": "0.450000",
      "price_version_id": 12,
      "price_source": "versioned",
      "max_quantity": 500
    }
  ]
}
```


POST /?action=purchase — Order & delivery

Places an order using the authenticated account's USDT wallet. Stock selection, debit, ledger write, delivery storage and completion occur inside one database transaction.

JSON BODY

REQUEST — Copy

```
curl -sS -X POST \
  'https://cupponhub.shop/reseller/api/?action=purchase' \
  -H 'Content-Type: application/json' \
  -H 'X-API-Key: ch_live_REPLACE_ME' \
  -H 'Idempotency-Key: shop-order-84721' \
  --data '{"product":"gemini_link","quantity":2}'
```

201 RESPONSE

JSON


```
{
  "ok": true,
  "idempotent_replay": false,
  "order": {
    "order_id": "RA-20261005-4E9AC61A2B83D146",
    "product": "gemini_link",
    "quantity": 2,
    "unit_usdt": "0.450000",
    "total_usdt": "0.900000",
    "balance_after": "11.600000",
    "status": "completed",
    "stock_left": 260,
    "price_version_id": 12,
    "price_source": "versioned",
    "items": ["DELIVERED_VALUE_1", "DELIVERED_VALUE_2"],
    "created_at": "2026-10-05 22:41:38",
    "completed_at": "2026-10-05 22:41:38"
  }
}
```


Atomic guarantee: when any reservation, debit, ledger, item, or completion step fails, the transaction rolls back. A successful response contains the delivered values.

GET `/?action=order&order_id=RA-…` Order recovery

Returns one order owned by the authenticated account, including delivered items for completed orders. Another reseller's order always resolves as not found.

CURL

REQUEST

Copy

```
curl -sS \
  'https://cupponhub.shop/reseller/api/?action=order&order_id=RA-20261005-4E9AC61A2B83D146
  -H 'X-API-Key: ch_live_REPLACE_ME'
```



```
{
  "ok": true,
  "order": { "…same order fields as purchase…" }
}
```

Errors and limits

Errors use the JSON shape `{"ok":false,"error":"machine_readable_code"}`. Do not retry a purchase with a new idempotency key unless it is genuinely a new order.

400 Bad Request

Invalid JSON or missing/invalid idempotency key.

401 Unauthorized

Missing, invalid, disabled, or blocked API key.

402 Payment Required

Insufficient USDT wallet balance.

404 Not Found

Unknown product, endpoint, or owned order.

409 Conflict

Insufficient stock, unavailable price, or idempotency conflict.

413 Payload Too Large

Request body exceeds 64 KiB.

422 Unprocessable

Quantity is not an integer from 1 to 500.

429 Too Many Requests

The current per-key minute window is exhausted.

503 Unavailable

API/wallet is paused or a dependency is unavailable.

Live Playground

SAME-ORIGIN

API KEY

ch_live_...

Held only in this page's memory and never saved.

ENDPOINT

GET · Products

ORDER ID

RA-20261005-...

Send Request

RESPONSE Ready

```
Select an endpoint, enter your key, and send a request.
```

For safest operation, use the playground only on the official **cupponhub.shop** docs page. Production integrations should call the API from your backend.