


Inverse Operations in Algebra

Using Division

Algebra is a type of maths where the values in an equation are unknown. The unknown part may be represented by a letter or symbol.

Our task is to find the value of the unknown.



In this case we need to find out k .

$$k \times 6 = 48$$

**Our task is to find the value
of the unknown.**

The inverse operation of multiplication is division.

So if $k \times 6 = 48$ that means $48 \div 6$ will equal k .

If we change the equation to read like this:

$$k = 48 \div 6$$

Now we can solve it:

$$k = 8$$

Inverse Operations in Algebra

Using Subtraction

Algebra is a type of maths where the values in an equation are unknown. The unknown part may be represented by a letter or symbol.

Our task is to find the value of the unknown.



In this case we need to find out x .

$$x + 19 = 36$$
The equation is visually represented using dots. The number 19 is shown as two rows of nine orange dots each. The number 36 is shown as two rows of eighteen purple dots each. The variable x is represented by a single dot.

The inverse operation of subtraction is addition.

So if $x + 19 = 36$ that means $36 - 19$ will equal x .

If we change the equation to read like this:

$$x = 36 - 19$$

Now we can solve it:


$$x = 17$$

Inverse Operations in Algebra

Using Addition

Algebra is a type of maths where the values in an equation are unknown. The unknown part may be represented by a letter or symbol.

Our task is to find the value of the unknown.



In this case we need to find out x .

$$x - 19 = 29$$
The equation is visually represented using dots. The number 19 is shown as two groups of ten orange dots each, and the number 29 is shown as two groups of ten purple dots each. The variable x is represented by a single dot.

The inverse operation of addition is subtraction.

So if $x - 19 = 29$ that means $29 + 19$ will equal x .

If we change the equation to read like this:

$$x = 29 + 19$$

Now we can solve it:

$$x = 48$$

Inverse Operations in Algebra

Using Multiplication

Algebra is a type of maths where the values in an equation are unknown. The unknown part may be represented by a letter or symbol.

Our task is to find the value of the unknown.



In this case we need to find out x .

$$x \div 9 = 3$$

The inverse operation of division is multiplication.

So if $x \div 9 = 3$ that means 3×9 will equal x .

If we change the equation to read like this:

$$x = 3 \times 9$$

Now we can solve it:

$$x = 27$$