


- NOTES:
- WHERE (E) MASONRY WALL OCCURS, USE DETAIL 10/-.
  - CONTRACTOR SHALL VERIFY ALL CONTROLLING FIELD DIMENSIONS AND CONDITIONS BEFORE ORDERING OR FABRICATING ANY MATERIALS.
  - SEE GENERAL NOTES FOR ALL OTHER APPLICABLE NOTES AND REQUIREMENTS.
  - DOWELING SHALL NOT CONTINUE IN CASE OF ANY DRILLING RESISTANCE. CONTRACTOR SHALL STOP DRILLING AND PATCH THE HOLE WITH EPOXY GROUT, DRILL A NEW HOLE 1"± ABOVE OR BELOW THE EXISTING HOLE. DO NOT USE IMPACT TOOLS, DO NOT CUT REBARS.
  - CONTRACTOR SHALL SUBMIT WORK PLAN FOR MEANS AND METHODS TO CITY REPRESENTATIVE FOR REVIEW AND APPROVAL.
  - PROVIDE CONDUIT TO PULL BOX OR AS SHOWN ON ELECTRICAL DRAWINGS.
  - ANCHOR BOLTS AND STEEL PIECES SHALL BE GALVANIZED.
  - EPOXY DOWELS SHALL FOLLOW INSTALLATION INSTRUCTIONS PER MANUFACTURER. COORDINATE PULL TEST SPECIAL INSPECTION WITH THE CITY.
  - SIDEWALK THICKNESS VARIES. PROTECT EXISTING SIDEWALK FROM DAMAGES DURING CONSTRUCTION FOR OPENING DEMOLITION.




1-A POLE ANCHORAGE  
AT BASEMENT WITH MASONRY WALL  
SCALE: 1 1/2"=1'-0"

1-A POLE ANCHORAGE AT BASEMENT WITH CONCRETE WALL  
SCALE: 1 1/2"=1'-0"

NO.	DATE	DESCRIPTION	BY	APP.
TABLE OF REVISIONS				
CHECK WITH TRACING TO SEE IF YOU HAVE LATEST REVISION				

REFERENCE INFORMATION & FILE NO. OF SURVEYS



DESIGN AND  
ENGINEERING DIVISION  
PUBLIC WORKS  
CITY & COUNTY OF SAN FRANCISCO  
30 VAN NESS AVENUE, 5TH FLOOR  
SAN FRANCISCO, CA 94102 - 6028

Section Mgr:	RAYMOND LUI	Date:	9/12/16
Deputy Division Mgr:	FERNANDO CISNEROS		9/20/16
Division Mgr:	PATRICK RIVERA		9/21/16

DESIGNED	JN
DRAWN	VY
CHECKED	JS
REVIEWED	
RECOMMENDED	
APPROVED	
DATE	

SCALE:	AS SHOWN
SHEET OF SHEETS	

2ND STREET STREETSCAPE  
IMPROVEMENTS PROJECT  
SUB-SIDEWALK BASEMENT  
1-A POLE  
SECTIONS AND DETAILS

SPECIFICATION NO.	1064J (R)
DRAWING NO.	S-406
FILE NO.	106,305
REV. NO.	