




**PEDESTRIAN LIGHT POLE ANCHORAGE  
AT BASEMENT WITH MASONRY WALL**  
SCALE: 1 1/2"=1'-0"





- NOTES:**
- WHERE (E) MASONRY WALL OCCURS, USE DETAIL 10/-.
  - CONTRACTOR SHALL VERIFY ALL CONTROLLING FIELD DIMENSIONS AND CONDITIONS BEFORE ORDERING OR FABRICATING ANY MATERIALS.
  - SEE GENERAL NOTES FOR ALL OTHER APPLICABLE NOTES AND REQUIREMENTS.
  - DOWELING SHALL NOT CONTINUE IN CASE OF ANY DRILLING RESISTANCE. CONTRACTOR SHALL STOP DRILLING AND PATCH THE HOLE WITH EPOXY GROUT, DRILL A NEW HOLE 1"± ABOVE OR BELOW THE EXISTING HOLE. DO NOT USE IMPACT TOOLS, DO NOT CUT REBARS.
  - CONTRACTOR SHALL SUBMIT WORK PLAN FOR MEANS AND METHODS TO CITY REPRESENTATIVE FOR REVIEW AND APPROVAL.
  - PROVIDE CONDUIT TO PULL BOX OR AS SHOWN ON ELECTRICAL DRAWINGS.
  - ANCHOR BOLTS AND STEEL PIECES SHALL BE GALVANIZED.
  - EPOXY DOWELS SHALL FOLLOW INSTALLATION INSTRUCTIONS PER MANUFACTURER. COORDINATE PULL TEST SPECIAL INSPECTION WITH THE CITY.
  - SIDEWALK THICKNESS VARIES. PROTECT EXISTING SIDEWALK FROM DAMAGES DURING CONSTRUCTION FOR OPENING DEMOLITION.

**PEDESTRIAN LIGHT POLE ANCHORAGE AT BASEMENT WITH CONCRETE WALL**  
SCALE: 1 1/2"=1'-0"



NO.	DATE	DESCRIPTION	BY	APP.
TABLE OF REVISIONS				
CHECK WITH TRACING TO SEE IF YOU HAVE LATEST REVISION				

REFERENCE INFORMATION & FILE NO. OF SURVEYS
--



DESIGN AND  
ENGINEERING DIVISION  
PUBLIC WORKS  
CITY & COUNTY OF SAN FRANCISCO  
30 VAN NESS AVENUE, 5TH FLOOR  
SAN FRANCISCO, CA 94102 - 6028

Section Mgr: RAYMOND LUI  
Deputy Division Mgr: FERNANDO CISNEROS  
Division Mgr: PATRICK RIVERA  
Date: 9/12/16  
9/20/16  
9/21/16

DESIGNED	JIN
DRAWN	VY
CHECKED	JS
REVIEWED	
RECOMMENDED	
APPROVED	
DATE	

SCALE:	AS SHOWN
SHEET OF SHEETS	

2ND STREET STREETSCAPE IMPROVEMENTS PROJECT
PEDESTRIAN LIGHT POLE FOUNDATION DETAILS

SPECIFICATION NO. 1064J (R)
DRAWING NO. S-403
FILE NO.
REV. NO.