


**PEDESTRIAN LIGHT POLE ANCHORAGE
AT BASEMENT WITH MASONRY WALL**
SCALE: 1 1/2"=1'-0"

10




C-C

NOTES:


- WHERE (E) MASONRY WALL OCCURS, USE DETAIL 10/-.
- CONTRACTOR SHALL VERIFY ALL CONTROLLING FIELD DIMENSIONS AND CONDITIONS BEFORE ORDERING OR FABRICATING ANY MATERIALS.
- SEE GENERAL NOTES FOR ALL OTHER APPLICABLE NOTES AND REQUIREMENTS.
- DOWELING SHALL NOT CONTINUE IN CASE OF ANY DRILLING RESISTANCE. CONTRACTOR SHALL STOP DRILLING AND PATCH THE HOLE WITH EPOXY GROUT, DRILL A NEW HOLE 1"± ABOVE OR BELOW THE EXISTING HOLE. DO NOT USE IMPACT TOOLS, DO NOT CUT REBARS.
- CONTRACTOR SHALL SUBMIT WORK PLAN FOR MEANS AND METHODS TO CITY REPRESENTATIVE FOR REVIEW AND APPROVAL.
- PROVIDE CONDUIT TO PULL BOX OR AS SHOWN ON ELECTRICAL DRAWINGS.
- ANCHOR BOLTS AND STEEL PIECES SHALL BE GALVANIZED.
- EPOXY DOWELS SHALL FOLLOW INSTALLATION INSTRUCTIONS PER MANUFACTURER. COORDINATE PULL TEST SPECIAL INSPECTION WITH THE CITY.
- SIDEWALK THICKNESS VARIES. PROTECT EXISTING SIDEWALK FROM DAMAGES DURING CONSTRUCTION FOR OPENING DEMOLITION.

PEDESTRIAN LIGHT POLE ANCHORAGE AT BASEMENT WITH CONCRETE WALL
SCALE: 1 1/2"=1'-0"

4




B-B




NOTES:

- ALL CONNECTION HARDWARE SHALL BE GALVANIZED IN ACCORDANCE WITH ASTM F2329 "STANDARD SPECIFICATION FOR ZINC COATING, HOT-DIP, REQUIREMENTS FOR APPLICATION TO CARBON AND ALLOY STEEL BOLTS, SCREWS, WASHERS, NUTS, AND SPECIAL THREADED FASTENERS".
- PROVIDE CONDUIT TO PULL BOX OR AS SHOWN ON ELECTRICAL PLANS.



**SECTION
SCALE: 3/4"=1'-0"**

3



**PEDESTRIAN LIGHT POLE
FOUNDATION AT NATOMA EXTENSION**
N.T.S.

1

REFER TO DRAWING REVISION 0 FOR ORIGINAL SIGNATURES

NO.	DATE	DESCRIPTION	BY	APP.
1	8/12/18	ADD PED POLE FOUNDATION AT NATOMA	JN	JS

REFERENCE INFORMATION
& FILE NO. OF SUMMERS



DESIGN AND
ENGINEERING DIVISION
PUBLIC WORKS
CITY & COUNTY OF SAN FRANCISCO
30 VAN NESS AVENUE, 5TH FLOOR
SAN FRANCISCO, CA 94132-6025

Section Mgr	RAYMOND LU	Date	
Deputy Division Mgr	FERNANDO CISNEROS	DESIGNED	JN
Division Mgr	PATRICIA PINEIRA	CHECKED	JS
		REVIEWED	
		APPROVED	
		DATE	

SCALE:	AS SHOWN
SHEET OF SHEETS	

**2ND STREET STREETSCAPE
IMPROVEMENTS PROJECT**

**PEDESTRIAN
LIGHT POLE
FOUNDATION DETAILS**

SPECIFICATION NO.	1064J
DRAWING NO.	S-403
FILE NO.	106.302
REV. NO.	1