


Code Hardener

ATTESTATION CERTIFICATE



bulletproof-memory

Scan 89434999 | Branch: main | Jul 24, 2026

Attestation ID

3db4a7d8-5c20-4145-930c-...

Type

in-toto

Subject

bulletproof-memory

Created

Jul 24, 2026, 3:11 PM

Subject Digest

sha256:288cd04c8868c5f6eb38056566c6422595889d9bda6c75caa8658673...

Signature Status

CRYPTOGRAPHICALLY SIGNED

Algorithm: Ed25519 (Local Signing Key)

Signature

RssMELPubeanr8WVnVAXjBHf7v0504CNXfCEcLaJj2v/MNNoEAo8w8iu1m0XachJ
diTkYsl1nfbQL6JIwVicDQ==

This attestation certifies the security scan was performed and results were recorded with cryptographic integrity.

Scan Report — bulletproof-memory

Branch: main | Status: completed | Jul 24, 2026

736 / 1000 Score — Quality: moderate

Scan Details

Profile: standard
Duration: 22s
Started: Jul 24, 2026, 3:10 PM
Completed: Jul 24, 2026, 3:11 PM
Files Analyzed: 185
Scanners Run: 10 of 12
Open Findings: 306
Resolved / Suppressed:0
Total Detected: 306
Codebase: JavaScript/TypeScript: 67 files | Config: 47 files | Markdown: 18 files | Shell: 12 files | Python: 5 files | Docker: 2 files

0 Critical 0 High 137 Medium 163 Low 6 Info

Scanner Results

12 tools executed — 6 passed | 4 with open findings | 1 not applicable | 1 errors

Scanner	Category	Outcome	Findings	Duration	Files Scanned
trivy	SCA	FAIL	153	1s	7
gitleaks	Secrets	PASS	0	0s	185
opengrep	SAST	FAIL	16	14s	84
checkov	IaC	PASS	0	2s	49
grype	SCA	PASS	0	1s	185
syft	SBOM	FAIL	10	1s	158

package-validator	AI Code Quality	N/A	0	0s	185
oxlint	Code Quality	FAIL	127	0s	67
ruff	Code Quality	PASS	0	0s	5
actionlint	CI/CD Security	PASS	0	0s	47
jscpd	Code Quality	PASS	0	0s	72
typos	Code Quality	ERROR	0	0s	185

Scanner Errors

typos: Cannot read properties of undefined (reading 'length')

Scanner Evidence & Audit Trail

trivy (SCA)

FINDINGS

Scan Scope: Scanned 7 target(s): pip, npm, dockerfile

Files Analyzed: 7

Rules Checked: 4

Checks Performed:

- Vulnerability scanning
- Misconfiguration detection
- Secret detection
- License compliance

Standards: CVE/NVD, OWASP Top 10 (A06), CIS Benchmarks, NIST SP 800-53

Methodology:

Scans filesystem for package manifests and lock files, matches installed packages against vulnerability databases (NVD, GitHub Advisory, vendor-specific). Also checks for misconfigurations and secrets using built-in rules.

Targets Analyzed:

packages/dashboard/app/requirements.txt, packages/mcp-server/package-lock.json, packages/dashboard/Dockerfile, packages/mcp-server/Dockerfile, packages/mcp-server/package-lock.json, packages/dashboard/app/requirements.txt, Loose File License(s)

gitleaks (Secrets)

PASS

Scan Scope: Working directory scanned for 150+ secret patterns with entropy analysis

Configuration: Custom gitleaks.toml

Files Analyzed: 185

Rules Checked: 150

Checks Performed:

- AWS credential detection
- API key detection
- Private key detection
- Generic secret patterns
- High-entropy string analysis
- Token detection

Standards: CWE-798, CWE-259, OWASP Top 10 (A07)

Methodology:

Regex-based pattern matching against 150+ secret patterns with entropy analysis. Scans current file contents and optionally git commit history. Applies allowlists and custom rules to reduce false positives. Secrets are redacted in output.

opengrep (SAST)

FINDINGS

Scan Scope: Multi-language SAST with auto, security-audit, owasp-top-ten, cwe-top-25, r2c-security-audit, and secrets rulesets

Configuration: Custom semgrep-rules.yml + default rulesets

Files Analyzed: 84

Rules Checked: 8

Checks Performed:

- OWASP Top 10 patterns
- Security audit rules
- Secrets detection
- Injection patterns
- XSS patterns
- Insecure crypto usage

Standards: OWASP Top 10, CWE Top 25, SANS Top 25

Methodology:

Pattern-based static analysis using Semgrep rule engine with auto, security-audit, owasp-top-ten, and secrets rulesets. Matches AST patterns against known vulnerability signatures.

checkov (IaC)

PASS

Scan Scope: IaC security analysis — 0 files, 0 checks (0 passed, 0 failed), frameworks: auto-detected

Configuration: Custom .checkov.yaml

Files Analyzed: 49

Checks Performed:

- Terraform misconfigurations
- CloudFormation template issues
- Kubernetes manifest hardening
- Dockerfile best practices
- Helm chart security
- GitHub Actions security
- GitLab CI security
- Secrets in IaC files

Standards: CIS Benchmarks, NIST SP 800-53, SOC 2, PCI-DSS, HIPAA

Methodology:

Graph-based static analysis of infrastructure-as-code files. Parses IaC definitions, builds resource graphs, and checks 1000+ built-in policies covering security, networking, encryption, and compliance.

grype (SCA)

PASS

Scan Scope: SCA analysis: 0 unique CVEs across 0 vulnerable packages (filesystem)

Configuration: Grype with --by-cve deduplication and --add-cpes-if-none

Files Analyzed: 185

Checks Performed:

- CVE vulnerability matching
- Dependency version analysis
- CPE-based matching
- Advisory cross-referencing
- Fix availability detection

Standards: CVE/NVD, OWASP Top 10 (A06), GHSA

Methodology:

Generates SBOM using Syft, then matches all identified packages against vulnerability databases (NVD, GitHub Advisories, OS vendor databases). Reports CVEs with severity, fix versions, and references.

syft (SBOM)**FINDINGS**

Scan Scope: SBOM of 158 packages across 2 language(s): javascript, python
Configuration: Syft with JSON + CycloneDX output for SBOM standards compliance
Files Analyzed: 158
Rules Checked: 4

Checks Performed:

- SBOM generation (Syft JSON + CycloneDX)
- License compliance analysis
- Copyleft license detection (AGPL, GPL, MPL)
- Weak copyleft classification (LGPL)
- Unknown license flagging
- Package URL (PURL) generation
- CPE generation

Standards: NTIA SBOM Minimum Elements, CycloneDX, SPDX, Executive Order 14028

Methodology:

Catalogs software packages by parsing package manifests, lock files, and installed package databases. Generates standardized SBOM in CycloneDX or SPDX format for supply chain visibility.

package-validator (AI Code Quality)**N/A**

Scan Scope: Dependency files (package.json, requirements.txt, go.mod) validated against package registries
Files Analyzed: 185

Checks Performed:

- npm registry existence validation
- PyPI registry existence validation
- Go module proxy existence validation
- Slopsquatting attack vector detection
- Hallucinated dependency identification

Standards: CWE-829, OWASP A08:2021, SLSA Supply Chain Security

Methodology:

Parses dependency manifests and validates each package exists in its respective registry (npm, PyPI, Go proxy) via HTTP HEAD requests. Non-existent packages are flagged as hallucinated — a common AI code generation artifact that creates supply chain attack vectors.

oxlint (Code Quality)**FINDINGS**

Scan Scope: JS/TS source files
Files Analyzed: 67

Checks Performed:

- JavaScript/TypeScript linting
- Code correctness checks
- Performance anti-patterns
- Suspicious code detection

Standards: CWE, ESLint Core Rules

Methodology:

Rust-based linter that performs AST analysis of JS/TS files at high speed. Detects correctness issues, suspicious patterns, and performance anti-patterns.

ruff (Code Quality)**PASS**

Scan Scope: Python linting and security analysis via Ruff
Configuration: Default Ruff rules
Files Analyzed: 5
Checks Performed:

- Pyflakes error detection
- pycodestyle enforcement
- flake8-bandit security checks
- isort import ordering
- pep8-naming conventions
- pyupgrade modernization
- flake8-bugbear bug detection
- flake8-comprehensions optimization

Standards: PEP 8, PEP 257, CWE, OWASP Top 10

Methodology:

Rust-based Python linter implementing 800+ rules from flake8, pylint, isort, and others. 10-100x faster than traditional Python linters.

actionlint (CI/CD Security) PASS

Scan Scope: .github/workflows/*.yml files

Files Analyzed: 47

Checks Performed:

- Workflow syntax validation
- Action version pinning checks
- Shell script validation
- Expression type checking
- Permissions analysis

Standards: GitHub Actions Security Best Practices, CWE-78

Methodology:

Static analysis of GitHub Actions workflow files. Validates syntax, checks for unpinned action versions, analyzes shell scripts for errors, and verifies expression types.

jscpd (Code Quality) PASS

Scan Scope: All source files across supported languages

Files Analyzed: 72

Checks Performed:

- Cross-file duplicate detection
- Code clone identification
- Duplication percentage calculation

Standards: ISO/IEC 25010 (Maintainability)

Methodology:

Token-based analysis to detect copy-pasted code blocks across files and languages. Reports duplication percentage and identifies specific cloned regions.

Open Findings (306)

oxlint

Code Quality | 127 findings | High-performance JavaScript/TypeScript linter

Severity	Title	File	CWE / Rule
MEDIUM	oxlint: Variable 'filter' is declared but never used.... Variable 'filter' is declared but never used. Unused variables should start with a '_'.	...-server/src/red-team-agent.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Variable 'filter' is declared but never used. Unused variables should start with a '_'.		
MEDIUM	oxlint: Identifier 'createHash' is imported but never...	...-server/src/red-team-agent.ts	OXLINT-UNKNOWN

Identifier 'createHash' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'createHash' is imported but never used.

MEDIUM oxlint: Parameter 'composite' is declared but never u... `...server/src/advanced-memory.ts` OXLINT-UNKNOWN
Parameter 'composite' is declared but never used. Unused parameters should start with a '_'.
Fix: Review this finding and apply the appropriate fix based on the description: Parameter 'composite' is declared but never used. Unused parameters should start with a '_'.

MEDIUM oxlint: Identifier 'randomBytes' is imported but neve... `...server/src/advanced-memory.ts` OXLINT-UNKNOWN
Identifier 'randomBytes' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'randomBytes' is imported but never used.

MEDIUM oxlint: Identifier 'verify' is imported but never used. `...server/src/advanced-memory.ts` OXLINT-UNKNOWN
Identifier 'verify' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'verify' is imported but never used.

MEDIUM oxlint: Identifier 'sign' is imported but never used. `...server/src/advanced-memory.ts` OXLINT-UNKNOWN
Identifier 'sign' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'sign' is imported but never used.

MEDIUM oxlint: Variable 'nonAbstainVotes' is declared but ne... `...c/multi-agent-coordination.ts` OXLINT-UNKNOWN
Variable 'nonAbstainVotes' is declared but never used. Unused variables should start with a '_'.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'nonAbstainVotes' is declared but never used. Unused variables should start with a '_'.

MEDIUM oxlint: Variable 'hasWriteLock' is declared but never... `...c/multi-agent-coordination.ts` OXLINT-UNKNOWN
Variable 'hasWriteLock' is declared but never used. Unused variables should start with a '_'.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'hasWriteLock' is declared but never used. Unused variables should start with a '_'.

MEDIUM oxlint: Variable 'locks' is declared but never used. ... `...c/multi-agent-coordination.ts` OXLINT-UNKNOWN
Variable 'locks' is declared but never used. Unused variables should start with a '_'.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'locks' is declared but never used. Unused variables should start with a '_'.

MEDIUM oxlint: Variable 'now' is declared but never used. Un... `...c/multi-agent-coordination.ts` OXLINT-UNKNOWN
Variable 'now' is declared but never used. Unused variables should start with a '_'.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'now' is declared but never used. Unused variables should start with a '_'.

MEDIUM oxlint: Catch parameter '_err' is caught but never used. `...c/multi-agent-coordination.ts` OXLINT-UNKNOWN
Catch parameter '_err' is caught but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Catch parameter '_err' is caught but never used.

MEDIUM oxlint: Variable 'key' is declared but never used. Un... `...c/multi-agent-coordination.ts` OXLINT-UNKNOWN
Variable 'key' is declared but never used. Unused variables should start with a '_'.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'key' is declared but never used. Unused variables should start with a '_'.

MEDIUM oxlint: Identifier 'createHash' is imported but never... `...c/multi-agent-coordination.ts` OXLINT-UNKNOWN
Identifier 'createHash' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'createHash' is imported but never used.

MEDIUM oxlint: Variable 'avgDuration' is declared but never ... `.../src/frontier-capabilities.ts` OXLINT-UNKNOWN
Variable 'avgDuration' is declared but never used. Unused variables should start with a '_'.

Fix: Review this finding and apply the appropriate fix based on the description: Variable 'avgDuration' is declared but never used. Unused variables should start with a '_'.

MEDIUM oxlint: Catch parameter 'err' is caught but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Catch parameter 'err' is caught but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Catch parameter 'err' is caught but never used.

MEDIUM oxlint: Variable 'tier' is declared but never used. U... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Variable 'tier' is declared but never used. Unused variables should start with a '_'.

Fix: Review this finding and apply the appropriate fix based on the description: Variable 'tier' is declared but never used. Unused variables should start with a '_'.

MEDIUM oxlint: Type alias 'TemporalClassT' is declared but n... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type alias 'TemporalClassT' is declared but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type alias 'TemporalClassT' is declared but never used.

MEDIUM oxlint: Identifier 'mirrorBenchmarkRuns' is imported ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Identifier 'mirrorBenchmarkRuns' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'mirrorBenchmarkRuns' is imported but never used.

MEDIUM oxlint: Identifier 'mirrorNhiTransitions' is imported... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Identifier 'mirrorNhiTransitions' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'mirrorNhiTransitions' is imported but never used.

MEDIUM oxlint: Identifier 'mirrorNhiLifecycle' is imported b... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Identifier 'mirrorNhiLifecycle' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'mirrorNhiLifecycle' is imported but never used.

MEDIUM oxlint: Identifier 'mirrorDelegationTokens' is import... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Identifier 'mirrorDelegationTokens' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'mirrorDelegationTokens' is imported but never used.

MEDIUM oxlint: Identifier 'mirrorAgentIdentitySessions' is i... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Identifier 'mirrorAgentIdentitySessions' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'mirrorAgentIdentitySessions' is imported but never used.

MEDIUM oxlint: Identifier 'mirrorConsolidationCycles' is imp... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Identifier 'mirrorConsolidationCycles' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'mirrorConsolidationCycles' is imported but never used.

MEDIUM oxlint: Type 'MetaSelfAssessment' is imported but nev... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'MetaSelfAssessment' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'MetaSelfAssessment' is imported but never used.

MEDIUM oxlint: Type 'EcosystemAssessment' is imported but ne... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'EcosystemAssessment' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'EcosystemAssessment' is imported but never used.

MEDIUM oxlint: Type 'TemporalTask' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN

Type 'TemporalTask' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'TemporalTask' is imported but never used.

MEDIUM	oxlint: Type 'GanttChart' is imported but never used. Type 'GanttChart' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'GanttChart' is imported but never used.		
MEDIUM	oxlint: Type 'TemporalPlan' is imported but never used. Type 'TemporalPlan' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'TemporalPlan' is imported but never used.		
MEDIUM	oxlint: Type 'ImprovementMetrics' is imported but nev... Type 'ImprovementMetrics' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'ImprovementMetrics' is imported but never used.		
MEDIUM	oxlint: Type 'ABTestResult' is imported but never used. Type 'ABTestResult' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'ABTestResult' is imported but never used.		
MEDIUM	oxlint: Type 'OptimizationProposal' is imported but n... Type 'OptimizationProposal' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'OptimizationProposal' is imported but never used.		
MEDIUM	oxlint: Type 'WorkflowAnalysis' is imported but never... Type 'WorkflowAnalysis' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'WorkflowAnalysis' is imported but never used.		
MEDIUM	oxlint: Type 'ConsolidationStatus' is imported but ne... Type 'ConsolidationStatus' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'ConsolidationStatus' is imported but never used.		
MEDIUM	oxlint: Type 'TierTransferRecord' is imported but nev... Type 'TierTransferRecord' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'TierTransferRecord' is imported but never used.		
MEDIUM	oxlint: Type 'ConsolidationCycle' is imported but nev... Type 'ConsolidationCycle' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'ConsolidationCycle' is imported but never used.		
MEDIUM	oxlint: Type 'ImpactAssessment' is imported but never... Type 'ImpactAssessment' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'ImpactAssessment' is imported but never used.		
MEDIUM	oxlint: Type 'SemanticDiffResult' is imported but nev... Type 'SemanticDiffResult' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN
Fix:	Review this finding and apply the appropriate fix based on the description: Type 'SemanticDiffResult' is imported but never used.		
MEDIUM	oxlint: Type 'PromotionResult' is imported but never ... Type 'PromotionResult' is imported but never used.	packages/mcp-server/src/index.ts	OXLINT-UNKNOWN

Fix: Review this finding and apply the appropriate fix based on the description: Type 'PromotionResult' is imported but never used.

MEDIUM oxlint: Type 'BehaviorComparison' is imported but nev... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'BehaviorComparison' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'BehaviorComparison' is imported but never used.

MEDIUM oxlint: Type 'TestInteractionResult' is imported but ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'TestInteractionResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'TestInteractionResult' is imported but never used.

MEDIUM oxlint: Type 'HotReloadResult' is imported but never ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'HotReloadResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'HotReloadResult' is imported but never used.

MEDIUM oxlint: Type 'DevInstance' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'DevInstance' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'DevInstance' is imported but never used.

MEDIUM oxlint: Type 'ModelCoverage' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ModelCoverage' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'ModelCoverage' is imported but never used.

MEDIUM oxlint: Type 'PredictionResult' is imported but never... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'PredictionResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'PredictionResult' is imported but never used.

MEDIUM oxlint: Type 'AgentDiscoveryResult' is imported but n... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'AgentDiscoveryResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'AgentDiscoveryResult' is imported but never used.

MEDIUM oxlint: Type 'A2ATaskResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'A2ATaskResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'A2ATaskResult' is imported but never used.

MEDIUM oxlint: Type 'A2AAgentCard' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'A2AAgentCard' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'A2AAgentCard' is imported but never used.

MEDIUM oxlint: Type 'DecayResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'DecayResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'DecayResult' is imported but never used.

MEDIUM oxlint: Type 'TrailGuidance' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'TrailGuidance' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'TrailGuidance' is imported but never used.

MEDIUM oxlint: Type 'PheromoneTrail' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'PheromoneTrail' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'PheromoneTrail' is imported but never used.

MEDIUM oxlint: Type 'ComplianceGap' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN

Type 'ComplianceGap' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'ComplianceGap' is imported but never used.

MEDIUM oxlint: Type 'ComplianceTrend' is imported but never ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ComplianceTrend' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'ComplianceTrend' is imported but never used.

MEDIUM oxlint: Type 'FrameworkScore' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'FrameworkScore' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'FrameworkScore' is imported but never used.

MEDIUM oxlint: Type 'DashboardResult' is imported but never ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'DashboardResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'DashboardResult' is imported but never used.

MEDIUM oxlint: Type 'JurisdictionFilterResult' is imported b... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'JurisdictionFilterResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'JurisdictionFilterResult' is imported but never used.

MEDIUM oxlint: Type 'CascadingDeleteResult' is imported but ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'CascadingDeleteResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'CascadingDeleteResult' is imported but never used.

MEDIUM oxlint: Type 'SovereigntyTag' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'SovereigntyTag' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'SovereigntyTag' is imported but never used.

MEDIUM oxlint: Type 'ErrorPattern' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ErrorPattern' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'ErrorPattern' is imported but never used.

MEDIUM oxlint: Type 'SuccessRateResult' is imported but neve... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'SuccessRateResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'SuccessRateResult' is imported but never used.

MEDIUM oxlint: Type 'TaskReadiness' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'TaskReadiness' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'TaskReadiness' is imported but never used.

MEDIUM oxlint: Type 'JurisdictionValidation' is imported but... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'JurisdictionValidation' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'JurisdictionValidation' is imported but never used.

MEDIUM oxlint: Type 'SyncResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'SyncResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'SyncResult' is imported but never used.

MEDIUM oxlint: Type 'FederationInstance' is imported but nev... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'FederationInstance' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'FederationInstance' is imported but never used.

MEDIUM oxlint: Type 'PredictivePattern' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'PredictivePattern' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'PredictivePattern' is imported but never used.

MEDIUM oxlint: Type 'FeedbackResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'FeedbackResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'FeedbackResult' is imported but never used.

MEDIUM oxlint: Type 'PreloadResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'PreloadResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'PreloadResult' is imported but never used.

MEDIUM oxlint: Type 'VotingHistoryEntry' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'VotingHistoryEntry' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'VotingHistoryEntry' is imported but never used.

MEDIUM oxlint: Type 'ConsensusResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ConsensusResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ConsensusResult' is imported but never used.

MEDIUM oxlint: Type 'AgentVote' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'AgentVote' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'AgentVote' is imported but never used.

MEDIUM oxlint: Type 'StateEvent' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'StateEvent' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'StateEvent' is imported but never used.

MEDIUM oxlint: Type 'HeartbeatRecord' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'HeartbeatRecord' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'HeartbeatRecord' is imported but never used.

MEDIUM oxlint: Type 'LockRecord' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'LockRecord' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'LockRecord' is imported but never used.

MEDIUM oxlint: Type 'DailyBudget' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'DailyBudget' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'DailyBudget' is imported but never used.

MEDIUM oxlint: Type 'CostAnalytics' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'CostAnalytics' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'CostAnalytics' is imported but never used.

MEDIUM oxlint: Type 'CostOutcome' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'CostOutcome' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'CostOutcome' is imported but never used.

MEDIUM oxlint: Type 'SpecializationReport' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'SpecializationReport' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'SpecializationReport' is imported but never used.

MEDIUM oxlint: Type 'RoutingScore' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'RoutingScore' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'RoutingScore' is imported but never used.

MEDIUM oxlint: Type 'PerformanceRecord' is imported but neve... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'PerformanceRecord' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'PerformanceRecord' is imported but never used.

MEDIUM oxlint: Type 'AgentScorecard' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'AgentScorecard' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'AgentScorecard' is imported but never used.

MEDIUM oxlint: Type 'BenchmarkRun' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'BenchmarkRun' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'BenchmarkRun' is imported but never used.

MEDIUM oxlint: Type 'MultiModalArtifact' is imported but nev... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'MultiModalArtifact' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'MultiModalArtifact' is imported but never used.

MEDIUM oxlint: Type 'DiscoveredSkill' is imported but never ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'DiscoveredSkill' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'DiscoveredSkill' is imported but never used.

MEDIUM oxlint: Type 'CompiledWorkflow' is imported but never... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'CompiledWorkflow' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'CompiledWorkflow' is imported but never used.

MEDIUM oxlint: Type 'WorkflowDAG' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'WorkflowDAG' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'WorkflowDAG' is imported but never used.

MEDIUM oxlint: Type 'CausalAnalysis' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'CausalAnalysis' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'CausalAnalysis' is imported but never used.

MEDIUM oxlint: Type 'SwarmResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'SwarmResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'SwarmResult' is imported but never used.

MEDIUM oxlint: Type 'MarketplaceEntry' is imported but never... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'MarketplaceEntry' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'MarketplaceEntry' is imported but never used.

MEDIUM oxlint: Type 'TrendAnalysis' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'TrendAnalysis' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'TrendAnalysis' is imported but never used.

MEDIUM oxlint: Type 'CampaignResult' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'CampaignResult' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'CampaignResult' is imported but never used.

MEDIUM oxlint: Type 'RedTeamFinding' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'RedTeamFinding' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'RedTeamFinding' is imported but never used.

MEDIUM oxlint: Type 'ConflictResolutionResult' is imported b... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ConflictResolutionResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ConflictResolutionResult' is imported but never used.

MEDIUM oxlint: Type 'ContractChainEntry' is imported but nev... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ContractChainEntry' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ContractChainEntry' is imported but never used.

MEDIUM oxlint: Type 'EnforcementDecision' is imported but ne... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'EnforcementDecision' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'EnforcementDecision' is imported but never used.

MEDIUM oxlint: Type 'ConstitutionalConstraints' is imported ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ConstitutionalConstraints' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ConstitutionalConstraints' is imported but never used.

MEDIUM oxlint: Type 'ConstitutionalContract' is imported but... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ConstitutionalContract' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ConstitutionalContract' is imported but never used.

MEDIUM oxlint: Type 'PruneCandidate' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'PruneCandidate' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'PruneCandidate' is imported but never used.

MEDIUM oxlint: Type 'ConsolidationResult' is imported but ne... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ConsolidationResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ConsolidationResult' is imported but never used.

MEDIUM oxlint: Type 'ImpactResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ImpactResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ImpactResult' is imported but never used.

MEDIUM oxlint: Type 'Provenance' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'Provenance' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'Provenance' is imported but never used.

MEDIUM oxlint: Type 'ContradictionResult' is imported but ne... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ContradictionResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ContradictionResult' is imported but never used.

MEDIUM oxlint: Type 'CompartmentItem' is imported but never ... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'CompartmentItem' is imported but never used.

Fix: Review this finding and apply the appropriate fix based on the description: Type 'CompartmentItem' is imported but never used.

MEDIUM oxlint: Type 'SandboxResult' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'SandboxResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'SandboxResult' is imported but never used.

MEDIUM oxlint: Type 'VerificationResult' is imported but nev... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'VerificationResult' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'VerificationResult' is imported but never used.

MEDIUM oxlint: Type 'RecordedToolCall' is imported but never... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'RecordedToolCall' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'RecordedToolCall' is imported but never used.

MEDIUM oxlint: Type 'ReplayState' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ReplayState' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ReplayState' is imported but never used.

MEDIUM oxlint: Type 'SessionRecording' is imported but never... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'SessionRecording' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'SessionRecording' is imported but never used.

MEDIUM oxlint: Type 'DriftVerdict' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'DriftVerdict' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'DriftVerdict' is imported but never used.

MEDIUM oxlint: Type 'MonitorAssessment' is imported but neve... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'MonitorAssessment' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'MonitorAssessment' is imported but never used.

MEDIUM oxlint: Type 'NHIREcord' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'NHIREcord' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'NHIREcord' is imported but never used.

MEDIUM oxlint: Identifier 'NHISate' is imported but never u... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Identifier 'NHISate' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'NHISate' is imported but never used.

MEDIUM oxlint: Type 'AgentIdentity' is imported but never used. packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'AgentIdentity' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'AgentIdentity' is imported but never used.

MEDIUM oxlint: Type 'ComplianceReport' is imported but never... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Type 'ComplianceReport' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type 'ComplianceReport' is imported but never used.

MEDIUM oxlint: Identifier 'ISO42001_CONTROLS' is imported bu... packages/mcp-server/src/index.ts OXLINT-UNKNOWN
Identifier 'ISO42001_CONTROLS' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'ISO42001_CONTROLS' is imported but never used.

MEDIUM oxlint: Variable 'KNOWN_NEIGHBOR' is declared but nev...
Variable 'KNOWN_NEIGHBOR' is declared but never used. Unused variables should start with a ' _ '.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'KNOWN_NEIGHBOR' is declared but never used. Unused variables should start with a ' _ '.

MEDIUM oxlint: Type alias 'BenchmarkDimension' is declared b...
Type alias 'BenchmarkDimension' is declared but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Type alias 'BenchmarkDimension' is declared but never used.

MEDIUM oxlint: Parameter 'conductorStatePath' is declared bu...
Parameter 'conductorStatePath' is declared but never used. Unused parameters should start with a ' _ '.
Fix: Review this finding and apply the appropriate fix based on the description: Parameter 'conductorStatePath' is declared but never used. Unused parameters should start with a ' _ '.

MEDIUM oxlint: Variable 'actionHash' is declared but never u...
Variable 'actionHash' is declared but never used. Unused variables should start with a ' _ '.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'actionHash' is declared but never used. Unused variables should start with a ' _ '.

MEDIUM oxlint: Empty fallbacks in spreads are unnecessary
Empty fallbacks in spreads are unnecessary
Fix: Review this finding and apply the appropriate fix based on the description: Empty fallbacks in spreads are unnecessary

MEDIUM oxlint: Variable 'unusedThresholdMs' is declared but ...
Variable 'unusedThresholdMs' is declared but never used. Unused variables should start with a ' _ '.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'unusedThresholdMs' is declared but never used. Unused variables should start with a ' _ '.

MEDIUM oxlint: Empty fallbacks in spreads are unnecessary
Empty fallbacks in spreads are unnecessary
Fix: Review this finding and apply the appropriate fix based on the description: Empty fallbacks in spreads are unnecessary

MEDIUM oxlint: Variable 'reachable' is assigned a value but ...
Variable 'reachable' is assigned a value but never used. Unused variables should start with a ' _ '.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'reachable' is assigned a value but never used. Unused variables should start with a ' _ '.

MEDIUM oxlint: Variable 'placeholders' is declared but never...
Variable 'placeholders' is declared but never used. Unused variables should start with a ' _ '.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'placeholders' is declared but never used. Unused variables should start with a ' _ '.

MEDIUM oxlint: Identifier 'beforeEach' is imported but never...
Identifier 'beforeEach' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'beforeEach' is imported but never used.

MEDIUM oxlint: Identifier 'beforeEach' is imported but never...
Identifier 'beforeEach' is imported but never used.
Fix: Review this finding and apply the appropriate fix based on the description: Identifier 'beforeEach' is imported but never used.

MEDIUM oxlint: Variable 'divergencePoint' is declared but ne...
Variable 'divergencePoint' is declared but never used. Unused variables should start with a ' _ '.
Fix: Review this finding and apply the appropriate fix based on the description: Variable 'divergencePoint' is declared but never used. Unused variables should start with a ' _ '.

MEDIUM oxlint: Variable 'modifiedRec' is declared but never ...

Variable 'modifiedRec' is declared but never used. Unused variables should start with a '_'.

Fix: Review this finding and apply the appropriate fix based on the description: Variable 'modifiedRec' is declared but never used. Unused variables should start with a '_'.

MEDIUM oxlint: Variable 'originalRec' is declared but never ...
Variable 'originalRec' is declared but never used. Unused variables should start with a '_'.

Fix: Review this finding and apply the appropriate fix based on the description: Variable 'originalRec' is declared but never used. Unused variables should start with a '_'.

opengrep

SAST | 16 findings | Multi-language static analysis for security vulnerabilities

Severity	Title	File	CWE / Rule
MEDIUM	detect-non-literal-regexp RegExp() called with a `args` function argument, this might allow an attacker to cause a Regular Expression Denial-of-Service (ReDoS) within your application as RegExp blocks the main thread. For this reason, it is recommended to use hardcoded regexes instead. If your regex is run on user-controlled input, consider performing input validation or use a regex checking/sanitization library such as ...	...kages/mcp-server/src/index.ts:3373	CWE-1333: Inefficient
	requires login		
Fix:	Review this finding and apply the appropriate fix based on the description: RegExp() called with a `args` function argument, this might allow an attacker to cause a Regular Expression Denial-of-Service (ReDoS) within your application as RegExp blocks the main thread. For this		
	OWASP: A05:2021 - Security Misconfiguration Rule: javascript.lang.security.audit.detect-non-literal-regexp.detect-non-literal-regexp		
MEDIUM	detect-non-literal-regexp RegExp() called with a `rareTokens` function argument, this might allow an attacker to cause a Regular Expression Denial-of-Service (ReDoS) within your application as RegExp blocks the main thread. For this reason, it is recommended to use hardcoded regexes instead. If your regex is run on user-controlled input, consider performing input validation or use a regex checking/sanitization library such as ...	...kages/mcp-server/src/index.ts:336	CWE-1333: Inefficient
	requires login		
Fix:	Review this finding and apply the appropriate fix based on the description: RegExp() called with a `rareTokens` function argument, this might allow an attacker to cause a Regular Expression Denial-of-Service (ReDoS) within your application as RegExp blocks the main thread. Fo		
	OWASP: A05:2021 - Security Misconfiguration Rule: javascript.lang.security.audit.detect-non-literal-regexp.detect-non-literal-regexp		
MEDIUM	path-join-resolve-traversal Detected possible user input going into a `path.join` or `path.resolve` function. This could possibly lead to a path traversal vulnerability, where the attacker can access arbitrary files stored in the file system. Instead, be sure to sanitize or validate user input first.	.../scripts/backfill-classify.ts:330	CWE-22: Improper Limit
	requires login		
Fix:	Review this finding and apply the appropriate fix based on the description: Detected possible user input going into a `path.join` or `path.resolve` function. This could possibly lead to a path traversal vulnerability, where the attacker can access arbitrary files stored in t		
	OWASP: A05:2017 - Broken Access Control Rule: javascript.lang.security.audit.path-traversal.path-join-resolve-traversal.path-join-resolve-traversal		
MEDIUM	insecure-random-js-general Math.random() is not cryptographically secure. If this value is used for any security purpose (tokens, IDs, keys, etc.), use crypto.randomBytes() or crypto.randomUUID() instead.	.../scripts/backfill-classify.ts:30	CWE-330: Use of Insuff

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Math.random() is not cryptographically secure. If this value is used for any security purpose (tokens, IDs, keys, etc.), use crypto.randomBytes() or crypto.randomUUID() instead.

...

Rule: configs.insecure-random-js-general

MEDIUM django-no-csrf-token ...oard/app/templates/login.html:96 C
Manually-created forms in django templates should specify a csrf_token to prevent CSRF attacks.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Manually-created forms in django templates should specify a csrf_token to prevent CSRF attacks.

Rule: python.django.security.django-no-csrf-token.django-no-csrf-token

MEDIUM missing-integrity ...oard/app/templates/graph.html:62 CWE-353: Missing Suppo
This tag is missing an 'integrity' subresource integrity attribute. The 'integrity' attribute allows for the browser to verify that externally hosted files (for example from a CDN) are delivered without unexpected manipulation. Without this attribute, if an attacker can modify the externally hosted resource, this could lead to XSS and other types of attacks. To prevent this, include the base64-encoded cryptographic hash of the resource (file) you're telling ...

requires login

Fix: Review this finding and apply the appropriate fix based on the description: This tag is missing an 'integrity' subresource integrity attribute. The 'integrity' attribute allows for the browser to verify that externally hosted files (for example from a CDN) are delivered witho

OWASP: A08:2021 - Software and Data Integrity Failures | Rule: html.security.audit.missing-integrity.missing-integrity

MEDIUM asyncpg-sqli ...hboard/app/routes_extended.py:134 CWE-89: Improper Neutr
Detected string concatenation with a non-literal variable in a asyncpg Python SQL statement. This could lead to SQL injection if the variable is user-controlled and not properly sanitized. In order to prevent SQL injection, use parameterized queries or prepared statements instead. You can create parameterized queries like so: 'conn.fetch("SELECT ""Read- FROM table", value)'. You can also create prepared statements with ...

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected string concatenation with a non-literal variable in a asyncpg Python SQL statement. This could lead to SQL injection if the variable is user-controlled and not properly sanitized. In order to

OWASP: A01:2017 - Injection | Rule: python.lang.security.audit.sqli.asyncpg-sqli.asyncpg-sqli

MEDIUM asyncpg-sqli ...hboard/app/routes_extended.py:133 CWE-89: Improper Neutr
Detected string concatenation with a non-literal variable in a asyncpg Python SQL statement. This could lead to SQL injection if the variable is user-controlled and not properly sanitized. In order to prevent SQL injection, use parameterized queries or prepared statements instead. You can create parameterized queries like so: 'conn.fetch("SELECT ""Re FROM table", value)'. You can also create prepared statements with ...

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected string concatenation with a non-literal variable in a asyncpg Python SQL statement. This could lead to SQL injection if the variable is user-controlled and not properly sanitized. In order to

OWASP: A01:2017 - Injection | Rule: python.lang.security.audit.sqli.asyncpg-sqli.asyncpg-sqli

MEDIUM `asynccpg-sqli` `...ackages/dashboard/app/main.py:1189` `CWE-89: Improper Neutr`
Detected string concatenation with a non-literal variable in a asynccpg Python SQL statement. This could lead to SQL injection if the variable is user-controlled and not properly sanitized. In order to prevent SQL injection, use parameterized queries or prepared statements instead. You can create parameterized queries like so: `'conn.fetch("SELECT ""Memor FROM table", value)'`. You can also create prepared statements with
...

`requires login`

Fix: Review this finding and apply the appropriate fix based on the description: Detected string concatenation with a non-literal variable in a asynccpg Python SQL statement. This could lead to SQL injection if the variable is user-controlled and not properly sanitized. In order to

OWASP: A01:2017 - Injection | Rule: `python.lang.security.audit.sqli.asynccpg-sqli.asynccpg-sqli`

MEDIUM `asynccpg-sqli` `...ackages/dashboard/app/main.py:1188` `CWE-89: Improper Neutr`
Detected string concatenation with a non-literal variable in a asynccpg Python SQL statement. This could lead to SQL injection if the variable is user-controlled and not properly sanitized. In order to prevent SQL injection, use parameterized queries or prepared statements instead. You can create parameterized queries like so: `'conn.fetch("SELECT ""Me FROM table", value)'`. You can also create prepared statements with
...

`requires login`

Fix: Review this finding and apply the appropriate fix based on the description: Detected string concatenation with a non-literal variable in a asynccpg Python SQL statement. This could lead to SQL injection if the variable is user-controlled and not properly sanitized. In order to

OWASP: A01:2017 - Injection | Rule: `python.lang.security.audit.sqli.asynccpg-sqli.asynccpg-sqli`

LOW `unsafe-formatstring` `...erver/src/guardrail-proofs.ts:436` `CWE-134: Use of Extern`
Detected string concatenation with a non-literal variable in a `util.format / console.log` function. If an attacker injects a format specifier in the string, it will forge the log message. Try to use constant values for the format string.

`requires login`

Fix: Review this finding and apply the appropriate fix based on the description: Detected string concatenation with a non-literal variable in a `util.format / console.log` function. If an attacker injects a format specifier in the string, it will forge the log message. Try to use co

OWASP: A01:2021 - Broken Access Control | Rule: `javascript.lang.security.audit.unsafe-formatstring.unsafe-formatstring`

INFO `dependabot-missing-cooldown` `...target/.github/dependabot.yml:17` `CWE-829: Inclusion of`
This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `'cooldown'` block with `'default-days: 7'` to each `'package-ecosystem'` entry under `'updates'` to wait 7 days before proposing updates to newly published package versions. Reference:
...

`requires login`

Fix: Review this finding and apply the appropriate fix based on the description: This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `'cooldown'` block with `'default-days: 7'` to each `'package-ecosystem'` entry und

OWASP: A08:2021 - Software and Data Integrity Failures | Rule: `package_managers.dependabot.dependabot-missing-cooldown.dependabot-missing-cooldown`

INFO `dependabot-missing-cooldown` `...target/.github/dependabot.yml:14` `CWE-829: Inclusion of`
This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `'cooldown'` block with `'default-days: 7'` to each `'package-ecosystem'` entry under `'updates'` to wait 7 days before proposing updates to newly published package versions. Reference:
...

`requires login`

Fix: Review this finding and apply the appropriate fix based on the description: This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `cooldown` block with `default-days: 7` to each `package-ecosystem` entry und

OWASP: A08:2021 - Software and Data Integrity Failures | Rule: package_managers.dependabot.dependabot-missing-cooldown.dependabot-missing-cooldown

INFO dependabot-missing-cooldown ...target/github/dependabot.yml:11 CWE-829: Inclusion of
This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `cooldown` block with `default-days: 7` to each `package-ecosystem` entry under `updates` to wait 7 days before proposing updates to newly published package versions. Reference:
...

requires login

Fix: Review this finding and apply the appropriate fix based on the description: This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `cooldown` block with `default-days: 7` to each `package-ecosystem` entry und

OWASP: A08:2021 - Software and Data Integrity Failures | Rule: package_managers.dependabot.dependabot-missing-cooldown.dependabot-missing-cooldown

INFO dependabot-missing-cooldown ...target/github/dependabot.yml:7 CWE-829: Inclusion of
This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `cooldown` block with `default-days: 7` to each `package-ecosystem` entry under `updates` to wait 7 days before proposing updates to newly published package versions. Reference:
...

requires login

Fix: Review this finding and apply the appropriate fix based on the description: This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `cooldown` block with `default-days: 7` to each `package-ecosystem` entry und

OWASP: A08:2021 - Software and Data Integrity Failures | Rule: package_managers.dependabot.dependabot-missing-cooldown.dependabot-missing-cooldown

INFO dependabot-missing-cooldown ...target/github/dependabot.yml:3 CWE-829: Inclusion of
This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `cooldown` block with `default-days: 7` to each `package-ecosystem` entry under `updates` to wait 7 days before proposing updates to newly published package versions. Reference:
...

requires login

Fix: Review this finding and apply the appropriate fix based on the description: This Dependabot configuration does not set a cooldown period. Newly published packages can be malicious or unstable. Add a `cooldown` block with `default-days: 7` to each `package-ecosystem` entry und

OWASP: A08:2021 - Software and Data Integrity Failures | Rule: package_managers.dependabot.dependabot-missing-cooldown.dependabot-missing-cooldown

syft

SBOM | 10 findings | Software bill of materials generator for supply chain visibility

Severity	Title	File	CWE / Rule
LOW	Unknown License: uvicorn@0.34.2 Package uvicorn has no license information. This may indicate a compliance risk.	...ashboard/app/requirements.txt	SBOM-LICENSE-UNKNOWN
Package: uvicorn Version: 0.34.2 Type: python			

Fix: Verify the license for this package before using in production.

OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: pyyaml@6.0.2 ...ashboard/app/requirements.txt SBOM-LICENSE-UNKNOWN
Package pyyaml has no license information. This may indicate a compliance risk.

```
Package: pyyaml
Version: 6.0.2
Type: python
```

Fix: Verify the license for this package before using in production.

OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: python-multipart@0.0.32 ...ashboard/app/requirements.txt SBOM-LICENSE-UNKNOWN
Package python-multipart has no license information. This may indicate a compliance risk.

```
Package: python-multipart
Version: 0.0.32
Type: python
```

Fix: Verify the license for this package before using in production.

OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: jinja2@3.1.6 ...ashboard/app/requirements.txt SBOM-LICENSE-UNKNOWN
Package jinja2 has no license information. This may indicate a compliance risk.

```
Package: jinja2
Version: 3.1.6
Type: python
```

Fix: Verify the license for this package before using in production.

OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: itsdangerous@2.2.0 ...ashboard/app/requirements.txt SBOM-LICENSE-UNKNOWN
Package itsdangerous has no license information. This may indicate a compliance risk.

```
Package: itsdangerous
Version: 2.2.0
Type: python
```

Fix: Verify the license for this package before using in production.

OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: httpx@0.28.1 ...ashboard/app/requirements.txt SBOM-LICENSE-UNKNOWN
Package httpx has no license information. This may indicate a compliance risk.

```
Package: httpx
Version: 0.28.1
Type: python
```

Fix: Verify the license for this package before using in production.

OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: fastapi@0.115.12 ...ashboard/app/requirements.txt SBOM-LICENSE-UNKNOWN
Package fastapi has no license information. This may indicate a compliance risk.

Package: fastapi
Version: 0.115.12
Type: python

Fix: Verify the license for this package before using in production.
OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: asyncpg@0.30.0 ...ashboard/app/requirements.txt SBOM-LICENSE-UNKNOWN
Package asyncpg has no license information. This may indicate a compliance risk.

Package: asyncpg
Version: 0.30.0
Type: python

Fix: Verify the license for this package before using in production.
OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: actions/setup-node@49933ea5288caeca8... /github/workflows/ci.yml SBOM-LICENSE-UNKNOWN
Package actions/setup-node has no license information. This may indicate a compliance risk.

Package: actions/setup-node
Version: 49933ea5288caeca8642d1e84afbd3f7d6820020
Type: github-action

Fix: Verify the license for this package before using in production.
OWASP: A08:2021-Software and Data Integrity Failures

LOW Unknown License: actions/checkout@11d5960a326750d5838... /github/workflows/ci.yml SBOM-LICENSE-UNKNOWN
Package actions/checkout has no license information. This may indicate a compliance risk.

Package: actions/checkout
Version: 11d5960a326750d5838078e36cf38b85af677262
Type: github-action

Fix: Verify the license for this package before using in production.
OWASP: A08:2021-Software and Data Integrity Failures

trivy

SCA | 153 findings | Container image and filesystem vulnerability scanner

Severity	Title	File	CWE / Rule
LOW	License Compliance: Apache-2.0 in Package uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.	packages/mcp-server/LICENSE	LICENSE-Apache-2.0
Package: License: Apache-2.0 Category: notice Fix: Review this finding and apply the appropriate fix based on the description: Package uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy. OWASP: A06:2021-Vulnerable and Outdated Components			
LOW	License Compliance: Apache-2.0 in Package uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.	packages/dashboard/LICENSE	LICENSE-Apache-2.0

Package:
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: Apache-2.0 in Package uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.	LICENSE	LICENSE-Apache-2.0
-----	--	---------	--------------------

Package:
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: Apache-2.0 in python-multipart Package python-multipart uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.	...ashboard/app/requirements.txt	LICENSE-Apache-2.0
-----	--	----------------------------------	--------------------

Package: python-multipart
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package python-multipart uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: BSD-3-Clause in jinja2 Package jinja2 uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.	...ashboard/app/requirements.txt	LICENSE-BSD-3-Clause
-----	--	----------------------------------	----------------------

Package: jinja2
License: BSD-3-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package jinja2 uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: BSD-3-Clause in itsdangerous Package itsdangerous uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.	...ashboard/app/requirements.txt	LICENSE-BSD-3-Clause
-----	--	----------------------------------	----------------------

Package: itsdangerous
License: BSD-3-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package itsdangerous uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: BSD-3-Clause in httpx Package httpx uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.	...ashboard/app/requirements.txt	LICENSE-BSD-3-Clause
-----	--	----------------------------------	----------------------

Package: httpx
License: BSD-3-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package httpx uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in zod-to-json-schema .../mcp-server/package-lock.json LICENSE-ISC
Package zod-to-json-schema uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: zod-to-json-schema
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package zod-to-json-schema uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in xtend .../mcp-server/package-lock.json LICENSE-MIT
Package xtend uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: xtend
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package xtend uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in wrappy .../mcp-server/package-lock.json LICENSE-ISC
Package wrappy uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: wrappy
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package wrappy uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in which .../mcp-server/package-lock.json LICENSE-ISC
Package which uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: which
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package which uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in vary .../mcp-server/package-lock.json LICENSE-MIT
Package vary uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: vary
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package vary uses license MIT (category: notice).
Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in util-deprecate .../mcp-server/package-lock.json LICENSE-MIT
Package util-deprecate uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: util-deprecate
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package util-deprecate uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in unpipe .../mcp-server/package-lock.json LICENSE-MIT
Package unpipe uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: unpipe
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package unpipe uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in type-is .../mcp-server/package-lock.json LICENSE-MIT
Package type-is uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: type-is
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package type-is uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: Apache-2.0 in tunnel-agent .../mcp-server/package-lock.json LICENSE-Apache-2.0
Package tunnel-agent uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

Package: tunnel-agent
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package tunnel-agent uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: 0BSD in tslib .../mcp-server/package-lock.json LICENSE-0BSD
Package tslib uses license 0BSD (category: unencumbered). Review for compliance with your organization's license policy.

Package: tslib
License: 0BSD
Category: unencumbered

Fix: Review this finding and apply the appropriate fix based on the description: Package tslib uses license 0BSD (category: unencumbered). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in toidentifier .../mcp-server/package-lock.json LICENSE-MIT
Package toidentifier uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: toidentifier
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package toidentifier uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in tar-stream .../mcp-server/package-lock.json LICENSE-MIT
Package tar-stream uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: tar-stream
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package tar-stream uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in tar-fs .../mcp-server/package-lock.json LICENSE-MIT
Package tar-fs uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: tar-fs
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package tar-fs uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in strip-json-comments .../mcp-server/package-lock.json LICENSE-MIT
Package strip-json-comments uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: strip-json-comments
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package strip-json-comments uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in string_decoder .../mcp-server/package-lock.json LICENSE-MIT
Package string_decoder uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: string_decoder
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package string_decoder uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in statuses .../mcp-server/package-lock.json LICENSE-MIT
Package statuses uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: statuses
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package statuses uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in split2 .../mcp-server/package-lock.json LICENSE-ISC
Package split2 uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: split2
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package split2 uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in simple-get .../mcp-server/package-lock.json LICENSE-MIT
Package simple-get uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: simple-get
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package simple-get uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in simple-concat .../mcp-server/package-lock.json LICENSE-MIT
Package simple-concat uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: simple-concat
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package simple-concat uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in side-channel-weakmap .../mcp-server/package-lock.json LICENSE-MIT
Package side-channel-weakmap uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: side-channel-weakmap
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package side-channel-weakmap uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in side-channel-map .../mcp-server/package-lock.json LICENSE-MIT
Package side-channel-map uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: side-channel-map
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package side-channel-map uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in side-channel-list .../mcp-server/package-lock.json LICENSE-MIT
Package side-channel-list uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: side-channel-list
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package side-channel-list uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in side-channel .../mcp-server/package-lock.json LICENSE-MIT
Package side-channel uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: side-channel
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package side-channel uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in shebang-regex .../mcp-server/package-lock.json LICENSE-MIT
Package shebang-regex uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: shebang-regex
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package shebang-regex uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in shebang-command .../mcp-server/package-lock.json LICENSE-MIT
Package shebang-command uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: shebang-command
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package shebang-command uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in setprototypeof .../mcp-server/package-lock.json LICENSE-ISC
Package setprototypeof uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: setprototypeof
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package setprototypeof uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in serve-static .../mcp-server/package-lock.json LICENSE-MIT
Package serve-static uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: serve-static
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package serve-static uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in send .../mcp-server/package-lock.json LICENSE-MIT
Package send uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: send
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package send uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in semver .../mcp-server/package-lock.json LICENSE-ISC
Package semver uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: semver
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package semver uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in safer-buffer .../mcp-server/package-lock.json LICENSE-MIT
Package safer-buffer uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: safer-buffer
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package safer-buffer uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in safe-buffer .../mcp-server/package-lock.json LICENSE-MIT
Package safe-buffer uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: safe-buffer
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package safe-buffer uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: Apache-2.0 in rxjs .../mcp-server/package-lock.json LICENSE-Apache-2.0
Package rxjs uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

Package: rxjs
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package rxjs uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in router .../mcp-server/package-lock.json LICENSE-MIT
Package router uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: router
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package router uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in require-from-string .../mcp-server/package-lock.json LICENSE-MIT
Package require-from-string uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: require-from-string
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package require-from-string uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in readable-stream .../mcp-server/package-lock.json LICENSE-MIT
Package readable-stream uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: readable-stream
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package readable-stream uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: (BSD-2-Clause OR MIT OR Apache-2....
Package rc uses license (BSD-2-Clause OR MIT OR Apache-2.0) (category: notice). Review for compliance with your organization's license policy.

Package: rc
License: (BSD-2-Clause OR MIT OR Apache-2.0)
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package rc uses license (BSD-2-Clause OR MIT OR Apache-2.0) (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in raw-body
Package raw-body uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: raw-body
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package raw-body uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in range-parser
Package range-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: range-parser
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package range-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: BSD-3-Clause in qs
Package qs uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

Package: qs
License: BSD-3-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package qs uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pump
Package pump uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pump
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pump uses license MIT (category: notice).
Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in proxy-addr .../mcp-server/package-lock.json LICENSE-MIT
Package proxy-addr uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: proxy-addr
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package proxy-addr uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in prebuild-install .../mcp-server/package-lock.json LICENSE-MIT
Package prebuild-install uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: prebuild-install
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package prebuild-install uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in postgres-interval .../mcp-server/package-lock.json LICENSE-MIT
Package postgres-interval uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: postgres-interval
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package postgres-interval uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in postgres-date .../mcp-server/package-lock.json LICENSE-MIT
Package postgres-date uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: postgres-date
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package postgres-date uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in postgres-bytea .../mcp-server/package-lock.json LICENSE-MIT
Package postgres-bytea uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: postgres-bytea
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package postgres-bytea uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in postgres-array .../mcp-server/package-lock.json LICENSE-MIT
Package postgres-array uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: postgres-array
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package postgres-array uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pkce-challenge .../mcp-server/package-lock.json LICENSE-MIT
Package pkce-challenge uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pkce-challenge
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pkce-challenge uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pgpass .../mcp-server/package-lock.json LICENSE-MIT
Package pgpass uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pgpass
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pgpass uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pg-types .../mcp-server/package-lock.json LICENSE-MIT
Package pg-types uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pg-types
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pg-types uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pg-protocol .../mcp-server/package-lock.json LICENSE-MIT
Package pg-protocol uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pg-protocol
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pg-protocol uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pg-pool .../mcp-server/package-lock.json LICENSE-MIT
Package pg-pool uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pg-pool
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pg-pool uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in pg-int8 .../mcp-server/package-lock.json LICENSE-ISC
Package pg-int8 uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: pg-int8
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pg-int8 uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pg-connection-string .../mcp-server/package-lock.json LICENSE-MIT
Package pg-connection-string uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pg-connection-string
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pg-connection-string uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pg-cloudflare .../mcp-server/package-lock.json LICENSE-MIT
Package pg-cloudflare uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pg-cloudflare
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pg-cloudflare uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in path-to-regexp .../mcp-server/package-lock.json LICENSE-MIT
Package path-to-regexp uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: path-to-regexp
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package path-to-regexp uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in path-key .../mcp-server/package-lock.json LICENSE-MIT
Package path-key uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: path-key
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package path-key uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in parseurl .../mcp-server/package-lock.json LICENSE-MIT
Package parseurl uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: parseurl
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package parseurl uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in once .../mcp-server/package-lock.json LICENSE-ISC
Package once uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: once
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package once uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in on-finished .../mcp-server/package-lock.json LICENSE-MIT
Package on-finished uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: on-finished
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package on-finished uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in object-inspect .../mcp-server/package-lock.json LICENSE-MIT
Package object-inspect uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: object-inspect
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package object-inspect uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in object-assign .../mcp-server/package-lock.json LICENSE-MIT
Package object-assign uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: object-assign
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package object-assign uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in node-abi .../mcp-server/package-lock.json LICENSE-MIT
Package node-abi uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: node-abi
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package node-abi uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: Apache-2.0 in neo4j-driver-core .../mcp-server/package-lock.json LICENSE-Apache-2.0
Package neo4j-driver-core uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

Package: neo4j-driver-core
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package neo4j-driver-core uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: Apache-2.0 in neo4j-driver-bolt-c... .../mcp-server/package-lock.json LICENSE-Apache-2.0
Package neo4j-driver-bolt-connection uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

Package: neo4j-driver-bolt-connection
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package neo4j-driver-bolt-connection uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in negotiator .../mcp-server/package-lock.json LICENSE-MIT
Package negotiator uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: negotiator
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package negotiator uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in napi-build-utils .../mcp-server/package-lock.json LICENSE-MIT
Package napi-build-utils uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: napi-build-utils
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package napi-build-utils uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ms .../mcp-server/package-lock.json LICENSE-MIT
Package ms uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ms
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ms uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in mkdirp-classic .../mcp-server/package-lock.json LICENSE-MIT
Package mkdirp-classic uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: mkdirp-classic
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package mkdirp-classic uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in minimist .../mcp-server/package-lock.json LICENSE-MIT
Package minimist uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: minimist
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package minimist uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in mimic-response .../mcp-server/package-lock.json LICENSE-MIT
Package mimic-response uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: `mimic-response`
License: `MIT`
Category: `notice`

Fix: Review this finding and apply the appropriate fix based on the description: Package `mimic-response` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in `mime-types` `.../mcp-server/package-lock.json` **LICENSE-MIT**
Package `mime-types` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

Package: `mime-types`
License: `MIT`
Category: `notice`

Fix: Review this finding and apply the appropriate fix based on the description: Package `mime-types` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in `mime-db` `.../mcp-server/package-lock.json` **LICENSE-MIT**
Package `mime-db` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

Package: `mime-db`
License: `MIT`
Category: `notice`

Fix: Review this finding and apply the appropriate fix based on the description: Package `mime-db` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in `merge-descriptors` `.../mcp-server/package-lock.json` **LICENSE-MIT**
Package `merge-descriptors` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

Package: `merge-descriptors`
License: `MIT`
Category: `notice`

Fix: Review this finding and apply the appropriate fix based on the description: Package `merge-descriptors` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in `media-typer` `.../mcp-server/package-lock.json` **LICENSE-MIT**
Package `media-typer` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

Package: `media-typer`
License: `MIT`
Category: `notice`

Fix: Review this finding and apply the appropriate fix based on the description: Package `media-typer` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in `math-intrinsics` `.../mcp-server/package-lock.json` **LICENSE-MIT**
Package `math-intrinsics` uses license `MIT` (category: `notice`). Review for compliance with your organization's license policy.

Package: math-intrinsics
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package math-intrinsics uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: BSD-2-Clause in json-schema-typed .../mcp-server/package-lock.json LICENSE-BSD-2-Clause
Package json-schema-typed uses license BSD-2-Clause (category: notice). Review for compliance with your organization's license policy.

Package: json-schema-typed
License: BSD-2-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package json-schema-typed uses license BSD-2-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in json-schema-traverse .../mcp-server/package-lock.json LICENSE-MIT
Package json-schema-traverse uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: json-schema-traverse
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package json-schema-traverse uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in jose .../mcp-server/package-lock.json LICENSE-MIT
Package jose uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: jose
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package jose uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in isexe .../mcp-server/package-lock.json LICENSE-ISC
Package isexe uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: isexe
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package isexe uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in is-promise .../mcp-server/package-lock.json LICENSE-MIT
Package is-promise uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: is-promise
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package is-promise uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ipaddr.js .../mcp-server/package-lock.json LICENSE-MIT
Package ipaddr.js uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ipaddr.js
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ipaddr.js uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ip-address .../mcp-server/package-lock.json LICENSE-MIT
Package ip-address uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ip-address
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ip-address uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in ini .../mcp-server/package-lock.json LICENSE-ISC
Package ini uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: ini
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ini uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in inherits .../mcp-server/package-lock.json LICENSE-ISC
Package inherits uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: inherits
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package inherits uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: BSD-3-Clause in ieee754 .../mcp-server/package-lock.json LICENSE-BSD-3-Clause
Package ieee754 uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

Package: ieee754
License: BSD-3-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ieee754 uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in iconv-lite .../mcp-server/package-lock.json LICENSE-MIT
Package iconv-lite uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: iconv-lite
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package iconv-lite uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in http-errors .../mcp-server/package-lock.json LICENSE-MIT
Package http-errors uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: http-errors
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package http-errors uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in hono .../mcp-server/package-lock.json LICENSE-MIT
Package hono uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: hono
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package hono uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in hasown .../mcp-server/package-lock.json LICENSE-MIT
Package hasown uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: hasown
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package hasown uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in has-symbols .../mcp-server/package-lock.json LICENSE-MIT
Package has-symbols uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: has-symbols
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package has-symbols uses license MIT (category: notice). Review for compliance with your organization's license policy.
OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in gopd .../mcp-server/package-lock.json LICENSE-MIT
Package gopd uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: gopd
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package gopd uses license MIT (category: notice). Review for compliance with your organization's license policy.
OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in github-from-package .../mcp-server/package-lock.json LICENSE-MIT
Package github-from-package uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: github-from-package
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package github-from-package uses license MIT (category: notice). Review for compliance with your organization's license policy.
OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in get-proto .../mcp-server/package-lock.json LICENSE-MIT
Package get-proto uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: get-proto
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package get-proto uses license MIT (category: notice). Review for compliance with your organization's license policy.
OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in get-intrinsic .../mcp-server/package-lock.json LICENSE-MIT
Package get-intrinsic uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: get-intrinsic
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package get-intrinsic uses license MIT (category: notice). Review for compliance with your organization's license policy.
OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in function-bind .../mcp-server/package-lock.json LICENSE-MIT
Package function-bind uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: function-bind
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package function-bind uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: MIT in fs-constants	.../mcp-server/package-lock.json	LICENSE-MIT
Package fs-constants uses license MIT (category: notice). Review for compliance with your organization's license policy.			

Package: fs-constants
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package fs-constants uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: MIT in fresh	.../mcp-server/package-lock.json	LICENSE-MIT
Package fresh uses license MIT (category: notice). Review for compliance with your organization's license policy.			

Package: fresh
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package fresh uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: MIT in forwarded	.../mcp-server/package-lock.json	LICENSE-MIT
Package forwarded uses license MIT (category: notice). Review for compliance with your organization's license policy.			

Package: forwarded
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package forwarded uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: MIT in finalhandler	.../mcp-server/package-lock.json	LICENSE-MIT
Package finalhandler uses license MIT (category: notice). Review for compliance with your organization's license policy.			

Package: finalhandler
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package finalhandler uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW	License Compliance: MIT in file-uri-to-path	.../mcp-server/package-lock.json	LICENSE-MIT
Package file-uri-to-path uses license MIT (category: notice). Review for compliance with your organization's license policy.			

Package: file-uri-to-path
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package file-uri-to-path uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: BSD-3-Clause in fast-uri .../mcp-server/package-lock.json LICENSE-BSD-3-Clause
Package fast-uri uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

Package: fast-uri
License: BSD-3-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package fast-uri uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in fast-deep-equal .../mcp-server/package-lock.json LICENSE-MIT
Package fast-deep-equal uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: fast-deep-equal
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package fast-deep-equal uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in express-rate-limit .../mcp-server/package-lock.json LICENSE-MIT
Package express-rate-limit uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: express-rate-limit
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package express-rate-limit uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in express .../mcp-server/package-lock.json LICENSE-MIT
Package express uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: express
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package express uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in eventsource-parser .../mcp-server/package-lock.json LICENSE-MIT
Package eventsource-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: eventsource-parser
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package eventsource-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in eventsource .../mcp-server/package-lock.json LICENSE-MIT
Package eventsource uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: eventsource
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package eventsource uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in etag .../mcp-server/package-lock.json LICENSE-MIT
Package etag uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: etag
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package etag uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in escape-html .../mcp-server/package-lock.json LICENSE-MIT
Package escape-html uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: escape-html
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package escape-html uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in es-object-atoms .../mcp-server/package-lock.json LICENSE-MIT
Package es-object-atoms uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: es-object-atoms
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package es-object-atoms uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in es-errors .../mcp-server/package-lock.json LICENSE-MIT
Package es-errors uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: es-errors
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package es-errors uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in es-define-property .../mcp-server/package-lock.json LICENSE-MIT
Package es-define-property uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: es-define-property
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package es-define-property uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in end-of-stream .../mcp-server/package-lock.json LICENSE-MIT
Package end-of-stream uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: end-of-stream
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package end-of-stream uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in encodeurl .../mcp-server/package-lock.json LICENSE-MIT
Package encodeurl uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: encodeurl
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package encodeurl uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ee-first .../mcp-server/package-lock.json LICENSE-MIT
Package ee-first uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ee-first
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ee-first uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in dunder-proto .../mcp-server/package-lock.json LICENSE-MIT
Package dunder-proto uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: dunder-proto
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package dunder-proto uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: Apache-2.0 in detect-libc .../mcp-server/package-lock.json LICENSE-Apache-2.0
Package detect-libc uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

Package: detect-libc
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package detect-libc uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in depd .../mcp-server/package-lock.json LICENSE-MIT
Package depd uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: depd
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package depd uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in deep-extend .../mcp-server/package-lock.json LICENSE-MIT
Package deep-extend uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: deep-extend
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package deep-extend uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in decompress-response .../mcp-server/package-lock.json LICENSE-MIT
Package decompress-response uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: decompress-response
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package decompress-response uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in debug .../mcp-server/package-lock.json LICENSE-MIT
Package debug uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: debug
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package debug uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in cross-spawn .../mcp-server/package-lock.json LICENSE-MIT
Package cross-spawn uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: cross-spawn
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package cross-spawn uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in cors .../mcp-server/package-lock.json LICENSE-MIT
Package cors uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: cors
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package cors uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in cookie-signature .../mcp-server/package-lock.json LICENSE-MIT
Package cookie-signature uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: cookie-signature
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package cookie-signature uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in cookie .../mcp-server/package-lock.json LICENSE-MIT
Package cookie uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: cookie
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package cookie uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in content-type .../mcp-server/package-lock.json LICENSE-MIT
Package content-type uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: content-type
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package content-type uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in content-disposition .../mcp-server/package-lock.json LICENSE-MIT
Package content-disposition uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: content-disposition
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package content-disposition uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in chownr .../mcp-server/package-lock.json LICENSE-ISC
Package chownr uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: chownr
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package chownr uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in call-bound .../mcp-server/package-lock.json LICENSE-MIT
Package call-bound uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: call-bound
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package call-bound uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in call-bind-apply-helpers .../mcp-server/package-lock.json LICENSE-MIT
Package call-bind-apply-helpers uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: call-bind-apply-helpers
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package call-bind-apply-helpers uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in bytes .../mcp-server/package-lock.json LICENSE-MIT
Package bytes uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: bytes
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package bytes uses license MIT (category: notice).
Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in buffer .../mcp-server/package-lock.json LICENSE-MIT
Package buffer uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: buffer
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package buffer uses license MIT (category: notice).
Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in body-parser .../mcp-server/package-lock.json LICENSE-MIT
Package body-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: body-parser
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package body-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in bl .../mcp-server/package-lock.json LICENSE-MIT
Package bl uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: bl
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package bl uses license MIT (category: notice).
Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in bindings .../mcp-server/package-lock.json LICENSE-MIT
Package bindings uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: bindings
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package bindings uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in base64-js .../mcp-server/package-lock.json LICENSE-MIT
Package base64-js uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: base64-js
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package base64-js uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ajv-formats .../mcp-server/package-lock.json LICENSE-MIT
Package ajv-formats uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ajv-formats
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ajv-formats uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ajv .../mcp-server/package-lock.json LICENSE-MIT
Package ajv uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ajv
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ajv uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in accepts .../mcp-server/package-lock.json LICENSE-MIT
Package accepts uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: accepts
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package accepts uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in @hono/node-server .../mcp-server/package-lock.json LICENSE-MIT
Package @hono/node-server uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: @hono/node-server
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package @hono/node-server uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in zod .../mcp-server/package-lock.json LICENSE-MIT
Package zod uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: zod
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package zod uses license MIT (category: notice).
Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pg .../mcp-server/package-lock.json LICENSE-MIT
Package pg uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pg
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pg uses license MIT (category: notice).
Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: Apache-2.0 in neo4j-driver .../mcp-server/package-lock.json LICENSE-Apache-2.0
Package neo4j-driver uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.

Package: neo4j-driver
License: Apache-2.0
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package neo4j-driver uses license Apache-2.0
(category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in better-sqlite3 .../mcp-server/package-lock.json LICENSE-MIT
Package better-sqlite3 uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: better-sqlite3
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package better-sqlite3 uses license MIT (category:
notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in @modelcontextprotocol/sdk .../mcp-server/package-lock.json LICENSE-MIT
Package @modelcontextprotocol/sdk uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: @modelcontextprotocol/sdk
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package @modelcontextprotocol/sdk uses license
MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW No HEALTHCHECK defined packages/mcp-server/Dockerfile DS-0026
You should add HEALTHCHECK instruction in your docker container images to perform the health check on running containers.

Fix: Add HEALTHCHECK instruction in Dockerfile

OWASP: A05:2021-Security Misconfiguration

INFO

License Compliance: (MIT OR WTFPL) in expand-template .../mcp-server/package-lock.json LICENSE-(MIT OR WTFPL)

Package expand-template uses license (MIT OR WTFPL) (category: unknown). Review for compliance with your organization's license policy.

Package: expand-template

License: (MIT OR WTFPL)

Category: unknown

Fix:

Review this finding and apply the appropriate fix based on the description: Package expand-template uses license (MIT OR WTFPL) (category: unknown). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

Codebase Coverage (185 files analyzed)

This scan analyzed 185 files using 10 security tools across 8 testing categories. Each scanner targets files relevant to its analysis domain (e.g., SAST scanners analyze source code, SCA scanners analyze dependency manifests).

Files by Language:

JavaScript/TypeScript: 67 files

Config: 47 files

Markdown: 18 files

Shell: 12 files

Python: 5 files

Docker: 2 files

Files by Extension:

.ts: 67

.sh: 12

.py: 5

.yaml: 3

.toml: 2

.txt: 1

.png: 1

.json: 41

.html: 12

.gitignore: 4

.dockerfile: 2

.pdf: 2

.tag: 1

.md: 17

.other: 8

.example: 3

.dockerignore: 2

.yaml: 1

.mp4: 1

Per-Scanner File Coverage:

Scanner	Category	Files Analyzed	Scope
trivy	SCA	7	Scanned 7 target(s): pip, npm, dockerfile
gitleaks	Secrets	185	Working directory scanned for 150+ secret p...
opengrep	SAST	84	Multi-language SAST with auto, security-aud...
checkov	IaC	49	IaC security analysis — 0 files, 0 checks (...)
grype	SCA	185	SCA analysis: 0 unique CVEs across 0 vulner...
syft	SBOM	158	SBOM of 158 packages across 2 language(s): ...
package-validator	AI Code Quality	185	Dependency files (package.json, requirement...
oxlint	Code Quality	67	JS/TS source files
ruff	Code Quality	5	Python linting and security analysis via Ruff
actionlint	CI/CD Security	47	.github/workflows/*.yaml files
jscpd	Code Quality	72	All source files across supported languages

Files with Findings (31):

File Path	Findings	Scanners
packages/mcp-server/package-lock.json	145	trivy
packages/mcp-server/src/index.ts	99	oxlint

/packages/dashboard/app/requirements.txt	8	syft
packages/mcp-server/src/multi-agent-coordination.ts	7	oxlint
/scan-target/.github/dependabot.yml	5	opengrep
packages/mcp-server/src/advanced-memory.ts	4	oxlint
packages/dashboard/app/requirements.txt	4	trivy
packages/mcp-server/src/time-travel-debug.ts	3	oxlint
/.github/workflows/ci.yml	2	syft
/scan-target/packages/dashboard/app/main.py	2	opengrep
/scan-target/packages/dashboard/app/routes_extended.py	2	opengrep
/scan-target/packages/mcp-server/scripts/backfill-classify.ts	2	opengrep
/scan-target/packages/mcp-server/src/index.ts	2	opengrep
packages/mcp-server/src/dx-tooling.ts	2	oxlint
packages/mcp-server/src/memory-enhancements.ts	2	oxlint
packages/mcp-server/src/red-team-agent.ts	2	oxlint
packages/mcp-server/scripts/self-test.ts	1	oxlint
LICENSE	1	trivy
packages/mcp-server/src/constitutional-monitor.ts	1	oxlint
.../tests/memory-migration/stage-11/req-s5-003.search-cold-postgres.test.ts	1	oxlint
packages/mcp-server/src/frontier-capabilities.ts	1	oxlint
packages/mcp-server/src/graph-tools.ts	1	oxlint
/scan-target/packages/mcp-server/src/guardrail-proofs.ts	1	opengrep
...erver/tests/memory-migration/stage-11/req-s5-004.dual-write-flag.test.ts	1	oxlint
/scan-target/packages/dashboard/app/templates/login.html	1	opengrep
packages/mcp-server/src/postgres-mirror.ts	1	oxlint
...cp-server/tests/memory-migration/stage-final/graph-tools.runtime.test.ts	1	oxlint
/scan-target/packages/dashboard/app/templates/graph.html	1	opengrep
packages/mcp-server/Dockerfile	1	trivy
packages/mcp-server/LICENSE	1	trivy
packages/dashboard/LICENSE	1	trivy

Software Bill of Materials (158 packages)

Package types: npm: 148 | python: 8 | github-action: 2

Top licenses: MIT (122), ISC (12), Unknown (10), Apache-2.0 (7), BSD-3-Clause (3), (MIT OR WTFPL) (1), BSD-2-Clause (1), (BSD-2-Clause OR MIT OR Apache-2.0) (1)

Package	Version	Type	Language	License
actions/checkout	11d5960a326750	github-actio	-	Unknown
actions/setup-node	49933ea5288cae	github-actio	-	Unknown
@hono/node-server	2.0.11	npm	javascript	MIT
@modelcontextprotocol/sdk	1.29.0	npm	javascript	MIT
accepts	2.0.0	npm	javascript	MIT
ajv	8.20.0	npm	javascript	MIT

ajv-formats	3.0.1	npm	javascript	MIT
base64-js	1.5.1	npm	javascript	MIT
better-sqlite3	12.11.1	npm	javascript	MIT
bindings	1.5.0	npm	javascript	MIT
bl	4.1.0	npm	javascript	MIT
body-parser	2.3.0	npm	javascript	MIT
buffer	5.7.1	npm	javascript	MIT
buffer	6.0.3	npm	javascript	MIT
bulletproof-memory	1.0.0	npm	javascript	Apache-2.0
bytes	3.1.2	npm	javascript	MIT
call-bind-apply-helpers	1.0.2	npm	javascript	MIT
call-bound	1.0.4	npm	javascript	MIT
chownr	1.1.4	npm	javascript	ISC
content-disposition	1.1.0	npm	javascript	MIT
content-type	1.0.5	npm	javascript	MIT
content-type	2.0.0	npm	javascript	MIT
cookie	0.7.2	npm	javascript	MIT
cookie-signature	1.2.2	npm	javascript	MIT
cors	2.8.6	npm	javascript	MIT
cross-spawn	7.0.6	npm	javascript	MIT
debug	4.4.3	npm	javascript	MIT
decompress-response	6.0.0	npm	javascript	MIT
deep-extend	0.6.0	npm	javascript	MIT
depd	2.0.0	npm	javascript	MIT
detect-libc	2.1.2	npm	javascript	Apache-2.0
dunder-proto	1.0.1	npm	javascript	MIT
ee-first	1.1.1	npm	javascript	MIT
encodeurl	2.0.0	npm	javascript	MIT
end-of-stream	1.4.5	npm	javascript	MIT
es-define-property	1.0.1	npm	javascript	MIT
es-errors	1.3.0	npm	javascript	MIT
es-object-atoms	1.1.2	npm	javascript	MIT
escape-html	1.0.3	npm	javascript	MIT
etag	1.8.1	npm	javascript	MIT
eventsouce	3.0.7	npm	javascript	MIT
eventsouce-parser	3.1.0	npm	javascript	MIT
expand-template	2.0.3	npm	javascript	(MIT OR WTFPL)
express	5.2.1	npm	javascript	MIT
express-rate-limit	8.6.0	npm	javascript	MIT
fast-deep-equal	3.1.3	npm	javascript	MIT
fast-uri	3.1.4	npm	javascript	BSD-3-Clause
file-uri-to-path	1.0.0	npm	javascript	MIT

finalhandler	2.1.1	npm	javascript	MIT
forwarded	0.2.0	npm	javascript	MIT
fresh	2.0.0	npm	javascript	MIT
fs-constants	1.0.0	npm	javascript	MIT
function-bind	1.1.2	npm	javascript	MIT
get-intrinsic	1.3.0	npm	javascript	MIT
get-proto	1.0.1	npm	javascript	MIT
github-from-package	0.0.0	npm	javascript	MIT
gopd	1.2.0	npm	javascript	MIT
has-symbols	1.1.0	npm	javascript	MIT
hasown	2.0.4	npm	javascript	MIT
hono	4.12.31	npm	javascript	MIT
http-errors	2.0.1	npm	javascript	MIT
iconv-lite	0.7.3	npm	javascript	MIT
ieee754	1.2.1	npm	javascript	BSD-3-Clause
inherits	2.0.4	npm	javascript	ISC
ini	1.3.8	npm	javascript	ISC
ip-address	10.2.0	npm	javascript	MIT
ipaddr.js	1.9.1	npm	javascript	MIT
is-promise	4.0.0	npm	javascript	MIT
isexe	2.0.0	npm	javascript	ISC
jose	6.2.4	npm	javascript	MIT
json-schema-traverse	1.0.0	npm	javascript	MIT
json-schema-typed	8.0.2	npm	javascript	BSD-2-Clause
math-intrinsics	1.1.0	npm	javascript	MIT
media-typer	1.1.0	npm	javascript	MIT
merge-descriptors	2.0.0	npm	javascript	MIT
mime-db	1.54.0	npm	javascript	MIT
mime-types	3.0.2	npm	javascript	MIT
mimic-response	3.1.0	npm	javascript	MIT
minimist	1.2.8	npm	javascript	MIT
mkdirp-classic	0.5.3	npm	javascript	MIT
ms	2.1.3	npm	javascript	MIT
napi-build-utils	2.0.0	npm	javascript	MIT
negotiator	1.0.0	npm	javascript	MIT
neo4j-driver	5.28.3	npm	javascript	Apache-2.0
neo4j-driver-bolt-connection	5.28.3	npm	javascript	Apache-2.0
neo4j-driver-core	5.28.3	npm	javascript	Apache-2.0
node-abi	3.94.0	npm	javascript	MIT
object-assign	4.1.1	npm	javascript	MIT
object-inspect	1.13.4	npm	javascript	MIT
on-finished	2.4.1	npm	javascript	MIT

once	1.4.0	npm	javascript	ISC
parseurl	1.3.3	npm	javascript	MIT
path-key	3.1.1	npm	javascript	MIT
path-to-regexp	8.4.2	npm	javascript	MIT
pg	8.22.0	npm	javascript	MIT
pg-cloudflare	1.4.0	npm	javascript	MIT
pg-connection-string	2.14.0	npm	javascript	MIT
pg-int8	1.0.1	npm	javascript	ISC
pg-pool	3.14.0	npm	javascript	MIT
pg-protocol	1.15.0	npm	javascript	MIT
pg-types	2.2.0	npm	javascript	MIT
pgpass	1.0.5	npm	javascript	MIT
pkce-challenge	5.0.1	npm	javascript	MIT
postgres-array	2.0.0	npm	javascript	MIT
postgres-bytea	1.0.1	npm	javascript	MIT
postgres-date	1.0.7	npm	javascript	MIT
postgres-interval	1.2.0	npm	javascript	MIT
prebuild-install	7.1.3	npm	javascript	MIT
proxy-addr	2.0.7	npm	javascript	MIT
pump	3.0.4	npm	javascript	MIT
qs	6.15.3	npm	javascript	BSD-3-Clause
range-parser	1.3.0	npm	javascript	MIT
raw-body	3.0.2	npm	javascript	MIT
rc	1.2.8	npm	javascript	(BSD-2-Clause OR MI...
readable-stream	3.6.2	npm	javascript	MIT
require-from-string	2.0.2	npm	javascript	MIT
router	2.2.0	npm	javascript	MIT
rxjs	7.8.2	npm	javascript	Apache-2.0
safe-buffer	5.2.1	npm	javascript	MIT
safer-buffer	2.1.2	npm	javascript	MIT
semver	7.8.5	npm	javascript	ISC
send	1.2.1	npm	javascript	MIT
serve-static	2.2.1	npm	javascript	MIT
setprototypeof	1.2.0	npm	javascript	ISC
shebang-command	2.0.0	npm	javascript	MIT
shebang-regex	3.0.0	npm	javascript	MIT
side-channel	1.1.1	npm	javascript	MIT
side-channel-list	1.0.1	npm	javascript	MIT
side-channel-map	1.0.1	npm	javascript	MIT
side-channel-weakmap	1.0.2	npm	javascript	MIT
simple-concat	1.0.1	npm	javascript	MIT
simple-get	4.0.1	npm	javascript	MIT

split2	4.2.0	npm	javascript	ISC
statuses	2.0.2	npm	javascript	MIT
string_decoder	1.3.0	npm	javascript	MIT
strip-json-comments	2.0.1	npm	javascript	MIT
tar-fs	2.1.5	npm	javascript	MIT
tar-stream	2.2.0	npm	javascript	MIT
toidentifier	1.0.1	npm	javascript	MIT
tslib	2.8.1	npm	javascript	0BSD
tunnel-agent	0.6.0	npm	javascript	Apache-2.0
type-is	2.1.0	npm	javascript	MIT
unpipe	1.0.0	npm	javascript	MIT
util-deprecate	1.0.2	npm	javascript	MIT
vary	1.1.2	npm	javascript	MIT
which	2.0.2	npm	javascript	ISC
wrappy	1.0.2	npm	javascript	ISC
xtend	4.0.2	npm	javascript	MIT
zod	3.25.76	npm	javascript	MIT
zod-to-json-schema	3.25.2	npm	javascript	ISC
asynccpg	0.30.0	python	python	Unknown
fastapi	0.115.12	python	python	Unknown
httpx	0.28.1	python	python	Unknown
itsdangerous	2.2.0	python	python	Unknown
jinja2	3.1.6	python	python	Unknown
python-multipart	0.0.32	python	python	Unknown
pyyaml	6.0.2	python	python	Unknown
uvicorn	0.34.2	python	python	Unknown