


Code Hardener

ATTESTATION CERTIFICATE



bulletproof-monet

Scan a392a540 | Branch: main | Jul 24, 2026

Attestation ID

fd96aa7e-a3ee-471b-8c91-...

Type

in-toto

Subject

bulletproof-monet

Created

Jul 24, 2026, 6:33 PM

Subject Digest

sha256: 41bc715b37d44f87f5193b519adcbe4cb5a3d85750f4624ccd3e6b5c...

Signature Status

CRYPTOGRAPHICALLY SIGNED

Algorithm: Ed25519 (Local Signing Key)

Signature

0MTkFJNHkGpvFUCdwmUghBn1o3MXL62tfEtmfFlmMcrIVw9vPK+B7thKNfWI0jZo
Kc4soWLC1Q1F13yh6VBKDA==

This attestation certifies the security scan was performed and results were recorded with cryptographic integrity.

Scan Report — bulletproof-monet

Branch: main | Status: completed | Jul 24, 2026

772 / 1000 Score — Quality: good

Scan Details

Profile: standard
Duration: 20s
Started: Jul 24, 2026, 6:32 PM
Completed: Jul 24, 2026, 6:33 PM
Files Analyzed: 177
Scanners Run: 10 of 12
Open Findings: 218
Resolved / Suppressed:0
Total Detected: 218
Codebase: Shell: 74 files | Python: 31 files | Config: 27 files | Markdown: 4 files | JavaScript/TypeScript: 2 files | Docker: 1 files

0 Critical 0 High 105 Medium 99 Low 14 Info

Scanner Results

12 tools executed — 4 passed | 6 with open findings | 2 not applicable | 0 errors

Scanner	Category	Outcome	Findings	Duration	Files Scanned
trivy	SCA	FAIL	95	3s	6
gitleaks	Secrets	PASS	0	0s	177
opengrep	SAST	FAIL	20	8s	107
checkov	IaC	PASS	0	3s	28
grype	SCA	FAIL	1	3s	1
syft	SBOM	FAIL	5	1s	98

package-validator	AI Code Quality	N/A	0	0s	177
oxlint	Code Quality	PASS	0	0s	2
ruff	Code Quality	FAIL	83	0s	31
actionlint	CI/CD Security	N/A	0	0s	27
jscpd	Code Quality	PASS	0	0s	33
typos	Code Quality	FAIL	14	0s	177

Scanner Evidence & Audit Trail

trivy (SCA)

FINDINGS

Scan Scope: Scanned 6 target(s): pip, npm, dockerfile

Files Analyzed: 6

Rules Checked: 4

Checks Performed:

- Vulnerability scanning
- Misconfiguration detection
- Secret detection
- License compliance

Standards: CVE/NVD, OWASP Top 10 (A06), CIS Benchmarks, NIST SP 800-53

Methodology:

Scans filesystem for package manifests and lock files, matches installed packages against vulnerability databases (NVD, GitHub Advisory, vendor-specific). Also checks for misconfigurations and secrets using built-in rules.

Targets Analyzed:

docker/markdown-for-agents/app/requirements.txt, mcp/claude-memory-mcp/package-lock.json,
 docker/markdown-for-agents/Dockerfile, mcp/claude-memory-mcp/package-lock.json,
 docker/markdown-for-agents/app/requirements.txt, Loose File License(s)

gitleaks (Secrets)

PASS

Scan Scope: Working directory scanned for 150+ secret patterns with entropy analysis

Configuration: Custom gitleaks.toml

Files Analyzed: 177

Rules Checked: 150

Checks Performed:

- AWS credential detection
- API key detection
- Private key detection
- Generic secret patterns
- High-entropy string analysis
- Token detection

Standards: CWE-798, CWE-259, OWASP Top 10 (A07)

Methodology:

Regex-based pattern matching against 150+ secret patterns with entropy analysis. Scans current file contents and optionally git commit history. Applies allowlists and custom rules to reduce false positives. Secrets are redacted in output.

opengrep (SAST)

FINDINGS

Scan Scope: Multi-language SAST with auto, security-audit, owasp-top-ten, cwe-top-25, r2c-security-audit, and secrets rulesets

Configuration: Custom semgrep-rules.yml + default rulesets

Files Analyzed: 107

Rules Checked: 8

Checks Performed:

- OWASP Top 10 patterns
- Security audit rules
- Secrets detection
- Injection patterns
- XSS patterns
- Insecure crypto usage

Standards: OWASP Top 10, CWE Top 25, SANS Top 25

Methodology:

Pattern-based static analysis using Semgrep rule engine with auto, security-audit, owasp-top-ten, and secrets rulesets. Matches AST patterns against known vulnerability signatures.

checkov (IaC)

PASS

Scan Scope: IaC security analysis — 0 files, 0 checks (0 passed, 0 failed), frameworks: auto-detected

Configuration: Custom .checkov.yaml

Files Analyzed: 28

Checks Performed:

- Terraform misconfigurations
- CloudFormation template issues
- Kubernetes manifest hardening
- Dockerfile best practices
- Helm chart security
- GitHub Actions security
- GitLab CI security
- Secrets in IaC files

Standards: CIS Benchmarks, NIST SP 800-53, SOC 2, PCI-DSS, HIPAA

Methodology:

Graph-based static analysis of infrastructure-as-code files. Parses IaC definitions, builds resource graphs, and checks 1000+ built-in policies covering security, networking, encryption, and compliance.

grype (SCA)

FINDINGS

Scan Scope: SCA analysis: 1 unique CVEs across 1 vulnerable packages (filesystem)

Configuration: Grype with --by-cve deduplication and --add-cpes-if-none

Files Analyzed: 1

Rules Checked: 1

Checks Performed:

- CVE vulnerability matching
- Dependency version analysis
- CPE-based matching
- Advisory cross-referencing
- Fix availability detection

Standards: CVE/NVD, OWASP Top 10 (A06), GHSA

Methodology:

Generates SBOM using Syft, then matches all identified packages against vulnerability databases (NVD, GitHub Advisories, OS vendor databases). Reports CVEs with severity, fix versions, and references.

syft (SBOM)

FINDINGS

Scan Scope: SBOM of 98 packages across 2 language(s): javascript, python

Configuration: Syft with JSON + CycloneDX output for SBOM standards compliance

Files Analyzed: 98

Rules Checked:	4
Checks Performed:	- SBOM generation (Syft JSON + CycloneDX) - License compliance analysis - Copyleft license detection (AGPL, GPL, MPL) - Weak copyleft classification (LGPL) - Unknown license flagging - Package URL (PURL) generation - CPE generation
Standards:	NTIA SBOM Minimum Elements, CycloneDX, SPDX, Executive Order 14028
Methodology:	Catalogs software packages by parsing package manifests, lock files, and installed package databases. Generates standardized SBOM in CycloneDX or SPDX format for supply chain visibility.

package-validator (AI Code Quality)
N/A

Scan Scope:	Dependency files (package.json, requirements.txt, go.mod) validated against package registries
Files Analyzed:	177
Checks Performed:	- npm registry existence validation - PyPI registry existence validation - Go module proxy existence validation - Slopsquatting attack vector detection - Hallucinated dependency identification
Standards:	CWE-829, OWASP A08:2021, SLSA Supply Chain Security
Methodology:	Parses dependency manifests and validates each package exists in its respective registry (npm, PyPI, Go proxy) via HTTP HEAD requests. Non-existent packages are flagged as hallucinated — a common AI code generation artifact that creates supply chain attack vectors.

oxlint (Code Quality)
PASS

Scan Scope:	JS/TS source files
Files Analyzed:	2
Checks Performed:	- JavaScript/TypeScript linting - Code correctness checks - Performance anti-patterns - Suspicious code detection
Standards:	CWE, ESLint Core Rules
Methodology:	Rust-based linter that performs AST analysis of JS/TS files at high speed. Detects correctness issues, suspicious patterns, and performance anti-patterns.

ruff (Code Quality)
FINDINGS

Scan Scope:	Python linting and security analysis via Ruff
Configuration:	Default Ruff rules
Files Analyzed:	31
Checks Performed:	- Pyflakes error detection - pycodestyle enforcement - flake8-bandit security checks - isort import ordering - pep8-naming conventions - pyupgrade modernization

- flake8-bugbear bug detection
- flake8-comprehensions optimization

Standards: PEP 8, PEP 257, CWE, OWASP Top 10

Methodology:

Rust-based Python linter implementing 800+ rules from flake8, pylint, isort, and others. 10-100x faster than traditional Python linters.

actionlint (CI/CD Security)N/A

Scan Scope: .github/workflows/*.yml files

Files Analyzed: 27

Checks Performed:

- Workflow syntax validation
- Action version pinning checks
- Shell script validation
- Expression type checking
- Permissions analysis

Standards: GitHub Actions Security Best Practices, CWE-78

Methodology:

Static analysis of GitHub Actions workflow files. Validates syntax, checks for unpinned action versions, analyzes shell scripts for errors, and verifies expression types.

jscpd (Code Quality)PASS

Scan Scope: All source files across supported languages

Files Analyzed: 33

Checks Performed:

- Cross-file duplicate detection
- Code clone identification
- Duplication percentage calculation

Standards: ISO/IEC 25010 (Maintainability)

Methodology:

Token-based analysis to detect copy-pasted code blocks across files and languages. Reports duplication percentage and identifies specific cloned regions.

typos (Code Quality)FINDINGS

Scan Scope: All files in project directory

Files Analyzed: 177

Checks Performed:

- Source code spelling analysis
- Identifier typo detection
- Comment typo detection
- String literal typo detection

Standards: ISO/IEC 25010 (Maintainability)

Methodology:

Fast, low-false-positive spell checker designed for source code. Checks identifiers, strings, and comments against a curated dictionary.

Open Findings (218)

Severity	Title	File	CWE / Rule
MEDIUM	Ruff E402: Module level import not at top of file Module level import not at top of file Fix: See: https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file	tg-memory.py:10	RUFF-E402
MEDIUM	Ruff E402: Module level import not at top of file Module level import not at top of file Fix: See: https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file	tg-memory.py:9	RUFF-E402
MEDIUM	Ruff E402: Module level import not at top of file Module level import not at top of file Fix: See: https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file	tg-memory.py:8	RUFF-E402
MEDIUM	Ruff E402: Module level import not at top of file Module level import not at top of file Fix: See: https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file	tg-memory.py:7	RUFF-E402
MEDIUM	Ruff F401: `json` imported but unused `json` imported but unused Fix: Auto-fix available: Remove unused import: `json` (applicability: safe)	tg-memory.py:6	RUFF-F401
MEDIUM	Ruff E402: Module level import not at top of file Module level import not at top of file Fix: See: https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file	tg-memory.py:6	RUFF-E402
MEDIUM	Ruff E402: Module level import not at top of file Module level import not at top of file Fix: See: https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file	tg-memory.py:5	RUFF-E402
MEDIUM	Ruff E702: Multiple statements on one line (semicolon) Multiple statements on one line (semicolon) Fix: See: https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon	tests/test_webhook_ux.py:47	RUFF-E702
MEDIUM	Ruff E701: Multiple statements on one line (colon) Multiple statements on one line (colon) Fix: See: https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-colon	tests/test_webhook_ux.py:45	RUFF-E701
MEDIUM	Ruff F821: Undefined name `YOUR_CHAT_ID` Undefined name `YOUR_CHAT_ID` Fix: See: https://docs.astral.sh/ruff/rules/undefined-name	tests/test_webhook_ux.py:32	RUFF-F821
MEDIUM	Ruff F821: Undefined name `YOUR_CHAT_ID` Undefined name `YOUR_CHAT_ID` Fix: See: https://docs.astral.sh/ruff/rules/undefined-name	tests/test_webhook_ux.py:24	RUFF-F821
MEDIUM	Ruff E702: Multiple statements on one line (semicolon) Multiple statements on one line (semicolon) Fix: See: https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon	tests/test_webhook_ux.py:23	RUFF-E702
MEDIUM	Ruff F821: Undefined name `YOUR_CHAT_ID` Undefined name `YOUR_CHAT_ID`	tests/test_webhook_ux.py:17	RUFF-F821

Fix: See: <https://docs.astral.sh/ruff/rules/undefined-name>

MEDIUM Ruff E401: Multiple imports on one line
Multiple imports on one line tests/test_webhook_ux.py:1 RUFF-E401
Fix: Auto-fix available: Split imports (applicability: safe)

MEDIUM Ruff E702: Multiple statements on one line (semicolon)
Multiple statements on one line (semicolon) tests/test_webhook.py:37 RUFF-E702
Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E701: Multiple statements on one line (colon)
Multiple statements on one line (colon) tests/test_webhook.py:37 RUFF-E701
Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-colon>

MEDIUM Ruff E702: Multiple statements on one line (semicolon)
Multiple statements on one line (semicolon) tests/test_webhook.py:36 RUFF-E702
Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E701: Multiple statements on one line (colon)
Multiple statements on one line (colon) tests/test_webhook.py:36 RUFF-E701
Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-colon>

MEDIUM Ruff F821: Undefined name `YOUR\_CHAT\_ID`
Undefined name `YOUR\_CHAT\_ID` tests/test_webhook.py:18 RUFF-F821
Fix: See: <https://docs.astral.sh/ruff/rules/undefined-name>

MEDIUM Ruff E401: Multiple imports on one line
Multiple imports on one line tests/test_webhook.py:1 RUFF-E401
Fix: Auto-fix available: Split imports (applicability: safe)

MEDIUM Ruff E702: Multiple statements on one line (semicolon)
Multiple statements on one line (semicolon) tests/test_forcereply.py:39 RUFF-E702
Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E701: Multiple statements on one line (colon)
Multiple statements on one line (colon) tests/test_forcereply.py:37 RUFF-E701
Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-colon>

MEDIUM Ruff F821: Undefined name `YOUR\_CHAT\_ID`
Undefined name `YOUR\_CHAT\_ID` tests/test_forcereply.py:31 RUFF-F821
Fix: See: <https://docs.astral.sh/ruff/rules/undefined-name>

MEDIUM Ruff F821: Undefined name `YOUR\_CHAT\_ID`
Undefined name `YOUR\_CHAT\_ID` tests/test_forcereply.py:25 RUFF-F821
Fix: See: <https://docs.astral.sh/ruff/rules/undefined-name>

MEDIUM Ruff F821: Undefined name `YOUR\_CHAT\_ID`
Undefined name `YOUR\_CHAT\_ID` tests/test_forcereply.py:16 RUFF-F821
Fix: See: <https://docs.astral.sh/ruff/rules/undefined-name>

MEDIUM Ruff E702: Multiple statements on one line (semicolon)
Multiple statements on one line (semicolon) tests/test_forcereply.py:15 RUFF-E702
Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E701: Multiple statements on one line (colon)
Multiple statements on one line (colon) tests/test_forcereply.py:12 RUFF-E701

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-colon>

MEDIUM Ruff E402: Module level import not at top of file tests/test_forcereply.py:11 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) tests/test_forcereply.py:7 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E401: Multiple imports on one line tests/test_forcereply.py:1 RUFF-E401
Multiple imports on one line

Fix: Auto-fix available: Split imports (applicability: safe)

MEDIUM Ruff E702: Multiple statements on one line (semicolon) tests/test_approve.py:40 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E701: Multiple statements on one line (colon) tests/test_approve.py:38 RUFF-E701
Multiple statements on one line (colon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-colon>

MEDIUM Ruff F821: Undefined name `YOUR\_CHAT\_ID` tests/test_approve.py:32 RUFF-F821
Undefined name `YOUR\_CHAT\_ID`

Fix: See: <https://docs.astral.sh/ruff/rules/undefined-name>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) tests/test_approve.py:31 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff F821: Undefined name `YOUR\_CHAT\_ID` tests/test_approve.py:25 RUFF-F821
Undefined name `YOUR\_CHAT\_ID`

Fix: See: <https://docs.astral.sh/ruff/rules/undefined-name>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) tests/test_approve.py:24 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff F821: Undefined name `YOUR\_CHAT\_ID` tests/test_approve.py:18 RUFF-F821
Undefined name `YOUR\_CHAT\_ID`

Fix: See: <https://docs.astral.sh/ruff/rules/undefined-name>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) tests/test_approve.py:17 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) tests/test_approve.py:7 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E401: Multiple imports on one line tests/test_approve.py:1 RUFF-E401
Multiple imports on one line

Fix: Auto-fix available: Split imports (applicability: safe)

MEDIUM Ruff F841: Local variable `proc` is assigned to but n... scripts/memory-governor.py:187 RUFF-F841
Local variable `proc` is assigned to but never used

Fix: Auto-fix available: Remove assignment to unused variable ``proc`` (applicability: unsafe)

MEDIUM Ruff F541: f-string without any placeholders scripts/memory-governor.py:164 RUFF-F541
f-string without any placeholders

Fix: Auto-fix available: Remove extraneous ``f`` prefix (applicability: safe)

MEDIUM Ruff F401: ``datetime.timedelta`` imported but unused scripts/memory-governor.py:20 RUFF-F401
``datetime.timedelta`` imported but unused

Fix: Auto-fix available: Remove unused import: ``datetime.timedelta`` (applicability: safe)

MEDIUM Ruff F401: ``time`` imported but unused scripts/memory-export.py:17 RUFF-F401
``time`` imported but unused

Fix: Auto-fix available: Remove unused import: ``time`` (applicability: safe)

MEDIUM Ruff F541: f-string without any placeholders scripts/index-obsidian.py:378 RUFF-F541
f-string without any placeholders

Fix: Auto-fix available: Remove extraneous ``f`` prefix (applicability: safe)

MEDIUM Ruff F541: f-string without any placeholders scripts/index-obsidian.py:377 RUFF-F541
f-string without any placeholders

Fix: Auto-fix available: Remove extraneous ``f`` prefix (applicability: safe)

MEDIUM Ruff E702: Multiple statements on one line (semicolon) scripts/index-obsidian.py:332 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff F541: f-string without any placeholders scripts/index-obsidian.py:329 RUFF-F541
f-string without any placeholders

Fix: Auto-fix available: Remove extraneous ``f`` prefix (applicability: safe)

MEDIUM Ruff F541: f-string without any placeholders scripts/index-obsidian.py:328 RUFF-F541
f-string without any placeholders

Fix: Auto-fix available: Remove extraneous ``f`` prefix (applicability: safe)

MEDIUM Ruff F541: f-string without any placeholders scripts/index-obsidian.py:87 RUFF-F541
f-string without any placeholders

Fix: Auto-fix available: Remove extraneous ``f`` prefix (applicability: safe)

MEDIUM Ruff F401: ``json`` imported but unused scripts/index-obsidian.py:9 RUFF-F401
``json`` imported but unused

Fix: Auto-fix available: Remove unused import: ``json`` (applicability: safe)

MEDIUM Ruff E702: Multiple statements on one line (semicolon) monet_sched.py:404 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) monet_sched.py:403 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) monet_sched.py:402 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) monet_sched.py:401 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) monet_sched.py:400 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) monet_sched.py:399 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E702: Multiple statements on one line (semicolon) monet_sched.py:398 RUFF-E702
Multiple statements on one line (semicolon)

Fix: See: <https://docs.astral.sh/ruff/rules/multiple-statements-on-one-line-semicolon>

MEDIUM Ruff E741: Ambiguous variable name: `l` monet_sched.py:398 RUFF-E741
Ambiguous variable name: `l`

Fix: See: <https://docs.astral.sh/ruff/rules/ambiguous-variable-name>

MEDIUM Ruff F401: `sys` imported but unused monet_harvest.py:19 RUFF-F401
`sys` imported but unused

Fix: Auto-fix available: Remove unused import: `sys` (applicability: safe)

MEDIUM Ruff F401: `json` imported but unused ...rator/sketchnote_generator.py:18 RUFF-F401
`json` imported but unused

Fix: Auto-fix available: Remove unused import: `json` (applicability: safe)

MEDIUM Ruff F401: `json` imported but unused ...ator/infographic_generator.py:14 RUFF-F401
`json` imported but unused

Fix: Auto-fix available: Remove unused import: `json` (applicability: safe)

MEDIUM Ruff E402: Module level import not at top of file lib/unified_search.py:14 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file lib/unified_search.py:13 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file lib/unified_search.py:12 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file lib/unified_search.py:11 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file lib/clip_helper.py:14 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file lib/clip_helper.py:13 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file lib/clip_helper.py:12 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file lib/clip_helper.py:11 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff F401: `json` imported but unused lib/clip_helper.py:10 RUFF-F401
`json` imported but unused

Fix: Auto-fix available: Remove unused import: `json` (applicability: safe)

MEDIUM Ruff E402: Module level import not at top of file lib/clip_helper.py:10 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file lib/clip_helper.py:9 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff F401: `sys` imported but unused lib/audit.py:22 RUFF-F401
`sys` imported but unused

Fix: Auto-fix available: Remove unused import: `sys` (applicability: safe)

MEDIUM Ruff F841: Local variable `metadata` is assigned to b... ...rkdown-for-agents/app/main.py:143 RUFF-F841
Local variable `metadata` is assigned to but never used

Fix: Auto-fix available: Remove assignment to unused variable `metadata` (applicability: unsafe)

MEDIUM Ruff E402: Module level import not at top of file bridges/tg-memory.py:9 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file bridges/tg-memory.py:8 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file bridges/tg-memory.py:7 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff F401: `json` imported but unused bridges/tg-memory.py:6 RUFF-F401
`json` imported but unused

Fix: Auto-fix available: Remove unused import: `json` (applicability: safe)

MEDIUM Ruff E402: Module level import not at top of file bridges/tg-memory.py:6 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff E402: Module level import not at top of file bridges/tg-memory.py:5 RUFF-E402
Module level import not at top of file

Fix: See: <https://docs.astral.sh/ruff/rules/module-import-not-at-top-of-file>

MEDIUM Ruff F401: `functools.wraps` imported but unused api/monet_api.py:26 RUFF-F401
`functools.wraps` imported but unused

Fix: Auto-fix available: Remove unused import: `functools.wraps` (applicability: safe)

MEDIUM Ruff F401: `subprocess` imported but unused api/monet_api.py:22 RUFF-F401
`subprocess` imported but unused

Fix: Auto-fix available: Remove unused import: `subprocess` (applicability: safe)

grype

SCA | 1 finding | Dependency vulnerability scanner for containers and filesystems

Severity	Title	File	CWE / Rule
MEDIUM	GHSA-frvp-7c67-39w9: Vulnerability in @hono/node-serv... Node.js Adapter for Hono: Path traversal in `serve-static` on Windows via encoded backslash ("%5C")	...-memory-mcp/package-lock.json	GHSA-frvp-7c67-39w9

Package: @hono/node-server
Version: 1.19.15
Type: npm
Language: javascript

Fix: Update @hono/node-server to version 2.0.5

OWASP: A06:2021-Vulnerable and Outdated Components

opengrep

SAST | 20 findings | Multi-language static analysis for security vulnerabilities

Severity	Title	File	CWE / Rule
MEDIUM	dynamic-urllib-use-detected Detected a dynamic value being used with urllib. urllib supports 'file://' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.	/scan-target/src/tg_ui.py:36	CWE-939: Improper Auth

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib.
urllib supports 'file://' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files.
Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

MEDIUM	dynamic-urllib-use-detected Detected a dynamic value being used with urllib. urllib supports 'file://' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.	...-target/scripts/n8n-parity.py:57	CWE-939: Improper Auth
---------------	---	-------------------------------------	------------------------

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib.
urllib supports 'file://' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files.
Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

MEDIUM	dynamic-urllib-use-detected Detected a dynamic value being used with urllib. urllib supports 'file://' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.	...-target/scripts/n8n-health.py:52	CWE-939: Improper Auth
---------------	---	-------------------------------------	------------------------

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib.
urllib supports 'file://' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files.
Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

MEDIUM dynamic-urllib-use-detected /scan-target/scripts/n8n-doc.py:44 CWE-939: Improper Auth
Detected a dynamic value being used with urllib. urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib.
urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files.
Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

MEDIUM dynamic-urllib-use-detected /scan-target/scripts/n8n-dead.py:43 CWE-939: Improper Auth
Detected a dynamic value being used with urllib. urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib.
urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files.
Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

MEDIUM dynamic-urllib-use-detected /scan-target/scripts/n8n-cost.py:39 CWE-939: Improper Auth
Detected a dynamic value being used with urllib. urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib.
urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files.
Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

MEDIUM dynamic-urllib-use-detected ...arget/scripts/budget-watch.py:108 CWE-939: Improper Auth
Detected a dynamic value being used with urllib. urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib.
urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files.
Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

MEDIUM dynamic-urllib-use-detected ...arget/scripts/budget-watch.py:80 CWE-939: Improper Auth
Detected a dynamic value being used with urllib. urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib.
urllib supports 'file:/' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files.
Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

MEDIUM insecure-file-permissions /scan-target/monet_harvest.py:142 CWE-276: Incorrect Def

These permissions ``0o700`` are widely permissive and grant access to more people than may be necessary. A good default is ``0o644`` which gives read and write access to yourself and read access to everyone else.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: These permissions ``0o700`` are widely permissive and grant access to more people than may be necessary. A good default is ``0o644`` which gives read and write access to yourself and read access to everyone

OWASP: A01:2021 - Broken Access Control | Rule: python.lang.security.audit.insecure-file-permissions.insecure-file-permissions

MEDIUM detect-non-literal-regexp ...laude-memory-mcp/src/index.ts:1206 CWE-1333: Inefficient
RegExp() called with a ``args`` function argument, this might allow an attacker to cause a Regular Expression Denial-of-Service (ReDoS) within your application as RegExp blocks the main thread. For this reason, it is recommended to use hardcoded regexes instead. If your regex is run on user-controlled input, consider performing input validation or use a regex checking/sanitization library such as
...

requires login

Fix: Review this finding and apply the appropriate fix based on the description: RegExp() called with a ``args`` function argument, this might allow an attacker to cause a Regular Expression Denial-of-Service (ReDoS) within your application as RegExp blocks the main thread. For this

OWASP: A05:2021 - Security Misconfiguration | Rule: javascript.lang.security.audit.detect-non-literal-regexp.detect-non-literal-regexp

MEDIUM insecure-random-js-general ...laude-memory-mcp/src/index.ts:242 CWE-330: Use of Insuff
Math.random() is not cryptographically secure. If this value is used for any security purpose (tokens, IDs, keys, etc.), use crypto.randomBytes() or crypto.randomUUID() instead.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Math.random() is not cryptographically secure. If this value is used for any security purpose (tokens, IDs, keys, etc.), use crypto.randomBytes() or crypto.randomUUID() instead.

Rule: configs.insecure-random-js-general

MEDIUM directly-returned-format-string ...rkdown-for-agents/app/main.py:61 CWE-79: Improper Neutr
Detected Flask route directly returning a formatted string. This is subject to cross-site scripting if user input can reach the string. Consider using the template engine instead and rendering pages with `'render_template()'`.

requires login

Fix: Do not return formatted strings containing user input directly in HTTP responses. Use a template engine or JSON serialisation instead. This prevents XSS and format string vulnerabilities.

OWASP: A07:2017 - Cross-Site Scripting (XSS) | Rule: python.flask.security.audit.directly-returned-format-string.directly-returned-format-string

MEDIUM writable-filesystem-service ...ude-memory/docker-compose.yml:55 CWE-732: Incorrect Per
Service 'n8n' is running with a writable root filesystem. This may allow malicious applications to download and run additional payloads, or modify container files. If an application inside a container has to save something temporarily consider using a tmpfs. Add `'read_only: true'` to this service to prevent this.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Service 'n8n' is running with a writable root filesystem. This may allow malicious applications to download and run additional payloads, or modify container files. If an application inside a container

OWASP: A05:2021 - Security Misconfiguration | Rule: yaml.docker-compose.security.writable-filesystem-service.writable-filesystem-service

MEDIUM no-new-privileges ...ude-memory/docker-compose.yml:55 CWE-732: Incorrect Per
Service 'n8n' allows for privilege escalation via setuid or setgid binaries. Add 'no-new-privileges:true' in 'security_opt' to prevent this.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Service 'n8n' allows for privilege escalation via setuid or setgid binaries. Add 'no-new-privileges:true' in 'security_opt' to prevent this.

OWASP: A05:2021 - Security Misconfiguration | Rule: yaml.docker-compose.security.no-new-privileges.no-new-privileges

MEDIUM writable-filesystem-service ...ude-memory/docker-compose.yml:37 CWE-732: Incorrect Per
Service 'qdrant' is running with a writable root filesystem. This may allow malicious applications to download and run additional payloads, or modify container files. If an application inside a container has to save something temporarily consider using a tmpfs. Add 'read_only: true' to this service to prevent this.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Service 'qdrant' is running with a writable root filesystem. This may allow malicious applications to download and run additional payloads, or modify container files. If an application inside a container has to save something temporarily consider using a tmpfs. Add 'read_only: true' to this service to prevent this.

OWASP: A05:2021 - Security Misconfiguration | Rule: yaml.docker-compose.security.writable-filesystem-service.writable-filesystem-service

MEDIUM no-new-privileges ...ude-memory/docker-compose.yml:37 CWE-732: Incorrect Per
Service 'qdrant' allows for privilege escalation via setuid or setgid binaries. Add 'no-new-privileges:true' in 'security_opt' to prevent this.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Service 'qdrant' allows for privilege escalation via setuid or setgid binaries. Add 'no-new-privileges:true' in 'security_opt' to prevent this.

OWASP: A05:2021 - Security Misconfiguration | Rule: yaml.docker-compose.security.no-new-privileges.no-new-privileges

MEDIUM writable-filesystem-service ...ude-memory/docker-compose.yml:18 CWE-732: Incorrect Per
Service 'postgres' is running with a writable root filesystem. This may allow malicious applications to download and run additional payloads, or modify container files. If an application inside a container has to save something temporarily consider using a tmpfs. Add 'read_only: true' to this service to prevent this.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Service 'postgres' is running with a writable root filesystem. This may allow malicious applications to download and run additional payloads, or modify container files. If an application inside a container has to save something temporarily consider using a tmpfs. Add 'read_only: true' to this service to prevent this.

OWASP: A05:2021 - Security Misconfiguration | Rule: yaml.docker-compose.security.writable-filesystem-service.writable-filesystem-service

MEDIUM no-new-privileges ...ude-memory/docker-compose.yml:18 CWE-732: Incorrect Per
Service 'postgres' allows for privilege escalation via setuid or setgid binaries. Add 'no-new-privileges:true' in 'security_opt' to prevent this.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Service 'postgres' allows for privilege escalation via setuid or setgid binaries. Add 'no-new-privileges:true' in 'security_opt' to prevent this.

OWASP: A05:2021 - Security Misconfiguration | Rule: yaml.docker-compose.security.no-new-privileges.no-new-privileges

MEDIUM missing-integrity ...n-target/dashboard/index.html:7 CWE-353: Missing Suppo
This tag is missing an 'integrity' subresource integrity attribute. The 'integrity' attribute allows for the browser to verify that externally hosted files (for example from a CDN) are delivered without unexpected manipulation. Without this attribute, if an attacker can modify the externally hosted resource, this could lead to XSS and other types of attacks. To prevent this, include the base64-encoded cryptographic hash of the resource (file) you're telling ...

requires login

Fix: Review this finding and apply the appropriate fix based on the description: This tag is missing an 'integrity' subresource integrity attribute. The 'integrity' attribute allows for the browser to verify that externally hosted files (for example from a CDN) are delivered witho

OWASP: A08:2021 - Software and Data Integrity Failures | Rule: html.security.audit.missing-integrity.missing-integrity

MEDIUM dynamic-urllib-use-detected /scan-target/api/tg_ui.py:36 CWE-939: Improper Auth
Detected a dynamic value being used with urllib. urllib supports 'file://' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib calls to ensure user data cannot control the URLs, or consider using the 'requests' library instead.

requires login

Fix: Review this finding and apply the appropriate fix based on the description: Detected a dynamic value being used with urllib. urllib supports 'file://' schemes, so a dynamic value controlled by a malicious actor may allow them to read arbitrary files. Audit uses of urllib call

OWASP: A | Rule: python.lang.security.audit.dynamic-urllib-use-detected.dynamic-urllib-use-detected

trivy

SCA | 95 findings | Container image and filesystem vulnerability scanner

Severity	Title	File	CWE / Rule
MEDIUM	GHSA-frvp-7c67-39w9: Node.js Adapter for Hono: Path t... The same as the `hono` core [Path traversal in `serve-static` on Windows via encoded backslash (`%5C`)](https://github.com/honojs/hono/security/advisories/GHSA-wwfh-h76j-fc44).	...-memory-mcp/package-lock.json	GHSA-frvp-7c67-39w9
...			
Package: @hono/node-server Installed: 1.19.15 Fixed: 2.0.5 Fix: Update @hono/node-server to version 2.0.5 OWASP: A06:2021-Vulnerable and Outdated Components			
LOW	License Compliance: Apache-2.0 in Package uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy.	LICENSE	LICENSE-Apache-2.0
Package: License: Apache-2.0 Category: notice Fix: Review this finding and apply the appropriate fix based on the description: Package uses license Apache-2.0 (category: notice). Review for compliance with your organization's license policy. OWASP: A06:2021-Vulnerable and Outdated Components			
LOW	License Compliance: BSD-3-Clause in httpx Package httpx uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.	...r-agents/app/requirements.txt	LICENSE-BSD-3-Clause
Package: httpx License: BSD-3-Clause Category: notice Fix: Review this finding and apply the appropriate fix based on the description: Package httpx uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.			

LOW License Compliance: ISC in zod-to-json-schema ...-memory-mcp/package-lock.json LICENSE-ISC
Package zod-to-json-schema uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: zod-to-json-schema
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package zod-to-json-schema uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in wrappy ...-memory-mcp/package-lock.json LICENSE-ISC
Package wrappy uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: wrappy
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package wrappy uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in which ...-memory-mcp/package-lock.json LICENSE-ISC
Package which uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: which
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package which uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in vary ...-memory-mcp/package-lock.json LICENSE-MIT
Package vary uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: vary
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package vary uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in unpipe ...-memory-mcp/package-lock.json LICENSE-MIT
Package unpipe uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: unpipe
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package unpipe uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in type-is ...-memory-mcp/package-lock.json LICENSE-MIT

Package type-is uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: type-is
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package type-is uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in toidentifier ...-memory-mcp/package-lock.json LICENSE-MIT
Package toidentifier uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: toidentifier
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package toidentifier uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in statuses ...-memory-mcp/package-lock.json LICENSE-MIT
Package statuses uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: statuses
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package statuses uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in side-channel-weakmap ...-memory-mcp/package-lock.json LICENSE-MIT
Package side-channel-weakmap uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: side-channel-weakmap
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package side-channel-weakmap uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in side-channel-map ...-memory-mcp/package-lock.json LICENSE-MIT
Package side-channel-map uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: side-channel-map
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package side-channel-map uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in side-channel-list ...-memory-mcp/package-lock.json LICENSE-MIT
Package side-channel-list uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: side-channel-list
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package side-channel-list uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in side-channel ...-memory-mcp/package-lock.json LICENSE-MIT
Package side-channel uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: side-channel
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package side-channel uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in shebang-regex ...-memory-mcp/package-lock.json LICENSE-MIT
Package shebang-regex uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: shebang-regex
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package shebang-regex uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in shebang-command ...-memory-mcp/package-lock.json LICENSE-MIT
Package shebang-command uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: shebang-command
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package shebang-command uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in setprototypeof ...-memory-mcp/package-lock.json LICENSE-ISC
Package setprototypeof uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: setprototypeof
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package setprototypeof uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in serve-static ...-memory-mcp/package-lock.json LICENSE-MIT
Package serve-static uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: serve-static
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package serve-static uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in send ...-memory-mcp/package-lock.json LICENSE-MIT
Package send uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: send
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package send uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in safer-buffer ...-memory-mcp/package-lock.json LICENSE-MIT
Package safer-buffer uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: safer-buffer
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package safer-buffer uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in router ...-memory-mcp/package-lock.json LICENSE-MIT
Package router uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: router
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package router uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in require-from-string ...-memory-mcp/package-lock.json LICENSE-MIT
Package require-from-string uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: require-from-string
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package require-from-string uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in raw-body ...-memory-mcp/package-lock.json LICENSE-MIT
Package raw-body uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: raw-body
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package raw-body uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in range-parser ...-memory-mcp/package-lock.json LICENSE-MIT
Package range-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: range-parser
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package range-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: BSD-3-Clause in qs ...-memory-mcp/package-lock.json LICENSE-BSD-3-Clause
Package qs uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

Package: qs
License: BSD-3-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package qs uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in proxy-addr ...-memory-mcp/package-lock.json LICENSE-MIT
Package proxy-addr uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: proxy-addr
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package proxy-addr uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in pkce-challenge ...-memory-mcp/package-lock.json LICENSE-MIT
Package pkce-challenge uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: pkce-challenge
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package pkce-challenge uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in path-to-regexp ...-memory-mcp/package-lock.json LICENSE-MIT
Package path-to-regexp uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: path-to-regexp
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package path-to-regexp uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in path-key ...-memory-mcp/package-lock.json LICENSE-MIT
Package path-key uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: path-key
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package path-key uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in parseurl ...-memory-mcp/package-lock.json LICENSE-MIT
Package parseurl uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: parseurl
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package parseurl uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in once ...-memory-mcp/package-lock.json LICENSE-ISC
Package once uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: once
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package once uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in on-finished ...-memory-mcp/package-lock.json LICENSE-MIT
Package on-finished uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: on-finished
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package on-finished uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in object-inspect ...-memory-mcp/package-lock.json LICENSE-MIT
Package object-inspect uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: object-inspect
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package object-inspect uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in object-assign ...-memory-mcp/package-lock.json LICENSE-MIT
Package object-assign uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: object-assign
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package object-assign uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in negotiator ...-memory-mcp/package-lock.json LICENSE-MIT
Package negotiator uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: negotiator
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package negotiator uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ms ...-memory-mcp/package-lock.json LICENSE-MIT
Package ms uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ms
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ms uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in mime-types ...-memory-mcp/package-lock.json LICENSE-MIT
Package mime-types uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: mime-types
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package mime-types uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in mime-db ...-memory-mcp/package-lock.json LICENSE-MIT
Package mime-db uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: mime-db
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package mime-db uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in merge-descriptors ...-memory-mcp/package-lock.json LICENSE-MIT
Package merge-descriptors uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: merge-descriptors
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package merge-descriptors uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in media-typer ...-memory-mcp/package-lock.json LICENSE-MIT
Package media-typer uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: media-typer
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package media-typer uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in math-intrinsics ...-memory-mcp/package-lock.json LICENSE-MIT
Package math-intrinsics uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: math-intrinsics
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package math-intrinsics uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: BSD-2-Clause in json-schema-typed ...-memory-mcp/package-lock.json LICENSE-BSD-2-Clause
Package json-schema-typed uses license BSD-2-Clause (category: notice). Review for compliance with your organization's license policy.

Package: json-schema-typed
License: BSD-2-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package json-schema-typed uses license BSD-2-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in json-schema-traverse ...-memory-mcp/package-lock.json LICENSE-MIT
Package json-schema-traverse uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: json-schema-traverse
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package json-schema-traverse uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in jose ...-memory-mcp/package-lock.json LICENSE-MIT
Package jose uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: jose
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package jose uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in isexe ...-memory-mcp/package-lock.json LICENSE-ISC
Package isexe uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: isexe
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package isexe uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in is-promise ...-memory-mcp/package-lock.json LICENSE-MIT
Package is-promise uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: is-promise
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package is-promise uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ipaddr.js ...-memory-mcp/package-lock.json LICENSE-MIT
Package ipaddr.js uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ipaddr.js
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ipaddr.js uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ip-address ...-memory-mcp/package-lock.json LICENSE-MIT
Package ip-address uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ip-address
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ip-address uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: ISC in inherits ...-memory-mcp/package-lock.json LICENSE-ISC
Package inherits uses license ISC (category: notice). Review for compliance with your organization's license policy.

Package: inherits
License: ISC
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package inherits uses license ISC (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in iconv-lite ...-memory-mcp/package-lock.json LICENSE-MIT
Package iconv-lite uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: iconv-lite
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package iconv-lite uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in http-errors ...-memory-mcp/package-lock.json LICENSE-MIT
Package http-errors uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: http-errors
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package http-errors uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in hono ...-memory-mcp/package-lock.json LICENSE-MIT
Package hono uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: hono
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package hono uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in hasown ...-memory-mcp/package-lock.json LICENSE-MIT
Package hasown uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: hasown
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package hasown uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in has-symbols ...-memory-mcp/package-lock.json LICENSE-MIT
Package has-symbols uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: has-symbols
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package has-symbols uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in gopd ...-memory-mcp/package-lock.json LICENSE-MIT
Package gopd uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: gopd
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package gopd uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in get-proto ...-memory-mcp/package-lock.json LICENSE-MIT
Package get-proto uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: get-proto
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package get-proto uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in get-intrinsic ...-memory-mcp/package-lock.json LICENSE-MIT
Package get-intrinsic uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: get-intrinsic
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package get-intrinsic uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in function-bind ...-memory-mcp/package-lock.json LICENSE-MIT
Package function-bind uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: function-bind
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package function-bind uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in fresh ...-memory-mcp/package-lock.json LICENSE-MIT
Package fresh uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: fresh
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package fresh uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in forwarded ...-memory-mcp/package-lock.json LICENSE-MIT
Package forwarded uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: forwarded
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package forwarded uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in finalhandler ...-memory-mcp/package-lock.json LICENSE-MIT
Package finalhandler uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: finalhandler
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package finalhandler uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: BSD-3-Clause in fast-uri ...-memory-mcp/package-lock.json LICENSE-BSD-3-Clause
Package fast-uri uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

Package: fast-uri
License: BSD-3-Clause
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package fast-uri uses license BSD-3-Clause (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in fast-deep-equal ...-memory-mcp/package-lock.json LICENSE-MIT
Package fast-deep-equal uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: fast-deep-equal
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package fast-deep-equal uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in express-rate-limit ...-memory-mcp/package-lock.json LICENSE-MIT
Package express-rate-limit uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: express-rate-limit
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package express-rate-limit uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in express ...-memory-mcp/package-lock.json LICENSE-MIT
Package express uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: express
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package express uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in eventsource-parser ...-memory-mcp/package-lock.json LICENSE-MIT
Package eventsource-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: eventsource-parser
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package eventsource-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in eventsource ...-memory-mcp/package-lock.json LICENSE-MIT
Package eventsource uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: eventsource
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package eventsource uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in etag ...-memory-mcp/package-lock.json LICENSE-MIT
Package etag uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: etag
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package etag uses license MIT (category: notice).
Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in escape-html ...-memory-mcp/package-lock.json LICENSE-MIT
Package escape-html uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: escape-html
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package escape-html uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in es-object-atoms ...-memory-mcp/package-lock.json LICENSE-MIT
Package es-object-atoms uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: es-object-atoms
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package es-object-atoms uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in es-errors ...-memory-mcp/package-lock.json LICENSE-MIT
Package es-errors uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: es-errors
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package es-errors uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in es-define-property ...-memory-mcp/package-lock.json LICENSE-MIT
Package es-define-property uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: es-define-property
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package es-define-property uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in encodeurl ...-memory-mcp/package-lock.json LICENSE-MIT
Package encodeurl uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: encodeurl
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package encodeurl uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ee-first ...-memory-mcp/package-lock.json LICENSE-MIT
Package ee-first uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ee-first
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ee-first uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in dunder-proto ...-memory-mcp/package-lock.json LICENSE-MIT
Package dunder-proto uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: dunder-proto
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package dunder-proto uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in depd ...-memory-mcp/package-lock.json LICENSE-MIT
Package depd uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: depd
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package depd uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in debug ...-memory-mcp/package-lock.json LICENSE-MIT
Package debug uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: debug
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package debug uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in cross-spawn ...-memory-mcp/package-lock.json LICENSE-MIT
Package cross-spawn uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: cross-spawn
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package cross-spawn uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in cors ...-memory-mcp/package-lock.json LICENSE-MIT
Package cors uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: cors
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package cors uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in cookie-signature ...-memory-mcp/package-lock.json LICENSE-MIT
Package cookie-signature uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: cookie-signature
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package cookie-signature uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in cookie ...-memory-mcp/package-lock.json LICENSE-MIT
Package cookie uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: cookie
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package cookie uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in content-type ...-memory-mcp/package-lock.json LICENSE-MIT
Package content-type uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: content-type
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package content-type uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in content-disposition ...-memory-mcp/package-lock.json LICENSE-MIT
Package content-disposition uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: content-disposition
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package content-disposition uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in call-bound ...-memory-mcp/package-lock.json LICENSE-MIT
Package call-bound uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: call-bound
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package call-bound uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in call-bind-apply-helpers ...-memory-mcp/package-lock.json LICENSE-MIT
Package call-bind-apply-helpers uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: call-bind-apply-helpers
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package call-bind-apply-helpers uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in bytes ...-memory-mcp/package-lock.json LICENSE-MIT
Package bytes uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: bytes
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package bytes uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in body-parser ...-memory-mcp/package-lock.json LICENSE-MIT
Package body-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: body-parser
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package body-parser uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ajv-formats ...-memory-mcp/package-lock.json LICENSE-MIT
Package ajv-formats uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ajv-formats
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ajv-formats uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in ajv ...-memory-mcp/package-lock.json LICENSE-MIT
Package ajv uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: ajv
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package ajv uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in accepts ...-memory-mcp/package-lock.json LICENSE-MIT
Package accepts uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: accepts
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package accepts uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in @hono/node-server ...-memory-mcp/package-lock.json LICENSE-MIT
Package @hono/node-server uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: @hono/node-server
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package @hono/node-server uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in zod ...-memory-mcp/package-lock.json LICENSE-MIT
Package zod uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: zod
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package zod uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW License Compliance: MIT in @modelcontextprotocol/sdk ...-memory-mcp/package-lock.json LICENSE-MIT
Package @modelcontextprotocol/sdk uses license MIT (category: notice). Review for compliance with your organization's license policy.

Package: @modelcontextprotocol/sdk
License: MIT
Category: notice

Fix: Review this finding and apply the appropriate fix based on the description: Package @modelcontextprotocol/sdk uses license MIT (category: notice). Review for compliance with your organization's license policy.

OWASP: A06:2021-Vulnerable and Outdated Components

LOW No HEALTHCHECK defined ...arkdown-for-agents/Dockerfile DS-0026
You should add HEALTHCHECK instruction in your docker container images to perform the health check on running containers.

Fix: Add HEALTHCHECK instruction in Dockerfile

OWASP: A05:2021-Security Misconfiguration

syft

SBOM | 5 findings | Software bill of materials generator for supply chain visibility

Severity	Title	File	CWE / Rule
LOW	Unknown License: uvicorn@0.34.0 Package uvicorn has no license information. This may indicate a compliance risk.	...r-agents/app/requirements.txt	SBOM-LICENSE-UNKNOWN
Package: uvicorn Version: 0.34.0 Type: python Fix: Verify the license for this package before using in production. OWASP: A08:2021-Software and Data Integrity Failures			
LOW	Unknown License: trafilatura@2.0.0 Package trafilatura has no license information. This may indicate a compliance risk.	...r-agents/app/requirements.txt	SBOM-LICENSE-UNKNOWN
Package: trafilatura Version: 2.0.0 Type: python Fix: Verify the license for this package before using in production. OWASP: A08:2021-Software and Data Integrity Failures			
LOW	Unknown License: playwright@1.50.0 Package playwright has no license information. This may indicate a compliance risk.	...r-agents/app/requirements.txt	SBOM-LICENSE-UNKNOWN
Package: playwright Version: 1.50.0 Type: python Fix: Verify the license for this package before using in production. OWASP: A08:2021-Software and Data Integrity Failures			
LOW	Unknown License: httpx@0.28.1 Package httpx has no license information. This may indicate a compliance risk.	...r-agents/app/requirements.txt	SBOM-LICENSE-UNKNOWN
Package: httpx Version: 0.28.1 Type: python Fix: Verify the license for this package before using in production. OWASP: A08:2021-Software and Data Integrity Failures			

LOW	Unknown License: fastapi@0.115.8 Package fastapi has no license information. This may indicate a compliance risk.	...r-agents/app/requirements.txt	SBOM-LICENSE-UNKNOWN
-----	--	----------------------------------	----------------------

Package: fastapi
Version: 0.115.8
Type: python

Fix: Verify the license for this package before using in production.
OWASP: A08:2021-Software and Data Integrity Failures

typos

Code Quality | 14 findings | Source code spell checker

Severity	Title	File	CWE / Rule
INFO	Typo: "vulnerabilitys" should be "vulnerabilities, vulnerability" Found typo "vulnerabilitys" in typo. Suggested corrections: vulnerabilities, vulnerability. Fix: Replace "vulnerabilitys" with "vulnerabilities, vulnerability".	bridges/monet-tg.sh:827	TYPOS-SPELLING
INFO	Typo: "ANC" should be "AND" Found typo "ANC" in typo. Suggested correction: AND. Fix: Replace "ANC" with "AND".	tests/test_forcereply.py:27	TYPOS-SPELLING
INFO	Typo: "ANC" should be "AND" Found typo "ANC" in typo. Suggested correction: AND. Fix: Replace "ANC" with "AND".	tests/test_forcereply.py:26	TYPOS-SPELLING
INFO	Typo: "ANC" should be "AND" Found typo "ANC" in typo. Suggested correction: AND. Fix: Replace "ANC" with "AND".	tests/test_forcereply.py:25	TYPOS-SPELLING
INFO	Typo: "ANC" should be "AND" Found typo "ANC" in typo. Suggested correction: AND. Fix: Replace "ANC" with "AND".	src/monet_webhook.py:29	TYPOS-SPELLING
INFO	Typo: "thr" should be "the" Found typo "thr" in typo. Suggested correction: the. Fix: Replace "thr" with "the".	scripts/budget-watch.py:174	TYPOS-SPELLING
INFO	Typo: "thr" should be "the" Found typo "thr" in typo. Suggested correction: the. Fix: Replace "thr" with "the".	scripts/budget-watch.py:172	TYPOS-SPELLING
INFO	Typo: "thr" should be "the" Found typo "thr" in typo. Suggested correction: the. Fix: Replace "thr" with "the".	scripts/budget-watch.py:163	TYPOS-SPELLING
INFO	Typo: "thr" should be "the" Found typo "thr" in typo. Suggested correction: the. Fix: Replace "thr" with "the".	scripts/budget-watch.py:161	TYPOS-SPELLING
INFO	Typo: "vulnerabilitys" should be "vulnerabilities, vulnerability" Found typo "vulnerabilitys" in typo. Suggested corrections: vulnerabilities, vulnerability. Fix: Replace "vulnerabilitys" with "vulnerabilities, vulnerability".	src/monet-tg.sh:795	TYPOS-SPELLING
INFO	Typo: "vulnerabilitys" should be "vulnerabilities, vulnerability"	monet-tg.sh:800	TYPOS-SPELLING

Found typo "vulnerabilitys" in typo. Suggested corrections: vulnerabilities, vulnerability.

Fix: Replace "vulnerabilitys" with "vulnerabilities, vulnerability".

INFOTypo: "Friedly" should be "Friendly"
Found typo "Friedly" in typo. Suggested correction: Friendly.
Fix: Replace "Friedly" with "Friendly".

...ude-memory-mcp.cyclonedx.json:1061

TYPOS-SPELLING

INFOTypo: "ANC" should be "AND"
Found typo "ANC" in typo. Suggested correction: AND.
Fix: Replace "ANC" with "AND".

api/monet_webhook.py:29

TYPOS-SPELLING

INFOTypo: "invokable" should be "invocable"
Found typo "invokable" in typo. Suggested correction: invocable.
Fix: Replace "invokable" with "invocable".

CLAUDE.md:66

TYPOS-SPELLING

Codebase Coverage (177 files analyzed)

This scan analyzed 177 files using 10 security tools across 8 testing categories. Each scanner targets files relevant to its analysis domain (e.g., SAST scanners analyze source code, SCA scanners analyze dependency manifests).

Files by Language:

Shell: 74 files

Python: 31 files

Config: 27 files

Markdown: 4 files

JavaScript/TypeScript: 2 files

Docker: 1 files

Files by Extension:

.sh: 74

.py: 31

.other: 29

.json: 25

.example: 3

.service: 3

.txt: 2

.md: 2

.yaml: 2

.gitignore: 1

.ts: 1

.template: 1

.dockerfile: 1

.html: 1

.js: 1

Per-Scanner File Coverage:

Scanner	Category	Files Analyzed	Scope
trivy	SCA	6	Scanned 6 target(s): pip, npm, dockerfile
gitleaks	Secrets	177	Working directory scanned for 150+ secret p...
opengrep	SAST	107	Multi-language SAST with auto, security-aud...
checkov	IaC	28	IaC security analysis — 0 files, 0 checks (...)
grype	SCA	1	SCA analysis: 1 unique CVEs across 1 vulner...
syft	SBOM	98	SBOM of 98 packages across 2 language(s): j...
package-validator	AI Code Quality	177	Dependency files (package.json, requirement...
oxlint	Code Quality	2	JS/TS source files
ruff	Code Quality	31	Python linting and security analysis via Ruff
actionlint	CI/CD Security	27	.github/workflows/*.yaml files
jscpd	Code Quality	33	All source files across supported languages
typos	Code Quality	177	All files in project directory

Files with Findings (45):

File Path	Findings	Scanners
mcp/claude-memory-mcp/package-lock.json	92	trivy
tests/test_forcereply.py	13	ruff, typos
tests/test_approve.py	10	ruff
monet_sched.py	8	ruff
lib/clip_helper.py	7	ruff
tg-memory.py	7	ruff
tests/test_webhook_ux.py	7	ruff
scripts/index-obsidian.py	7	ruff
/scan-target/docker/claude-memory/docker-compose.yml	6	opengrep
tests/test_webhook.py	6	ruff
bridges/tg-memory.py	6	ruff
/docker/markdown-for-agents/app/requirements.txt	5	syft
scripts/budget-watch.py	4	typos
lib/unified_search.py	4	ruff
scripts/memory-governor.py	3	ruff
api/monet_api.py	2	ruff
/scan-target/mcp/claude-memory-mcp/src/index.ts	2	opengrep
/scan-target/scripts/budget-watch.py	2	opengrep
api/monet_webhook.py	1	typos
bridges/monet-tg.sh	1	typos
LICENSE	1	trivy
docker/markdown-for-agents/Dockerfile	1	trivy
docker/markdown-for-agents/app/main.py	1	ruff
docker/markdown-for-agents/app/requirements.txt	1	trivy
docs/claude-memory-mcp.cyclonedx.json	1	typos
lib/audit.py	1	ruff
CLAUDE.md	1	typos
/scan-target/src/tg_ui.py	1	opengrep
lib/visual-content-generator/infographic_generator.py	1	ruff
lib/visual-content-generator/sketchnote_generator.py	1	ruff
/scan-target/scripts/n8n-parity.py	1	opengrep
monet-tg.sh	1	typos
monet_harvest.py	1	ruff
/scan-target/scripts/n8n-health.py	1	opengrep
/scan-target/scripts/n8n-doc.py	1	opengrep
/scan-target/scripts/n8n-dead.py	1	opengrep
scripts/memory-export.py	1	ruff
/scan-target/scripts/n8n-cost.py	1	opengrep
src/monet-tg.sh	1	typos
src/monet_webhook.py	1	typos

/scan-target/monet_harvest.py	1	opengrep
/scan-target/docker/markdown-for-agents/app/main.py	1	opengrep
/scan-target/dashboard/index.html	1	opengrep
/scan-target/api/tg_ui.py	1	opengrep
/mcp/claude-memory-mcp/package-lock.json	1	grype

Software Bill of Materials (98 packages)

Package types: npm: 93 | python: 5

Top licenses: MIT (82), ISC (7), Unknown (5), BSD-3-Clause (2), Apache-2.0 (1), BSD-2-Clause (1)

Package	Version	Type	Language	License
@hono/node-server	1.19.15	npm	javascript	MIT
@modelcontextprotocol/sdk	1.29.0	npm	javascript	MIT
accepts	2.0.0	npm	javascript	MIT
ajv	8.20.0	npm	javascript	MIT
ajv-formats	3.0.1	npm	javascript	MIT
body-parser	2.3.0	npm	javascript	MIT
bytes	3.1.2	npm	javascript	MIT
call-bind-apply-helpers	1.0.2	npm	javascript	MIT
call-bound	1.0.4	npm	javascript	MIT
claude-memory-mcp	1.0.0	npm	javascript	Apache-2.0
content-disposition	1.1.0	npm	javascript	MIT
content-type	1.0.5	npm	javascript	MIT
content-type	2.0.0	npm	javascript	MIT
cookie	0.7.2	npm	javascript	MIT
cookie-signature	1.2.2	npm	javascript	MIT
cors	2.8.6	npm	javascript	MIT
cross-spawn	7.0.6	npm	javascript	MIT
debug	4.4.3	npm	javascript	MIT
depd	2.0.0	npm	javascript	MIT
dunder-proto	1.0.1	npm	javascript	MIT
ee-first	1.1.1	npm	javascript	MIT
encodeurl	2.0.0	npm	javascript	MIT
es-define-property	1.0.1	npm	javascript	MIT
es-errors	1.3.0	npm	javascript	MIT
es-object-atoms	1.1.2	npm	javascript	MIT
escape-html	1.0.3	npm	javascript	MIT
etag	1.8.1	npm	javascript	MIT
eventsouce	3.0.7	npm	javascript	MIT
eventsouce-parser	3.1.0	npm	javascript	MIT
express	5.2.1	npm	javascript	MIT
express-rate-limit	8.6.0	npm	javascript	MIT

fast-deep-equal	3.1.3	npm	javascript	MIT
fast-uri	3.1.4	npm	javascript	BSD-3-Clause
finalhandler	2.1.1	npm	javascript	MIT
forwarded	0.2.0	npm	javascript	MIT
fresh	2.0.0	npm	javascript	MIT
function-bind	1.1.2	npm	javascript	MIT
get-intrinsic	1.3.0	npm	javascript	MIT
get-proto	1.0.1	npm	javascript	MIT
gopd	1.2.0	npm	javascript	MIT
has-symbols	1.1.0	npm	javascript	MIT
hasown	2.0.4	npm	javascript	MIT
hono	4.12.32	npm	javascript	MIT
http-errors	2.0.1	npm	javascript	MIT
iconv-lite	0.7.3	npm	javascript	MIT
inherits	2.0.4	npm	javascript	ISC
ip-address	10.2.0	npm	javascript	MIT
ipaddr.js	1.9.1	npm	javascript	MIT
is-promise	4.0.0	npm	javascript	MIT
isexe	2.0.0	npm	javascript	ISC
jose	6.2.4	npm	javascript	MIT
json-schema-traverse	1.0.0	npm	javascript	MIT
json-schema-typed	8.0.2	npm	javascript	BSD-2-Clause
math-intrinsics	1.1.0	npm	javascript	MIT
media-typer	1.1.1	npm	javascript	MIT
merge-descriptors	2.0.0	npm	javascript	MIT
mime-db	1.54.0	npm	javascript	MIT
mime-types	3.0.2	npm	javascript	MIT
ms	2.1.3	npm	javascript	MIT
negotiator	1.0.0	npm	javascript	MIT
object-assign	4.1.1	npm	javascript	MIT
object-inspect	1.13.4	npm	javascript	MIT
on-finished	2.4.1	npm	javascript	MIT
once	1.4.0	npm	javascript	ISC
parseurl	1.3.3	npm	javascript	MIT
path-key	3.1.1	npm	javascript	MIT
path-to-regexp	8.4.2	npm	javascript	MIT
pkce-challenge	5.0.1	npm	javascript	MIT
proxy-addr	2.0.7	npm	javascript	MIT
qs	6.15.3	npm	javascript	BSD-3-Clause
range-parser	1.3.0	npm	javascript	MIT
raw-body	3.0.2	npm	javascript	MIT
require-from-string	2.0.2	npm	javascript	MIT

router	2.2.0	npm	javascript	MIT
safer-buffer	2.1.2	npm	javascript	MIT
send	1.2.1	npm	javascript	MIT
serve-static	2.2.1	npm	javascript	MIT
setprototypeof	1.2.0	npm	javascript	ISC
shebang-command	2.0.0	npm	javascript	MIT
shebang-regex	3.0.0	npm	javascript	MIT
side-channel	1.1.1	npm	javascript	MIT
side-channel-list	1.0.1	npm	javascript	MIT
side-channel-map	1.0.1	npm	javascript	MIT
side-channel-weakmap	1.0.2	npm	javascript	MIT
statuses	2.0.2	npm	javascript	MIT
toidentifier	1.0.1	npm	javascript	MIT
type-is	2.1.0	npm	javascript	MIT
unpipe	1.0.0	npm	javascript	MIT
vary	1.1.2	npm	javascript	MIT
which	2.0.2	npm	javascript	ISC
wrappy	1.0.2	npm	javascript	ISC
zod	3.25.76	npm	javascript	MIT
zod-to-json-schema	3.25.2	npm	javascript	ISC
fastapi	0.115.8	python	python	Unknown
httpx	0.28.1	python	python	Unknown
playwright	1.50.0	python	python	Unknown
trafilatura	2.0.0	python	python	Unknown
uvicorn	0.34.0	python	python	Unknown