PLAN_TABLE_OUTPUT

```
SQL_ID  0xksb200fmzq9, child number 0
-------------------------------------
selectrs1_0.PROPERTY_ID,rs1_0.AVG_RATING,rs1_0.LAST_CALCED,rs1_0.NEGATI
VE_KEYWORD_COUNT,rs1_0.POSITIVE_KEYWORD_COUNT,rs1_0.REVIEW_COUNTfrom
REVIEW_STATISTICS rs1_0 where rs1_0.PROPERTY_ID in (:1 ,:2 ,:3 )


Plan hash value: 437070704
```

Id	Operation	Name	Rows	Bytes	Cost (%CPU)	Time
0	SELECT STATEMENT				6 (100)	
1	INLIST ITERATOR					
2	TABLE ACCESS BY INDEX ROWID	REVIEW_STATISTICS	3	171	6 (0)	00:00:01
* 3	INDEX UNIQUE SCAN	PK_REVIEW_STATISTICS	3		5 (0)	00:00:01

```
Predicate Information (identified by operation id):
---------------------------------------------------


  3 - access(("RS1_0"."PROPERTY_ID"=:1 OR "RS1_0"."PROPERTY_ID"=:2 OR
              "RS1_0"."PROPERTY_ID"=:3))
```