

PLAN_TABLE_OUTPUT

SQL_ID 0xq9wbrps3x75, child number 0

```
-----  
select rs1_0.PROPERTY_ID, rs1_0.AVG_RATING, rs1_0.LAST_CALCED, rs1_0.NEGATIVE_KEYWORD_COUNT, rs1_0.POSITIVE_KEYWORD_COUNT, rs1_0.REVIEW_COUNT  
from REVIEW_STATISTICS rs1_0 where rs1_0.PROPERTY_ID in (:1 ,:2 ,:3 ,:4 ,:5  
,:6 ,:7 ,:8 ,:9 ,:10 ,:11 ,:12 ,:13 ,:14 ,:15 ,:16 ,:17 ,:18 ,:19 ,:20  
,:21 ,:22 )
```

Plan hash value: 437070704

Id Operation	Name	Rows	Bytes	Cost (%CPU)	Time
0 SELECT STATEMENT				27 (100)	
1 INLIST ITERATOR					
2 TABLE ACCESS BY INDEX ROWID REVIEW_STATISTICS		22	1254	27 (0)	00:00:01
* 3 INDEX UNIQUE SCAN	PK_REVIEW_STATISTICS	22		23 (0)	00:00:01

Predicate Information (identified by operation id):

```
-----  
3 - access(("RS1_0"."PROPERTY_ID"=:1 OR "RS1_0"."PROPERTY_ID"=:2 OR  
           "RS1_0"."PROPERTY_ID"=:3 OR "RS1_0"."PROPERTY_ID"=:4 OR "RS1_0"."PROPERTY_ID"=:5 OR  
           "RS1_0"."PROPERTY_ID"=:6 OR "RS1_0"."PROPERTY_ID"=:7 OR "RS1_0"."PROPERTY_ID"=:8 OR  
           "RS1_0"."PROPERTY_ID"=:9 OR "RS1_0"."PROPERTY_ID"=:10 OR "RS1_0"."PROPERTY_ID"=:11 OR  
           "RS1_0"."PROPERTY_ID"=:12 OR "RS1_0"."PROPERTY_ID"=:13 OR "RS1_0"."PROPERTY_ID"=:14 OR  
           "RS1_0"."PROPERTY_ID"=:15 OR "RS1_0"."PROPERTY_ID"=:16 OR "RS1_0"."PROPERTY_ID"=:17 OR  
           "RS1_0"."PROPERTY_ID"=:18 OR "RS1_0"."PROPERTY_ID"=:19 OR "RS1_0"."PROPERTY_ID"=:20 OR  
           "RS1_0"."PROPERTY_ID"=:21 OR "RS1_0"."PROPERTY_ID"=:22))
```