Mood of the Patients	Conversation	During the session	Circumstances of the patients	Physical & Cognitive Performance
Distractability	Ambivalence	Distractibility	Dependence on others	Age
Anxiety/Restlessness	Acceptance	Acceptance of Feedback	Living alone	Aphasia-Disorder
Anxiety because of the Covid-19 Virus	Arrogance/down-to-earthness	Effort within therapy	Fear of Dementia	Apraxia-Disorder
Depression	Talkative/Not talkative	Number of breaks needed	Autonomy	Burnout
Ambition	Amount of complaining	Interrupts in the middle of Task	Profession	Self-motivation
Seriousness	Needed Communication help (paper and pen)	Tasks done cautiously	Awareness of their participation in therapy	Exhaustion
Frustration about own performance	Thankfulness	Helped during task transitions	Awareness of disease consequences and therapy options	Mental confusion
Patience	Directness of language / speaking carelessly	Needed help with task execution	Awareness of personal successes	Facial paralysis
General Frustration	Egoism/Selfless	Amount of hands-on assistance needed	Duration of recovery from stroke	Weight
Willingness to help	spouse interacts a lot in conversations	Required a lot of attention	Supported by spouse	Degree of help needed in daily life
Humorous/Lack of Humor	Self-initiative	Viewed therapy as a game (not serious enough)	Only convinced of therapy success at the end of therapy	Degree of handicap
Joy of life/Weariniess of Life	Self-interest	Energy level during therapy (slow/lively)	Former athlete	Amount of Handicaps
Liveliness/Lack of Interest	Simple questions/ complex questions	Engagement	Family support	Handicap of the arm
Easyness	Pleased with quantitative feedback	Seriousness during therapy	External motivation	Incontinence

Motivation	Only opened up after "Icebreaker"	Focus on therapy during the session	Friend support	Cognitive performance
Openness about private matters (rises with the time)	talked about himself / talked about others	Degree of improvement on tasks	Annoyance over loss of former hobbies	Ability to concentrate
Optimistism/Pessimism	Ability to build a T-P relationship	Helped with setup/cleanup	Belief in therapy success	Body size
Perfectionism	joy over success	Hand movement pace	Good therapist-patient relationship	Physical relaxedness/stiffness
Shame about handicaps	Frustration about not being understood	Counted with the number of exercise repetitions	Would not have managed to work with the robot (alone)	Awareness of illness
Stroke (and handicaps) well/bad accepted	Feels taken seriously	Executed tasks incorrectly	Had skepticism towards therapy	Mental frailty
feeling safe	Amount of questions asked to the therapist	Needed more practice rounds	Hobby activity	Brought person talked a lot
worrying about things	Used gestures/ not usign gestures to talk	Did exercises at home as well	Highest educational level	Proprioception (Senso of Position and Movement in Space)
Sympathy	Demonstrated willingness to improve	Frequency of reassurance wished	Hope for therapy success	psychic disorder
Being surprised about successes	Amount and degree of posing uncomfortable questions to the therapist	Performs certain task X especially well	High expectations of oneself	Wheelchair user
Coping with the sickness (and handicaps)	Interest in professional knowledge	Has more task proficiency than others	High expectations of therapy	Schizophrenia
	Interest for the therapy	Learning pace of exercises	Came alone	Speech (in)ability
	Introversion/Extroversion	Does more or fewer movements than required	Clearly formulated therapy goal	Mood swings
	Clarity of voice	Tries to manipulate the therapsit during therapy	Ability to drive cars	Forgetfulness

	Communicative/ not communicative	Level of interaction	Degree of suffering	Confusion
	Short or long sentences	Motivation	Motivation to work again	Trembling of the arm
	Mimic used	Performance increasing linearly or exponentially	Caregiver support	Satisfaction with previous therapies
	Had to be scolded by the therapist for behaviour	Performance fluctuating	Quality of social environment	
	Nervousness	Calm during therapy	Suffered blows of fate	
	Kindness	Tries to sabotage during therapy	Severity of stroke consequences	
	Open about personal matters	Difficult tasks are being seen as overwhelming	Difficult handicaps for daily life	
	Open/shy	Exercise X not feasible	Social engagement	
	Addressed meaningful topics	Exercise intensity too difficult	Proud of their life	
	Skepticism about therapy success	Feels insecure	Strategies for coping with daily life available	
	Willingness to smalltalk	Comprehension difficulties	Activity at the time of the stroke	
	speech tempo	Did not want to be counted aloud (by the robot)	Pace of departure after session end	
	Voice volume		(Previous) Therapy experience	
	Tends to Daydreaming		Impatience for therapy success	
	Therapist had to ask often		Time since suffering the stroke	
	Surprise about therapy outcomes		Can probably (rather not) handle robot therapy	

	Courtesy in interaction with therapist			