


Hướng dẫn cài đặt hệ điều hành Debian 12.12 trên VirtualBox


1. Yêu cầu: Cài đặt VirtualBox và tải bản .iso của Debian 12.12


2. Hướng dẫn cài đặt HĐH Debian









Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
1
Lựa chọn cài đặt Debian bằng giao diện (Nhấn Enter)
Debian GNU/Linux installer menu (BIOS mode)
Graphical install
Install
Advanced options >
Accessible dark contrast installer menu >
Help
Install with speech synthesis
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Select a language
Choose the language to be used for the installation process. The selected language will also be the default language for the installed system.
Language:
Chinese (Traditional) - 中文(繁體)
Croatian - Hrvatski
Czech - Čeština
Danish - Dansk
Dutch - Nederlands
1
Lựa chọn ngôn ngữ trong quá trình cài đặt
Dzongkha -
English - English
Esperanto - Esperanto
Estonian - Eesti
Finnish - Suomi
French - Français
Galician - Galego
Georgian - ქართული
German - Deutsch
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Select your location
The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.
This is a shortlist of locations based on the language you selected. Choose "other" if your location is not listed.
Country, territory or area:
India
Ireland
Israel
New Zealand
Nigeria
Philippines
Seychelles
Singapore
South Africa
United Kingdom
United States
Zambia
Zimbabwe
other
1
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Select your location
The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.
Select the continent or region to which your location belongs.
Continent or region:
Africa
Antarctica
Asia
Atlantic Ocean
Caribbean
Central America
Europe
Indian Ocean
North America
Oceania
South America
1
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Select your location
The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.
Listed are locations for: Asia. Use the <Go Back> option to select a different continent or region if your location is not listed.
Country, territory or area:
South Korea
Sri Lanka
Syria
Taiwan
Tajikistan
Thailand
Timor-Leste
Turkmenistan
Türkiye
United Arab Emirates
Uzbekistan
Vietnam
Yemen
1
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configure locales
There is no locale defined for the combination of language and country you have selected. You can now select your preference from the locales available for the selected language. The locale that will be used is listed in the second column.
Country to base default locale settings on:
Hong Kong - en_HK.UTF-8
India - en_IN
Ireland - en_IE.UTF-8
Israel - en_IL
New Zealand - en_NZ.UTF-8
Nigeria - en_NG
Philippines - en_PH.UTF-8
Seychelles - en_SC.UTF-8
Singapore - en_SG.UTF-8
South Africa - en_ZA.UTF-8
United Kingdom - en_GB.UTF-8
United States - en_US.UTF-8
Zambia - en_ZM
Zimbabwe - en_ZW.UTF-8
1
2
Screenshot
Help
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configure the network
Please enter the hostname for this system.
The hostname is a single word that identifies your system to the network. If you don't know what your
hostname should be, cons
can make something up here.
Tên hostname viết liền, không khoảng cách
1
Hostname:
HomeAssistantSupervised
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configure the keyboard
Keymap to use:
1
American English
Albanian
Arabic
Asturian
Bangladesh
Belarusian
Bengali
Belgian
Berber (Latin)
Bosnian
Brazilian
British English
Bulgarian (BDS layout)
Bulgarian (phonetic layout)
Burmese
Canadian French
Canadian Multilingual
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configure the network
The domain name is the part of your Internet address to the right of your host name. It is often something that ends in .com, .net, .edu, or .org. If you are setting up a home network, you can make something up, but make sure you use the same domain name on all your computers.
Domain name:
1
Để trống
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Set up users and passwords
You need to set a password for 'root', the system administrative account. A malicious or unqualified user with root access can have disastrous results, so you should take care to choose a root password that is not easy to guess. It should not be a word found in dictionaries, or a word that could be easily associated with you.
A good password will contain a mixture of letters, numbers and punctuation and should be changed at regular intervals.
The root user should not have an empty password. If you leave this empty, the root account will be disabled and the system's initial user account will be given the power to become root using the "sudo" command.
Note that you will not be able to see the password as you type it.
Root password:
1
Để trống
Show Password in Clear
Please enter the same root password again to verify that you have typed it correctly.
Re-enter password to verify:
Show Password in Clear
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Set up users and passwords
A user account will be created for you to use instead of the root account for non-administrative activities.
Please enter the real name of this user. This information will be used for instance as default origin for emails sent by this user as well as any program which displays or uses the user's real name. Your full name is a reasonable choice.
1
Full name for the new user:
lahu
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Set up users and passwords
A good password will contain a mixture of letters, numbers and punctuation and should be changed at regular intervals.
Choose a password for the new user:
1
Show Password in Clear
Please enter the same user password again to verify you have typed it correctly.
Re-enter password to verify:
Show Password in Clear
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Partition disks
This is an overview of your currently configured partitions and mount points. Select a partition to modify its settings (file system, mount point, etc.), a free space to create partitions, or a device to initialize its partition table.
1
Guided partitioning
Configure iSCSI volumes
SCSI3 (0,0,0) (sda) - 21.5 GB ATA VBOX HARDDISK
Undo changes to partitions
Finish partitioning and write changes to disk
2
Screenshot
Help
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Partition disks
If you choose guided partitioning for an entire disk, you will next be asked which disk should be used.
Partitioning method:
1
Guided - use entire disk
Guided - use entire disk and set up LVM
Guided - use entire disk and set up encrypted LVM
Manual
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Partition disks
Note that all data on the disk you select will be erased, but not before you have confirmed that you really want to make the changes.
1
Select disk to partition:
SCSI3 (0,0,0) (sda) - 21.5 GB ATA VBOX HARDDISK
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Partition disks
Selected for partitioning:
SCSI3 (0,0,0) (sda) - ATA VBOX HARDDISK: 21.5 GB
The disk can be partitioned using one of several different schemes. If you are unsure, choose the first one.
Partitioning scheme:
1
All files in one partition (recommended for new users)
Separate /home partition
Separate /home, /var, and /tmp partitions
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Partition disks
This is an overview of your currently configured partitions and mount points. Select a partition to modify its settings (file system, mount point, etc.), a free space to create partitions, or a device to initialize its partition table.
Guided partitioning
Configure software RAID
Configure the Logical Volume Manager
Configure encrypted volumes
Configure iSCSI volumes
SCSI3 (0,0,0) (sda) - 21.5 GB ATA VBOX HARDDISK
> #1 primary 20.4 GB f ext4 /
> #5 logical 1.0 GB f swap swap
Undo changes to partitions
Finish partitioning and write changes to disk
1
2
Screenshot
Help
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Partition disks
If you continue, the changes listed below will be written to the disks. Otherwise, you will be able to make further changes manually.
The partition tables of the following devices are changed:
SCSI3 (0,0,0) (sda)
The following partitions are going to be formatted:
partition #1 of SCSI3 (0,0,0) (sda) as ext4
partition #5 of SCSI3 (0,0,0) (sda) as swap
Write the changes to disks?
No
Yes
1
2
Screenshot
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configure the package manager
Scanning your installation media finds the label:
Debian GNU/Linux 12.12.0 _Bookworm_ - Official amd64 NETINST with firmware 20250906-15:03
You now have the option of scanning additional media for use by the package manager (apt). Normally these should be from the same set as the one you booted from. If you do not have any additional media, this step can just be skipped.
If you wish to scan more media, please insert another one now.
Scan extra installation media?
1
No
Yes
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configure the package manager
The goal is to find a mirror of the Debian archive that is close to you on the network -- be aware that nearby countries, or even your own, may not be the best choice.
Debian archive mirror country:
Slovakia
Slovenia
South Africa
South Korea
Spain
Sweden
Switzerland
Taiwan
Thailand
Türkiye
Ukraine
United Kingdom
United States
Uruguay
1
Vietnam
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configure the package manager
Please select a Debian archive mirror. You should use a mirror in your country or region if you do not know which mirror has the best Internet connection to you.
Usually, deb.debian.org is a good choice.
Debian archive mirror:
1
deb.debian.org
debian.xtdv.net
mirror.bizflycloud.vn
debian-archive.trafficmanager.net
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configure the package manager
If you need to use a HTTP proxy to access the outside world, enter the proxy information here. Otherwise, leave this blank.
The proxy information should be given in the standard form of "http://[[user][:pass]@]host[:port]/".
HTTP proxy information (blank for none):
1
Để trống
2
Screenshot
Go Back
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Configuring popularity-contest
The system may anonymously supply the distribution developers with statistics about the most used packages on this system. This information influences decisions such as which packages should go on the first distribution CD.
If you choose to participate, the automatic submission script will run once every week, sending statistics to the distribution developers. The collected statistics can be viewed on https://popcon.debian.org/.
This choice can be later modified by running "dpkg-reconfigure popularity-contest".
Participate in the package usage survey?
No
Yes
1
2
Screenshot
Continue
Right Ctrl



Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Software selection
At the moment, only the core of the system is installed. To tune the system to your needs, you can choose to install one or more of the following predefined collections of software.
Choose software to install:
Debian desktop environment
... GNOME
... Xfce
... GNOME Flashback
... KDE Plasma
... Cinnamon
... MATE
... LXDE
... LXQt
web server
SSH server
standard system utilities
1
2
Screenshot
Continue
Right Ctrl


Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Install the GRUB boot loader
It seems that this new installation is the only operating system on this computer. If so, it should be safe to install the GRUB boot loader to your primary drive (UEFI partition/boot record).
Warning: If your computer has another operating system that the installer failed to detect, this will make that operating system temporarily unbootable, though GRUB can be manually configured later to boot it.
Install the GRUB boot loader to your primary drive?
No
Yes
1
2
Screenshot
Go Back
Continue
Right Ctrl


Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Install the GRUB boot loader
You need to make the newly installed system bootable, by installing the GRUB boot loader on a bootable device. The usual way to do this is to install GRUB to your primary drive (UEFI partition/boot record). You may instead install GRUB to a different drive (or partition), or to removable media.
Device for boot loader installation:
Enter device manually
/dev/sda (ata-VBOX_HARDDISK_VB2051d553-f0990cd2)
1
2
Screenshot
Go Back
Continue
Right Ctrl


Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
debian 12
Finish the installation
Installation complete
Installation is complete, so it is time to boot into your new system. Make sure to remove the installation media, so that you boot into the new system rather than restarting the installation.
Please choose <Continue> to reboot.
1
Screenshot
Go Back
Continue
Right Ctrl


Home Assistant [Running] - Oracle VirtualBox
File Machine View Input Devices Help
GNU GRUB version 2.06-13+deb12u1
*Debian GNU/Linux
Advanced options for Debian GNU/Linux
1
Nhấn Enter
Use the ↑ and ↓ keys to select which entry is highlighted.
Press enter to boot the selected OS, `e' to edit the commands
before booting or `c' for a command-line.
Right Ctrl



Chạy lần lượt các lệnh sau:


sudo apt-get update

sudo su

apt install net-tools

ip a

Bạn sẽ lấy được ip nội bộ



Mở PuTTY, đăng nhập vào máy ảo

