

Parnil B.

TYCSE-A

Roll No: 04

PRN: 1262240038

Github Link: <https://github.com/bunnerman/IBTY1>

LCA-2 Code

// WAP (Java) to accept two integers from user and handle
ArithmeticException and InputMismatchException using appropriate
exception handling techniques

```
import java.util.Scanner;
```

```
import java.util.InputMismatchException;
```

```
class Maine
```

```
{
```

```
    public static void main(String[] args)
```

```
    {
```

```
        System.out.print("Enter 2 integers: "); // Arithmetic  
Exception doesn't work without integers, as a result quotient  
has remainder component present too
```

```
        Scanner sc = new Scanner(System.in);
```

```
        try
```

```
        {
```

```
            int a = sc.nextInt(); int b = sc.nextInt();
```

```
try
{
    int quo = a / b;
    int rem = a % b;

    System.out.println("Quotient is " + quo);
    System.out.println("Remainder is " + rem);
}
catch (ArithmeticException e)
{
    System.out.println("Divisor is zero,
undefined");
}
}
catch (InputMismatchException e2)
{
    System.out.println("Error, input mismatch detected,
enter integers");
}
}
```

```
(dclab@dclab) - [~/Desktop]
```

```
$ java code.java
```

```
Enter 2 integers: 50 6
```

```
Quotient is 8
```

```
Remainder is 2
```

```
(dclab@dclab) - [~/Desktop]
```

```
$ java code.java
```

```
Enter 2 integers: 10 0.5
```

```
Error, input mismatch detected, enter integers
```

```
(dclab@dclab) - [~/Desktop]
```

```
$ java code.java
```

```
Enter 2 integers: 40 0
```

```
Divisor is zero, undefined
```

Steps:

1. Import necessary packages (Scanner and InputMismatchException from java.util built in package)
2. Accept two integers inside a try block with its catch block handling InputMismatchException
3. Make another try block after input for quotient calculation, its catch block will be for ArithmeticException
4. Write respective error print statements in the catch blocks