```
student={
    "name":"aswi",
    "age":20,
    "place":"kadapa"
}
print(student["name"])
print(student["age"])
print(student["place"])
```

```
aswi
20
kadapa
```

```
print(student)
```

```
{'name': 'aswi', 'age': 20, 'place': 'kadapa'}
```

```
aswi={
    "age":int(input())
}
print(aswi)
```

```
20
{'age': 20}
```

```
print(student.get("phn"))
print(student.get("age"))
```

```
None
20
```

```
student["age"]="19"
print("after updating",student)
```

```
after updating {'name': 'aswi', 'age': '19', 'place': 'kadapa'}
```

```
age=student.pop("place")
print(age)
print(student)
```

```
kadapa
{'name': 'aswi', 'age': '19'}
```

```
#del student["age"]
print(student)
```

```
{'name': 'aswi', 'age': '19'}
```

```
da={"a":1,"b":4,"c":5}
```

```
for di in da.values():
  print(di)
  for di in da:
    print(di)
```

```
1
a
b
c
4
a
b
c
5
a
b
c
```

```
set={1,2,3,4,5,67,8,67,68,8,9}
print(set)
```

```
{1, 2, 3, 4, 5, 67, 68, 8, 9}
```

```
set.add(6)
print(set)
```

```
{1, 2, 3, 4, 5, 67, 68, 8, 9, 6}
```

```
set.discard(7)
set.discard(67)
print(set)
```

```
{1, 2, 3, 4, 5, 68, 8, 9, 6}
```

```
set.pop()
print(set)
```

```
{3, 4, 5, 68, 8, 9, 6}
```

```
print(len(set))
```

```
7
```

```
copy=set.copy
print(set)
```

```
{3, 4, 5, 68, 8, 9, 6}
```

```
set.clear()
print(set)
```

```
set()
```

```
a={1,2,3,4,5,6,7}
b={0,9,8,7,5,6,4,3,2}
print(a|b)
print(a.union(b))
print(a.intersection(b))
print(a-b)
print(b-a)
print(a^b)
print(a.difference(b))
```

```
{0, 1, 2, 3, 4, 5, 6, 7, 8, 9}
{0, 1, 2, 3, 4, 5, 6, 7, 8, 9}
{2, 3, 4, 5, 6, 7}
{1}
{0, 8, 9}
{0, 1, 8, 9}
{1}
```

```
s={1,2,3,4,5,2,3,4,5,2,3,4,5,2}
print(s)
```

```
{1, 2, 3, 4, 5}
```

```
s.add(100)
print(s)
```

```
{1, 2, 3, 4, 5, 100}
```

```
s.remove(7)
print(set)
```

```
---------------------------------------------------------------------------
KeyError                                  Traceback (most recent call last)
/tmp/ipykernel_2647/902906152.py in <cell line: 0>()
----> 1 s.remove(7)
      2 print(s)

KeyError: 7
```

```
s.discard(7)
print(set)
```

```
set()
```

```
sa={'phy','che','tel'}
sb={'che','hum','sc'}
print(sa.intersection(sb))
```

```
{'che'}
```

```
print(sa-sb)
print(sb-sa)
```

```
{'phy', 'tel'}
{'sc', 'hum'}
```

```
st={1,2,2,3,4,4,5}
print(st)
```

```
{1, 2, 3, 4, 5}
```

```
name = input("Enter student name: ")

m1 = int(input("Enter marks in subject 1: "))
m2 = int(input("Enter marks in subject 2: "))
m3 = int(input("Enter marks in subject 3: "))

student = {
    "name": name,
    "subject1": m1,
    "subject2": m2,
    "subject3": m3
}

print(student)

countries = {
    "India": "New Delhi",
    "USA": "Washington DC",
    "Japan": "Tokyo",
    "France": "Paris",
    "Australia": "Canberra"
}
print("Country Names:")
for country in countries.keys():
    print(country)
```

```
Enter student name: 1
Enter marks in subject 1: 2
Enter marks in subject 2: 3
Enter marks in subject 3: 4
{'name': '1', 'subject1': 2, 'subject2': 3, 'subject3': 4}
Country Names:
India
USA
Japan
France
Australia
```

```
students = {
    "Rahul": 85,
    "Anu": 90,
    "Kiran": 78,
    "Sneha": 88
}
for name, score in students.items():
    print(name, ":", score)
```

```
Rahul : 85
Anu : 90
Kiran : 78
Sneha : 88
```

```
product = {
    "name": "Laptop",
    "price": 50000,
    "brand": "Dell"
}
product["in_stock"] = True
print(product)
```

```
{'name': 'Laptop', 'price': 50000, 'brand': 'Dell', 'in_stock': True}
```

```
product["price"] = 55000
print(product)
```

```
{'name': 'Laptop', 'price': 55000, 'brand': 'Dell'}
```

```
def  ksrm():
  print("my name is ksrm")
  print(add.ksrm(a,b))
```

```
print(ksrm(2,3))
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)
/tmp/ipykernel_2647/1000311310.py in <cell line: 0>()
----> 1 print(ksrm(2,3))

TypeError: ksrm() takes 0 positional arguments but 2 were given
```

```
def eo(a):
  if(a%2==0):
    print("even")
  else:
    print("odd")
```

```
a=int(input("enter the value"))
print(eo(a))
```

```
enter the value1
odd
enter the value3
odd
enter the value6
even
None
None
None
```

A

```
n=int(input())
arr=list(map(int,input().split()))
print(arr)
```

```
4
1 3 8 1
[1, 3, 8, 1]
```

```
B
```

```
n=int(input())
arr=list(map(int,input().split()))
print (sum(arr))
```

```
5
1 7 8 12 20
48
```

F

```
n=int(input())
arr=list(map(int,input().split()))
if arr==arr[::-1]:
  print("YES")
else:
  print("NO")
```

```
3
 1 4 5
NO
```

H

```
n = int(input())
arr = list(map(int, input().split()))
count = 0
for i in range(1, n - 1):
    if arr[i] < arr[i - 1] and arr[i] < arr[i + 1]:
        count += 1
print(count)
```

```
6
4 1 3 8 3 7
2
```

Z

```
t = int(input())
for _ in range(t):
    l, r = map(int, input().split())
    count = 0
    for i in range(l, r + 1):
        if i % 10 in [2, 3, 9]:
            count += 1
    print(count)
```

```
2
1 10
3
11 33
8
```

```
t = int(sys.stdin.readline())
for _ in range(t):
    n = int(sys.stdin.readline())
    if n % 2 == 0 and n % 4 != 0:
        print(1)
    else:
        print(0)
```

```
n = int(input())
arr = list(map(int, input().split()))
for i in range(n):
    count = 0
    for j in range(n):
        if arr[i] == arr[j]:
            count += 1
    if count == 1:
        print(arr[i], end=" ")
```

```
Start coding or generate with AI.
```

```
N = int(input())
arr = list(map(int, input().split()))
first = True
for i in range(N):
    count = 0
    for j in range(N):
        if arr[i] == arr[j]:
            count += 1
    if count == 1:
        if not first:
            print(" ", end="")
        print(arr[i], end="")
        first = False
```

```
4
1 3 6 7
1 3 6 7
```

```
n, k = map(int, input().split())
arr = list(map(int, input().split()))
index = -1
for i in range(n):
    if arr[i] == k:
        index = i
        break
print(index)
```

```
5 15
-2 -19 8 15 4
3
```

```
t = int(input())
target = 20 * 100
for _ in range(t):
    n = int(input())
    arr = list(map(int, input().split()))
    seen = {}
```

```
    found = False
    for x in arr:
        need = target - x
        if need in seen:
            found = True
            break
        seen[x] = 1
    if found:
        print("Accepted")
    else:
        print("Rejected")
```

```
5
1
23
Rejected
---------------------------------------------------------------------------
KeyboardInterrupt                         Traceback (most recent call last)
/tmp/ipykernel_1991/886858708.py in <cell line: 0>()
      2 target = 20 * 100
      3 for _ in range(t):
----> 4     n = int(input())
      5     arr = list(map(int, input().split()))
      6

1 frames
/usr/local/lib/python3.12/dist-packages/ipykernel/kernelbase.py in _input_request(self, prompt, ident, parent, password)
   1217             except KeyboardInterrupt:
   1218                 # re-raise KeyboardInterrupt, to truncate traceback
-> 1219                 raise KeyboardInterrupt("Interrupted by user") from None
   1220             except Exception:
   1221                 self.log.warning("Invalid Message:", exc_info=True)

KeyboardInterrupt: Interrupted by user
```

```
t = int(input())
for _ in range(t):
    n = int(input())
    arr = list(map(int, input().split()))
    freq = {}
    for x in arr:
        if x in freq:
            freq[x] += 1
        else:
            freq[x] = 1
    res = []
    for key in freq:
        if freq[key] == 2:
            res.append(key)
    res.sort()
    print(*res)
```

```
2
8
1 3 2 3 4 6 5 5
3 5
10
1 5 2 8 1 4 7 4 3 6
1 4
```