



Started on	Wednesday, 5 February 2025, 9:13 PM
State	Finished
Completed on	Wednesday, 5 February 2025, 9:18 PM
Time taken	4 mins 31 secs
Marks	7.00/7.00
Grade	100.00 out of 100.00
Feedback	Congratulations!! You have passed by securing more than 80%

## Question 1

1.00/1.00

Choose the correct JavaScript statement which helps you to write "World of JavaScript" in a web page?

Select one:

- `response.write("World of JavaScript")`
- `System.out.println("World of JavaScript")`
- `document.write("World of JavaScript")` ✓
- `println ("World of JavaScript")`

Your answer is correct.

The correct answer is: `document.write("World of JavaScript")`

## Question 2

1.00/1.00

Which of the below is the correct syntax for executing some code if "amt" is equal to 5000?

Select one:

- if (amt == 5000) ✓
- if (amt = 5000)
- if (amt equals 5000)
- if (amt === "5000")

Your answer is correct.

The correct answer is: if (amt == 5000)

### Question 3

1.00/1.00

Polson is allocated with the task of email validation in java script. He needs to extract character by character

and check for email validation like looking for @ . etc. Which method is best suited to extract every character from the text?

Select one:

- `charAt()`



- ☒ charAt()✓
- ☐ getCharAt()

Your answer is correct.

The correct answer is: charAt()

#### Question 4

1.00/1.00

Ram is the developer of Allen Software company. He is designing the website for the banking application. There is a button called 'check interest rates'. When that button is clicked, the user has to be redirected to a separate page to show the domestic interest rates. Help Ram in accomplishing this task using the javascript.

Select one:

- ☒ window.location✓
- ☐ window.reload
- ☐ page.location
- ☐ url.newlocation

Your answer is correct.

The correct answer is: window.location

#### Question 5

1.00/1.00

Predict the output of the following JavaScript code:

```
<html>
<head>
<script>
var txt= "pass 70% fail 30%";
var pattern = /\D/g;
var res= txt.match(pattern);
document.write(res);
</script>
</head>
</html>
```

Select one:

- ☐ 7,0,%, ,3,0,%
- ☒ p,a,s,s, ,%, f,a,i,l, ,%✓
- ☐ 7,0,%,3,0,%
- ☐ 7,0,3,0



Your answer is correct.

The correct answer is: p,a,s,s,%,f,a,i,l,%,

### Question 6

1.00/1.00

What is the output of the below code snippet

```
<script type="text/javascript">  
amt=55+"55";  
document.write(amt);  
</script>
```

Select one:

- ☐ 5
- ☐ 110
- ☐ Error, No Output.
- ☒ 5555✓

Your answer is correct.

The correct answer is: 5555

### Question 7

1.00/1.00

The parseInt() method converts the string to a integer. Before applying this function, Ram wants to know the type of the argument that is passed to the function. Which operator in javascript would support this ?

Select one:

- ☐ getType
- ☒ typeof ✓
- ☐ instanceof
- ☐ isofType

Your answer is correct.

The correct answer is: typeof