

# **Extracting and Visualizing Stock Data**

#### Description

Extracting essential data from a dataset and displaying it is a necessary part of data science; therefore individuals can make correct decisions based on the data. In this assignment, you will extract some stock data, you will then display this data in a graph.

#### **Table of Contents**

- Define a Function that Makes a Graph
- Ouestion 1: Use vfinance to Extract Stock Data
- Question 2: Use Webscraping to Extract Tesla Revenue Data
- · Ouestion 3: Use vfinance to Extract Stock Data
- Question 4: Use Webscraping to Extract GME Revenue Data
- Question 5: Plot Tesla Stock Graph
- Question 6: Plot GameStop Stock Graph

Estimated Time Needed: 30 min

Note:- If you are working Locally using anaconda, please uncomment the following code and execute it. Use the version as per your python version.

```
In [7]: !pip install yfinance
          !pip install bs4
          !pip install nbformat
        Requirement\ already\ satisfied:\ yfinance\ in\ /opt/conda/lib/python 3.11/site-packages\ (0.2.51)
        Requirement already satisfied: pandas>=1.3.0 in /opt/conda/lib/python3.11/site-packages (from yfinance) (2.2.3)
        Requirement already satisfied: numpy>=1.16.5 in /opt/conda/lib/python3.11/site-packages (from yfinance) (2.2.1)
        Requirement already satisfied: requests>=2.31 in /opt/conda/lib/python3.11/site-packages (from yfinance) (2.31.0)
        Requirement already \ satisfied: \ multitasking >= 0.0.7 \ in \ /opt/conda/lib/python 3.11/site-packages \ (from \ yfinance) \ (0.0.11)
        Requirement already satisfied: lwml>=4.9.1 in /opt/conda/lib/python3.11/site-packages (from yfinance) (5.3.0) Requirement already satisfied: platformdirs>=2.0.0 in /opt/conda/lib/python3.11/site-packages (from yfinance) (4.2.1)
        Requirement already satisfied: pytz>=2022.5 in /opt/conda/lib/python3.11/site-packages (from yfinance) (2024.1)
        Requirement already satisfied: frozendict>=2.3.4 in /opt/conda/lib/python3.11/site-packages (from yfinance) (2.4.6)
        Requirement already satisfied: peewee>=3.16.2 in /opt/conda/lib/python3.11/site-packages (from yfinance) (3.17.8)
        Requirement already satisfied: beautifulsoup4>=4.11.1 in /opt/conda/lib/python3.11/site-packages (from yfinance) (4.12.3) Requirement already satisfied: html5lib>=1.1 in /opt/conda/lib/python3.11/site-packages (from yfinance) (1.1)
        Requirement already satisfied: soupsieve>1.2 in /opt/conda/lib/python3.11/site-packages (from beautifulsoup4>=4.11.1->yfinance)
        Requirement already satisfied: six>=1.9 in /opt/conda/lib/python3.11/site-packages (from html5lib>=1.1->yfinance) (1.16.0)
        Requirement already \ satisfied: \ we be needings \ in \ /opt/conda/lib/python3.11/site-packages \ (from \ html5lib>=1.1->yfinance) \ (0.5.1)
        Requirement already \ satisfied: \ python-dateutil>=2.8.2 \ in \ /opt/conda/lib/python3.11/site-packages \ (from \ pandas>=1.3.0->yfinance)
        (2.9.0)
        Requirement already satisfied: tzdata>=2022.7 in /opt/conda/lib/python3.11/site-packages (from pandas>=1.3.0->yfinance) (2024.2)
        Requirement already satisfied: charset-normalizer<4,>=2 in /opt/conda/lib/python3.11/site-packages (from requests>=2.31->yfinanc
        e) (3.3.2)
        Requirement already satisfied: idna<4,>=2.5 in /opt/conda/lib/python3.11/site-packages (from requests>=2.31->yfinance) (3.7)
        Requirement already satisfied: urllib3<3,>=1.21.1 in /opt/conda/lib/python3.11/site-packages (from requests>=2.31->yfinance) (2.
        2.1)
        Requirement already satisfied: certifi>=2017.4.17 in /opt/conda/lib/python3.11/site-packages (from requests>=2.31->yfinance) (20
        24.12.14)
        Requirement already satisfied: bs4 in /opt/conda/lib/python3.11/site-packages (0.0.2)
        Requirement already satisfied: beautifulsoup4 in /opt/conda/lib/python3.11/site-packages (from bs4) (4.12.3) Requirement already satisfied: soupsieve>1.2 in /opt/conda/lib/python3.11/site-packages (from beautifulsoup4->bs4) (2.5)
        Requirement already satisfied: nbformat in /opt/conda/lib/python3.11/site-packages (5.10.4)
        Requirement already satisfied: fastjsonschema>=2.15 in /opt/conda/lib/python3.11/site-packages (from nbformat) (2.19.1)
        Requirement already satisfied: jsonschema>=2.6 in /opt/conda/lib/python3.11/site-packages (from nbformat) (4.22.0)
Requirement already satisfied: jupyter-core!=5.0.*,>=4.12 in /opt/conda/lib/python3.11/site-packages (from nbformat) (5.7.2)
Requirement already satisfied: traitlets>=5.1 in /opt/conda/lib/python3.11/site-packages (from nbformat) (5.14.3)
        Requirement already satisfied: attrs>=22.2.0 in /opt/conda/lib/python3.11/site-packages (from jsonschema>=2.6->nbformat) (23.2.
        Requirement already satisfied: jsonschema-specifications>=2023.03.6 in /opt/conda/lib/python3.11/site-packages (from jsonschema>
        =2.6-nbformat) (2023.12.1)
        Requirement already satisfied: referencing>=0.28.4 in /opt/conda/lib/python3.11/site-packages (from jsonschema>=2.6->nbformat)
        Requirement already satisfied: rpds-py>=0.7.1 in /opt/conda/lib/python3.11/site-packages (from jsonschema>=2.6->nbformat) (0.18.
        Requirement already satisfied: platformdirs>=2.5 in /opt/conda/lib/python3.11/site-packages (from jupyter-core!=5.0.*,>=4.12->nb
        format) (4.2.1)
In [8]: import yfinance as yf
         import pandas as pd
         import requests
         from bs4 import BeautifulSoup
         import plotly graph objects as go
```

import plotly.graph\_objects as go
from plotly.subplots import make\_subplots

In Python, you can ignore warnings using the warnings module. You can use the filterwarnings function to filter or ignore specific warning messages or

https://labs.cognitiveclass.ai/v2/tools/jupyterlab?ulid=ulid-769a12fa648ece94384c8e528b1e099da6d0d961

```
In [9]: import warnings
# Ignore all warnings
warnings.filterwarnings("ignore", category=FutureWarning)
```

#### **Define Graphing Function**

In this section, we define the function make\_graph. You don't have to know how the function works, you should only care about the inputs. It takes a dataframe with stock data (dataframe must contain Date and Close columns), a dataframe with revenue data (dataframe must contain Date and Revenue columns), and the name of the stock.

```
In [13]: def make_graph(stock_data, revenue_data, stock):
    fig = make_subplots(rows=2, cols=1, shared_xaxes=True, subplot_titles=("Historical Share Price", "Historical Revenue"), vert
    stock_data_specific = stock_data[stock_data.Date <= '2021-06-14']
    revenue_data_specific = revenue_data[revenue_data.Date <= '2021-04-30']
    fig.add_trace(go.Scatter(x=pd.to_datetime(stock_data_specific.Date, infer_datetime_format=True), y=stock_data_specific.Close
    fig.add_trace(go.Scatter(x=pd.to_datetime(revenue_data_specific.Date, infer_datetime_format=True), y=revenue_data_specific.f
    fig.update_xaxes(title_text="Date", row=1, col=1)
    fig.update_xaxes(title_text="Date", row=2, col=1)
    fig.update_yaxes(title_text="Price ($US)", row=1, col=1)
    fig.update_yaxes(title_text="Revenue ($US Millions)", row=2, col=1)
    fig.update_layout(showlegend=False,
    height=990,
    title=stock,
    xaxis_rangeslider_visible=True)
    fig.show()</pre>
```

Use the make\_graph function that we've already defined. You'll need to invoke it in questions 5 and 6 to display the graphs and create the dashboard.

Note: You don't need to redefine the function for plotting graphs anywhere else in this notebook; just use the existing function.

### Question 1: Use yfinance to Extract Stock Data

Using the Ticker function enter the ticker symbol of the stock we want to extract data on to create a ticker object. The stock is Tesla and its ticker symbol is TSLA.

```
In [10]: tesla = yf.Ticker("TSLA")
```

Using the ticker object and the function history extract stock information and save it in a dataframe named tesla\_data . Set the period parameter to "max" so we get information for the maximum amount of time.

```
In [68]: tesla_data = tesla.history(period="max")
```

Reset the index using the reset\_index(inplace=True) function on the tesla\_data DataFrame and display the first five rows of the tesla\_data dataframe using the head function. Take a screenshot of the results and code from the beginning of Ouestion 1 to the results below.

```
In [69]: tesla_data.reset_index(inplace=True)

# Ensure the Date column is in datetime format
tesla_data["Date"] = pd.to_datetime(tesla_data["Date"])

# Convert to date string without time and timezone
tesla_data["Date"] = tesla_data["Date"].dt.strftime("%Y-%m-%d")
tesla_data.head()
# tesla_data
```

Out[69]:		Date	Open	High	Low	Close	Volume	Dividends	Stock Splits
	0	2010-06-29	1.266667	1.666667	1.169333	1.592667	281494500	0.0	0.0
	1	2010-06-30	1.719333	2.028000	1.553333	1.588667	257806500	0.0	0.0
	2	2010-07-01	1.666667	1.728000	1.351333	1.464000	123282000	0.0	0.0
	3	2010-07-02	1.533333	1.540000	1.247333	1.280000	77097000	0.0	0.0
	4	2010-07-06	1.333333	1.333333	1.055333	1.074000	103003500	0.0	0.0

### Question 2: Use Webscraping to Extract Tesla Revenue Data

Use the requests library to download the webpage https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/revenue.htm Save the text of the response as a variable named html\_data.

```
In [54]: url = "https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/
html_data = requests.get(url).text
```

Parse the html data using beautiful\_soup using parser i.e html5lib or html.parser.

```
In [19]: soup = BeautifulSoup(html_data, 'html.parser')
```

Using BeautifulSoup or the read\_html function extract the table with Tesla Revenue and store it into a dataframe named tesla\_revenue. The dataframe should have columns Date and Revenue.

► Step-by-step instructions

▶ Click here if you need help locating the table

```
In [76]: tesla revenue = pd.DataFrame(columns=["Date", "Revenue"])
         # First we isolate the body of the table which contains all the information
          # Then we loop through each row and find all the column values for each row
         for row in soup.find_all("tbody")[1].find_all('tr'):
             col = row.find_all("td")
             date = col[0].text
             revenue = col[1].text
             # # Finally we append the data of each row to the table
             tesla\_revenue = pd.concat([tesla\_revenue,pd.DataFrame(\{"Date":[date], "Revenue":[revenue]\})], ignore\_index={\bf True})
```

Execute the following line to remove the comma and dollar sign from the Revenue column.

```
In [77]: tesla_revenue["Revenue"] = tesla_revenue['Revenue'].str.replace(', |\$', "")
```

Execute the following lines to remove an null or empty strings in the Revenue column.

```
In [78]: tesla_revenue.dropna(inplace=True)
         tesla_revenue = tesla_revenue[tesla_revenue['Revenue'] != ""]
         tesla_revenue["Revenue"] = tesla_revenue["Revenue"].str.replace("[\$,]", "", regex=True).astype(float)
```

Display the last 5 row of the tesla\_revenue dataframe using the tail function. Take a screenshot of the results.

```
In [79]: tesla_revenue.tail()
                  Date Revenue
          48 2010-09-30
         49 2010-06-30
                            28.0
          50 2010-03-31
```

#### Question 3: Use yfinance to Extract Stock Data

**52** 2009-09-30 46.0 **53** 2009-06-30

27.0

Using the Ticker function enter the ticker symbol of the stock we want to extract data on to create a ticker object. The stock is GameStop and its ticker symbol is GME.

```
In [25]: gme = yf.Ticker("GME")
```

Using the ticker object and the function history extract stock information and save it in a dataframe named gme\_data . Set the period parameter to "max" so we get information for the maximum amount of time.

```
In [70]: gme_data = gme.history(period="max")
```

Reset the index using the reset\_index(inplace=True) function on the gme\_data DataFrame and display the first five rows of the gme\_data dataframe using the head function. Take a screenshot of the results and code from the beginning of Question 3 to the results below.

```
In [71]: gme_data.reset_index(inplace=True)
         # Ensure the Date column is in datetime format
         gme_data["Date"] = pd.to_datetime(gme_data["Date"])
         # Convert to date string without time and timezone
         gme_data["Date"] = gme_data["Date"].dt.strftime("%Y-%m-%d")
         gme_data.head()
```

Out[71]:		Date	Open	High	Low	Close	Volume	Dividends	Stock Splits
	0	2002-02-13	1.620128	1.693350	1.603296	1.691666	76216000	0.0	0.0
	1	2002-02-14	1.712707	1.716074	1.670626	1.683250	11021600	0.0	0.0
	2	2002-02-15	1.683250	1.687458	1.658002	1.674834	8389600	0.0	0.0
	3	2002-02-19	1.666418	1.666418	1.578047	1.607504	7410400	0.0	0.0
	4	2002-02-20	1.615920	1.662210	1.603296	1.662210	6892800	0.0	0.0

### Question 4: Use Webscraping to Extract GME Revenue Data

Use the requests library to download the webpage https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/stock.html. Save the text of the response as a variable named html\_data\_2.

```
In [28]: url = " https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs
         html_data_2 = requests.get(url).text
```

Parse the html data using beautiful\_soup using parser i.e html5lib or html.parser.

```
In [29]: soup_1 = BeautifulSoup(html_data_2,"html.parser")
```

Using BeautifulSoup or the read\_html function extract the table with GameStop Revenue and store it into a dataframe named gme\_revenue. The dataframe should have columns Date and Revenue. Make sure the comma and dollar sign is removed from the Revenue column.

Note: Use the method similar to what you did in question 2.

▶ Click here if you need help locating the table

```
In [80]: gme_revenue = pd.DataFrame(columns=["Date", "Revenue"])

# First we isolate the body of the table which contains all the information
# Then we loop through each row and find all the column values for each row
for row in soup_l.find_all("tbody")[1].find_all('tr'):
        col = row.find_all("td")
        date = col[0].text
        revenue = col[1].text

# Finally we append the data of each row to the table
gme_revenue = pd.concat([gme_revenue,pd.DataFrame({"Date":[date], "Revenue":[revenue]})], ignore_index=True)
```

Display the last five rows of the gme\_revenue dataframe using the tail function. Take a screenshot of the results.

```
In [81]: gme_revenue["Revenue"] = gme_revenue['Revenue'].str.replace(',|\$',"")

gme_revenue.dropna(inplace=True)

gme_revenue = gme_revenue[gme_revenue['Revenue'] != ""]

gme_revenue["Revenue"] = gme_revenue["Revenue"].str.replace("[\$,]", "", regex=True).astype(float)

gme_revenue.tail()
```

Out[81]:		Date	Revenue
	57	2006-01-31	1667.0
	58	2005-10-31	534.0
	59	2005-07-31	416.0
	60	2005-04-30	475.0
	61	2005-01-31	709.0

#### Question 5: Plot Tesla Stock Graph

Use the make\_graph function to graph the Tesla Stock Data, also provide a title for the graph. Note the graph will only show data upto June 2021.

▶ Hint

```
In [82]: # print(tesla_data.columns)
# print(tesla_revenue.columns)
make_graph(tesla_data, tesla_revenue, 'Tesla')

/tmp/ipykernel_964/3316612210.py:5: UserWarning:

The argument 'infer_datetime_format' is deprecated and will be removed in a future version. A strict version of it is now the de fault, see https://pandas.pydata.org/pdeps/0004-consistent-to-datetime-parsing.html. You can safely remove this argument.

/tmp/ipykernel_964/3316612210.py:6: UserWarning:

The argument 'infer_datetime_format' is deprecated and will be removed in a future version. A strict version of it is now the de fault, see https://pandas.pydata.org/pdeps/0004-consistent-to-datetime-parsing.html. You can safely remove this argument.
```

## Question 6: Plot GameStop Stock Graph

Use the make\_graph function to graph the GameStop Stock Data, also provide a title for the graph. The structure to call the make\_graph function is make\_graph (gme\_data, gme\_revenue, 'GameStop'). Note the graph will only show data upto June 2021.

▶ Hint

In [83]: make\_graph(gme\_data, gme\_revenue, 'GameStop')

/tmp/ipykernel\_964/3316612210.py:5: UserWarning:

The argument 'infer\_datetime\_format' is deprecated and will be removed in a future version. A strict version of it is now the de fault, see https://pandas.pydata.org/pdeps/0004-consistent-to-datetime-parsing.html. You can safely remove this argument.

/tmp/ipykernel\_964/3316612210.py:6: UserWarning:

The argument 'infer\_datetime\_format' is deprecated and will be removed in a future version. A strict version of it is now the de fault, see https://pandas.pydata.org/pdeps/0004-consistent-to-datetime-parsing.html. You can safely remove this argument.

### About the Authors:

Joseph Santarcangelo has a PhD in Electrical Engineering, his research focused on using machine learning, signal processing, and computer vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.

Azim Hirjani

## Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2022-02-28	1.2	Lakshmi Holla	Changed the URL of GameStop
2020-11-10	1.1	Malika Singla	Deleted the Optional part
2020-08-27	1.0	Malika Singla	Added lab to GitLab

© IBM Corporation 2020. All rights reserved.