

ONLINE BOOKSTORE PRESENTATION FILE

June 2020







CONTENTS

- 1. PROJECT GROUP Page 3
- 2.PROJECT REQUIREMENTS Page 4-6
- 3.INFORMATION ABOUT PROJECT Page 7-9
- 4.THEME OF HOMEPAGE Page 10-11
- 5.LOGIN PAGE (CODING) Page 12-15
- **6.REGISTER PAGE Page 16-19**
- 7.BOOKS PAGE Page 20-22
- **8.INFORMATION ADDRESS Page 23-26**
- 9.CONTACT Page 28








2.PROJECT REQUIREMENTS

It is an inquiry service where students can easily access the books whose they need.

- **OSQL**
- **OPSEUDOCODE**
- **OER DIAGRAM**
- **OPROGRAMMING**
- **OTEST**









"We used javascript, CSS, C# and HTML software language by using visual studio platform about.

Finally, we will do the necessary tests and start presenting our project to users."



3.INFORMATION ABOUT PROJECT

- Book Store Database Management
 System ER diagram of a book stock
 management system is given below.
- Books are written by authors & published by the publishers.
 Shopping basket contains books.
 User takes book from shopping basket.



3.INFORMATION ABOUT PROJECT

The bookstore keeps the name, surname, address, email, id, and phone of its users. User is uniquely identified by id. A user owns several shopping basket. A shopping basket is identified by a basketID and contains several books.





3.INFORMATION ABOUT PROJECT

Some shopping baskets may contain more than one copy of same book. The database records the number of copies of each book in any shopping basket.






4.THEME OF HOMEPAGE

We have created a section on which color theme to choose when signing up to our site in the upper right corner of our local host screen. The colors of our site are black, blue and white.


BLACK THEME



BLUE THEME



WHITE THEME






```
<div class="navbar-fixed-top align-right">
                            <br />
                            
        <a id="btn-login-dark" href="#">Siyah</a>
                            
        <span class="blue">/</span>
                            
        <a id="btn-login-blur" href="#">Mavi</a>
                            
        <span class="blue">/</span>
                            
        <a id="btn-login-light" href="#">Beyaz</a>
                                
                        </div>
```





5.LOGIN PAGE

You can become a member of our site by clicking the I want to become a member section of our site.







```
<div class="center">
                                <h1>
                                    <img
     src="https://cdn.discordapp.com/attachments/693757177436831747/714536369635983430/ICON.png"/>
                                    <span class="red">BOOK</span>
                                    <span class="white" id="id-text2">STORE</span>
                                </h1>
                                <h4 class="blue" id="id-company-text"></h4>
                            </div>
<div class="widget-main">
                                             <h4 class="header blue lighter bigger">Please Enter Your Information
                                             </h4>
                                            <div class="space-6"></div>
                                             <div>
                                                <fieldset>
                                                     <label class="block clearfix">
                                                        <span class="block input-icon input-icon-right">
                                                             <asp:TextBox ID="txtEmail" class="form-control"</pre>
     placeholder="Username" runat="server"></asp:TextBox>
                                                             <i class="ace-icon fa fa-user"></i></i>
                                                         </span>
                                                     </label>
```





<label class="block clearfix">

```
PART OF CODE
                                                                                   <span class="block input-icon input-icon-right">
                                                                                         <asp:TextBox runat="server" ID="txtPassword" TextMode="Password" class="form-control" placeholder="Password"></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></asp:TextBox></a></a>
                                                                                         <i class="ace-icon fa fa-lock"></i></i>
                                                                                   </span>
                                                                             </label>
                                                                             <div class="space"></div>
                                                                              <div class="clearfix">
<asp:LinkButton class="width-35 pull-right btn btn-sm btn-primary" ID="btnLogin" OnClick="btnLogin_Click" runat="server">
                                                                                   <i class="ace-icon fa fa-key"></i></i>
                                                                                   <span class="bigger-110">Login</span>
                                                                                   </asp:LinkButton>
                                                                              </div>
                                                                               <div class="space-4"></div>
                                                                       </fieldset>
                                                                 </div>
                                                       </div>
 <div class="toolbar clearfix">
                                                     <div>
                                                                       <a href="#" data-target="#forgot-box" class="forgot-password-link">
                                                                             <i class="ace-icon fa fa-arrow-left"></i></i></or>
                                                                             I Forgot My Password
                                                                       </a>
                                                                 </div>
                                                                 <div>
                                                                       <a href="#" data-target="#signup-box" class="user-signup-link">I want to register
                                                                                                                                                                                         <i class="ace-icon fa fa-arrow-right"></i></i>
                                                                       </a>
                                                                 </div>
                                                           </div>
```





PART OF C# CODING


```
protected void btnLogin_Click(object sender, EventArgs e)
           if (!string.IsNullOrEmpty(txtEmail.Text) && !string.IsNullOrEmpty(txtPassword.Text))
               using (BookStoreEntities db = new BookStoreEntities())
                    string mail = txtEmail.Text;
                    string password = txtPassword.Text;
                    USER kul = db.USER.Where(x => x.email == mail && x.password == password).FirstOrDefault();
                    if (kul != null)
                       Response.Redirect("/Books.aspx");
                    else
                       Response.Write("<script>alert('Hatalı Giriş Yaptınız!');</script>");
```





6.REGISTER PAGE

Redirect to the page you will be transferred while signing up







```
<div id="signup-box" class="signup-box widget-box no-border">
                                    <div class="widget-body">
                                        <div class="widget-main">
                                            <h4 class="header green lighter bigger">
                                                <i class="ace-icon fa fa-users blue"></i></i>
                                                New User
                                            </h4>
                                            <div class="space-6"></div>
                                            Enter your details to begin: 
                                            <div>
                                                <fieldset>
                                                    <label class="block clearfix">
                                                        <span class="block input-icon input-icon-right">
                                                            <asp:TextBox class="form-control" type="email" ID="txtMail" placeholder="Email" runat="server"></asp:TextBox>
                                                            <i class="ace-icon fa fa-envelope"></i></i>
                                                        </span>
                                                    </label>
                                                    <label class="block clearfix">
                                                        <span class="block input-icon input-icon-right">
                                                            <asp:TextBox type="text" class="form-control" placeholder="Name" ID="txtName" runat="server"></asp:TextBox>
                                                            <i class="ace-icon fa fa-user"></i></i>
                                                        </span>
                                                    </label>
                                                      <label class="block clearfix">
                                                        <span class="block input-icon input-icon-right">
                                                            <asp:TextBox type="text" class="form-control" placeholder="Surname" ID="txtSurname" runat="server"></asp:TextBox>
```



</div>

```
<i class="ace-icon fa fa-user"></i></i>
                                                        </span>
                                                    </label>
                                                    <label class="block clearfix">
                                                        <span class="block input-icon input-icon-right">
                                                            <asp:TextBox ID="txtRegisterPass" runat="server" type="password" class="form-control" placeholder="Password" />
                                                            <i class="ace-icon fa fa-lock"></i></i>
                                                        </span>
                                                    </label>
                                                   <div class="space-24"></div>
                                                    <div class="clearfix">
                                                        <button type="reset" class="width-30 pull-left btn btn-sm">
                                                            <i class="ace-icon fa fa-refresh"></i></i>
                                                            <span class="bigger-110">Reset</span>
                                                        </button>
                                                <asp:Button class="width-65 pull-right btn btn-sm btn-success" ID="btnBuyy" OnClick="btnBuyy_Click" runat="server" Text="Register" />
</div>
                                                </fieldset>
                                            </div>
                                        </div>
                                        <div class="toolbar center">
                                            <a href="#" data-target="#login-box" class="back-to-login-link">
                                                <i class="ace-icon fa fa-arrow-left"></i>
                                                Back to login
                                            </a>
                                        </div>
                                    </div>
                                    <!-- /.widget-body -->
```



PART OF C# CODING


```
. protected void btnBuyy_Click(object sender, EventArgs e)
           using (var db = new BookStoreEntities())
               SqlConnection cnn = new SqlConnection("data source=.;initial catalog=BookStore;integrated
    security=True");
               string sorgu = "Insert into [USER] (Email, Name, Surname, Password) Values (@Email, @Name, @Surname,
    @Password)";
               SqlCommand cmd = new SqlCommand(sorgu, cnn);
               cnn.Open();
               cmd.Parameters.AddWithValue("@Email", txtMail.Text);
               cmd.Parameters.AddWithValue("@Name", txtName.Text);
               cmd.Parameters.AddWithValue("@Surname", txtSurname.Text);
               cmd.Parameters.AddWithValue("@Password", txtRegisterPass.Text);
               cmd.ExecuteNonQuery();
               cnn.Close();
```





7.BOOKS PAGE

- Here we are on the book page of our bookstore site. There are books on our site on this page. How many of the books are there? If we do not have a book in our stocks, we cannot purchase that product and these features are also available.
- Finally, if our users want to buy the book that we have in stock, we direct them to the purchase page.





```
<img src="https://cdn.discordapp.com/attachments/693757177436831747/724275006686888017/7.png" />
 Başucumda Müzik
 Kürşat Başar
                                                   <small>
                             <s class="red">$19.99</s>
                              </small>
                             <br/><br/>b class="green">$9.99</b>
        <span class="label label-info arrowed-right arrowed-in">on sale</span>
        <asp:LinkButton class="btn btn-yellow" ID="btnBuya" OnClick="btnBuya_Click"</pre>
```

runat="server">Buy</asp:LinkButton>






PART OF C# CODING

```
protected void btnBuya_Click(object
sender, EventArgs e)
Response.Redirect("/Default.aspx");
```



8.INFORMATION OF ADDRESS

We received the address information of our member who will receive books on our Information of address page and tried to make a reliable way to go to the address after purchasing the book. We designed the last part of our project in this way, and it is a project that we can develop even more in the future and be auspicious to its users.







<form class="form-horizontal" role="form">

```
<div class="form-group">
                          <label class="col-sm-3 control-label no-padding-right" for="form-field-1"> Name Surname </label>
                          <div class="col-sm-9">
                                                    <input type="text" id="form-field-1" placeholder="Username" class="col-xs-10 col-sm-5">
                          </div>
</div>
                          <div class="form-group">
<label class="col-sm-3 control-label no-padding-right" for="form-field-1-1"> Address </label>
                                                                                                                                   <div class="col-sm-9">
                                                    <input type="text" id="form-field-1-1" placeholder="Address" class="col-xs-10 col-sm-5">
</div>
                                                                                                                                                             </div>
                                                                                                                                   <div class="space-4"></div>
   <div class="col-xs-12">
                                                                                                        <div class="form-group">
                                                    <div class="control-group">
                                                                              <label class="col-sm-3 control-label bolder blue">Payment Options</label>
                            <div class="col-sm-3">
                                                                              <div class="radio">
```



<label class="col-sm-12">

<input name="form-field-radio" type="radio" class="ace">

PART OF CODE

```
<span class="lb1">Cash</span>
                                                   </label>
                                <label>
                                                                             <input name="form-field-radio" type="radio" class="ace">
                                                                             <span class="lb1">Credit Card</span>
                                                   </label>
                         </div>
</div>
                                                                                                                                 </div>
           </div>
        </div>
                         <div class="space-4"></div>
                                                                                                       <div class="form-group">
                                                                             <label class="col-sm-3 control-label no-padding-right" for="form-field-mask-2">
                                                   Phone
                         <small class="text-warning">(999) 999-9999
</label>
                    <div class="col-sm-9">
<div class="input-group">
<span class="input-group-addon">
                                                   <i class="ace-icon fa fa-phone"></i></i>
                         </span>
```





</form>

PART OF CODE

<input class="col-xs-10 col-sm-5" type="text" id="form-field-mask-2">

```
<span class="help-inline col-xs-12 col-sm-7"></span>
                                                   </div>
                 </div>
                                                                                         </div>
<div class="space-4"></div>
<div class="clearfix form-actions">
                         <div class="col-md-offset-3 col-md-9">
                                                   <asp:LinkButton class="btn btn-info" ID="btnBuy" OnClick="btnBuy_Click" runat="server" type="button">
                                                                             <i class="ace-icon fa fa-check bigger-110"></i></i>
                                                   Buy
                                                   </asp:LinkButton>
                                                        
                                                   <button class="btn" type="reset">
                                                                             <i class="ace-icon fa fa-undo bigger-110"></i></i></or>
                                                                             Reset
                         </button>
                         </div>
                         </div>
```


<div class="hr hr-24"></div>



THANKS FOR THIS YEAR!

Any questions?









CONTACT

+90 534 817 66 30 Barış YILDIRIM bariisyildiriim@gmail.com