



Open neo-gui



Go to "Deploy Contract interface"



(Steps 3 to 11 are optional, as in them we check if a smart contract with this scripthash doesn't exist already)

Load your contract

Deploy Contract

Information

Name:

Version:

Author:

Email:

Description:

Metadata

Parameter List:

Return Type:

Code

0118c56b6c766b00527ac46c766b51527ac4616168164e656f2e52756e74696d652e4  
7657454726967676572009c6c766b54527ac46c766b54c364c900616114e4dbd143c  
670dac1a18d77e55cc2982338b2190dc001149c6c766b55527ac46c766b55c3644000  
616114e4dbd143c670dac1a18d77e55cc2982338b2190d6168184e656f2e52756e74  
696d652e436865636b5769746e6573736c766b56527ac462dc026114e4dbd143c670  
dac1a18d77e55cc2982338b2190dc001219c6c766b57527ac46c766b57c3643600616  
c766b00c36c766b58527ac46c766b58c36114e4dbd143c670dac1a18d77e55cc2982  
338b2190dac6c766b56527ac4628002616203026168164e656f2e52756e74696d652  
d7edf9152bc33920347aa56341e

☐ Need Storage

☐ Need Dyncall

Load

Deploy

Height: 1248486/1248486/1248486 Conn

Undo

Cut

Cop

Paste

Delete


Select All

Right to left Reading order


Show Unicode control characters

Insert Unicode control character


Copy contract scripthash




Go to "Invoke Contract" interface



Paste your contracts scripthash and search if there isn't already contract with a the same scripthash if **Name, Versions, Author, Parameters** fields don't populate ,that means we are good to go



Open “Deploy Contract” interface




1.Fill all of the fields


2.Check Need Storage

3. Load your Contract


4. **Copy your contract scripthash** (if you forget to you can do the steps again and copy it without Deploying the smart contract)



Press Test and Invoke buttons




Go to Options interface




Paste your smart contract scripthash ,the press Apply and OK






Go to "Invoke" Contract interface



Paste your smart contracts scripthash and press search button(you may need to wait until a new block is generated for the search function to be successful)



- 1.Add "deploy" parameter to the invoke statement
- 2.Press Test and Invoke buttons.

Invoke Contract

×

Function

Custom

ScriptHash:

0x583407b30faa3d7edf9152bc33920347aa56341e

Q

Name:

Ed.coin

Version:

1.0

Author:

me

Parameters:

String, Array

...

Results

VM State: HALT, BREAK  
Gas Consumed: 2.221  
Evaluation Stack: [{"type": "Integer", "value": "1"}]

Fee: 0.001 gas

Test

Invoke

Cancel

This is the response you should get.

neo-gui

WalletTransactionAdvancedHelp

AccountAssetTransaction History


Address	NEO	NeoGas
Standard Account		
Acdy3RGnKRssAx7EXwWemkijSjAZJhC2sb6	300	1519.998
Contract Address		
ARMbCGcH5sLdhHJSF7ofg5s8Tj5GDnnNee	0	0

45


Height: 1248583/1248583/1248583Connected: 10Waiting for next block:

Wait until the next block generates.






To Transfer your nep-5 tokens you need to go to “Transfer”.



Press add button ,select which nep-5 token you wish to send ,add the recipient public address and put in the amount.Press OK and after that OK.



After that the “Invoke Contract” interface will pop up and you need to press Test and Invoke buttons