Cucumber Report

24.Eki.2021 15:11:12

| Start : Eki 24, 2:58:52.763 PM	End : Eki 24, 3:11:10.369 PM	Duration : 12 m 17.606 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	Category Pages Feature	2	1	1	0	12 m 17.606 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Category Pages Feature	Case I (delete products on basket page)	8	5	1	2	4 m 36.270 s
2	Category Pages Feature	Case II (check amount of between category and category detail page)	8	8	0	0	7 m 41.299 s

(F)- Category Pages Feature

FAILED	DURATION - 12 m 17.606 s	Scenarios		Steps	
		Total - 2		Total - 16	
/ 2:58:52.763 PM // 3:11:10.369 PM /		Pass - 1	2	Pass - 13	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Case I (delete products on basket page)

FAILED	DURATION - 4 m 36.270 s		Steps	
/ 2:58:52.770 PM // 3:03:29.040 PM /			Total - 8	
Category Pages Feature			Pass - 5	8
@emulator			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given user should pass onboarding screens	PASSED	6.236 s
2	And user checks if home page exists or not	PASSED	34.967 s
3	When user changes category to "Water"	PASSED	28.000 s
4	And user open 1. product detail	PASSED	1 m 54.533 s
5	And user adds this product to basket	PASSED	0.419 s
6	And user goes to basket and control added product and price	FAILED	4.034 s

	java.lang.AssertionError: Prices can not mismatch.. expected [$1,98] but found [$3.96]
	   at org.testng.Assert.fail(Assert.java:99)
	   at org.testng.Assert.failNotEquals(Assert.java:1037)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:140)
	   at org.testng.Assert.assertEquals(Assert.java:122)
	   at org.testng.Assert.assertEquals(Assert.java:629)
	   at stepDefinitions.ProductDetailsScreenSteps.user_goes_to_basket_and_control_added_product_and_price(ProductDetailsScreenSteps.java:30)
	   at ?.user goes to basket and control added product and price(file:///C:/Users/b_akkaya5/Git/getirMobileAutomation/src/test/java/AppFeatures/category.feature:13)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
7	And user deletes products from basket	SKIPPED	0.001 s
8	Then user check total price is "$0.00"	SKIPPED	0.001 s
	AFTER - myHooks.BaseHooks.quit(io.cucumber.java.Scenario)	PASSED	5.710 s
	Case_I_(delete_products_on_basket_page)		
	+		

(S)- Case II (check amount of between category and category detail page)

PASSED	DURATION - 7 m 41.299 s		Steps
	/ 3:03:29.070 PM // 3:11:10.369 PM /		Total - 8
	Category Pages Feature		Pass - 8
	@realDevice		Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user should pass onboarding screens	PASSED	3.323 s
2	And user checks if home page exists or not	PASSED	22.784 s
3	When user opens the menu in the left	PASSED	1 m 24.816 s
4	And user go to category to "Baby Care"	PASSED	1 m 24.202 s
5	And user open 3. product detail	PASSED	2 m 44.916 s
6	Then user checks price of the product statically	PASSED	1.290 s
7	When user goes back to category page	PASSED	0.194 s
8	Then user should see page existence	PASSED	31.121 s

(Step) AFTER - myHooks.BaseHooks. quit(io.cucumber.java.Scenario)

(S) Case I (delete products on basket page)

(F) Category Pages Feature

3:03

My Cart

Sample Item
Sample Item detail
$1,98
Delivery charge: FREE
Qty: 1   Size: 41

✕ Remove   ✎ Edit

Sample Item
Sample Item detail
$1,98
Delivery charge: FREE
Qty: 1   Size: 41

✕ Remove   ✎ Edit

$3.96   PAYMENT