



INTERNATIONAL | Returned events by weather month









US | Returned events by weather month



Requested window: Sep 16, 2025-Sep 15, 2026. First and last calendar months are partial.
 Zero U.S. inventory before April 22 means no matching returned records, not an imputed trading history.


INTERNATIONAL | Daily temperature crowd study




Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL | Timing and quote-freshness sensitivity

Favorite accuracy at different signal times









Calibration at run start versus confirmation



Retrospective start is descriptive, not an available real-time signal. Freshness sensitivity may select a different event subset.
Sep 16, 2025-Sep 15, 2026; accuracy does not establish profitability.


US | Daily temperature crowd study



Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.


US | Timing and quote-freshness sensitivity

Favorite accuracy at different signal times









Retrospective start is descriptive, not an available real-time signal. Freshness sensitivity may select a different event subset.
Sep 16, 2025-Sep 15, 2026; accuracy does not establish profitability.







Calibration at run start versus confirmation



INTERNATIONAL / Amsterdam | Daily temperature crowd study









INTERNATIONAL / Ankara | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Atlanta | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Austin | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Beijing | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Buenos Aires | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Busan | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Cape Town | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Chengdu | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Chicago | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Chongqing | Daily temperature crowd study









INTERNATIONAL / Dallas | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Denver | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Guangzhou | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Helsinki | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Hong Kong | Daily temperature crowd study









INTERNATIONAL / Houston | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Istanbul | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Jakarta | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Jeddah | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Jinan | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Karachi | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Kuala Lumpur | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Lagos | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / London | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Los Angeles | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Lucknow | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Madrid | Daily temperature crowd study









INTERNATIONAL / Manila | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Mexico City | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Miami | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Milan | Daily temperature crowd study









INTERNATIONAL / Moscow | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Munich | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / NYC | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Panama City | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Paris | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Phoenix | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Qingdao | Daily temperature crowd study









INTERNATIONAL / San Francisco | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Sao Paulo | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Seattle | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Seoul | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Seoul (Incheon) | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Shanghai | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Shenzhen | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Singapore | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Taipei | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Tel Aviv | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Tokyo | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Toronto | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Warsaw | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Wellington | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Wuhan | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

INTERNATIONAL / Zhengzhou | Daily temperature crowd study









Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

US / Chicago | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

US / Los Angeles | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

US / Miami | Daily temperature crowd study








Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

US / NYC | Daily temperature crowd study



Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in $[0.9, 1.1]$, before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.

US / San Francisco | Daily temperature crowd study



Sep 16, 2025-Sep 15, 2026 | 30-minute as-of grid; 6 checks in [0.9, 1.1], before any bucket reaches 0.95.
95% intervals: bootstrap by weather date (omitted below 10 dates). Accuracy and calibration are not trading returns.