MEDLINE

ADVANCING TOWARDS A SAFER O.R.

Surgical Gloves

Protection Solutions and Support for the Operating Room

How safe is your O.R. staff?
Maintaining staff and patient safety in the operating room is a major concern of surgeons, hospitals, and surgical facilities. Protecting the hands of healthcare staff is crucial to creating a safe environment.

NEARLY
400,000
Americans die each year because of medical error.[1]

OVER
80% of all surgical glove perforations go unnoticed, increasing the risk of exposure to blood borne pathogens. [2]

UP TO
17% of healthcare workers may be allergic to natural rubber latex compared to less than 1% of the general population.[3]

MEDLINE MAKES SAFETY HAND-IN-GLOVE WITH PERFORMANCE.

The challenge facing the healthcare industry is combining the protection you need while preserving the comfort and tactile sensitivity that your surgical staff demands.

As one of the world's leading manufacturers and distributors of medical supplies, including the fastest growing supplier of surgical gloves, Medline understands your needs. We have a long history of leadership and innovation, helping make us the chosen supplier of premium surgical gloves and medical supplies for many of the most prestigious healthcare providers around the world.

As a leading provider of technologically advanced surgical gloves, Medline:

- Offers a synthetic glove for latex sensitive staff that has been tested for resistance to permeation of chemotherapy drugs.
- Provides radiation protection gloves with some of the highest attenuating rates available in the market.
- Exclusively carries a line of gloves that fit like quarter sizes for healthcare providers that often find themselves in-between sizes.
- Exclusively offers a size 9.5 for surgeons with hard-to-fit hands.
- Is the only company that utilizes a patent pending process to ensure each surgeon and staff member's hands are perfectly matched to a surgical glove.

Fastest-growing supplier of surgical gloves

The first company to offer synthetic polyisoprene surgical gloves

The only company to manufacture polyisoprene in the US

CONFIDENCE IN QUALITY.

As a manufacturer of the finest quality surgical gloves and medical supplies, our number-one priority is to keep your patients and surgical staff safe from cross contamination, infection, and allergic reaction. In that effort, your surgical staff can feel confident knowing our gloves and manufacturing facilities meet or exceed all FDA, ASTM, EN, and ISO quality standards.

550+ dedicated quality professionals.

Inspection team of **100+** scientists and engineers at **17** quality locations.

Medline's 0.65 AQL is **57%** more stringent than the FDA requires.

Proprietary **triple-stage** protein and chemical leaching process provides gloves that are low in both latex proteins and residual chemicals.

Every single Medline surgical glove is **100% inspected** for pinholes, tears and visual defects.

CHEMICAL PERMEATION GUIDE

In addition to viral penetration resistance, we test the barrier properties of our gloves against a large variety of chemicals commonly used in the OR, lab, pharmacy, and sterile processing department.

Type of Chemical	Chemical	Latex Group A	Latex Group B	Polyisoprene Group A	Polyisoprene GroupB	Neoprene
Alcohol	Ethanol, 99.5%	0.0	0.0	0.0	0.0	12.3
Alcohol	Isopropyl Alcohol, 70%	20.9	10.4	24.5	18.7	>480
Alcohol	Methanol, 99%	17.2	17.2	11.0	4.4	267.9
Skin Cleanser	Chlorhexidine Gluconate, 4%	>480	>480	>480	>480	>480
Skin Cleanser	Iodine, 1%	>480	>480	>480	>480	>480
Skin Cleanser	Povidone Iodine, 10%	>480	>480	>480	>480	>480
Common Chemical	Methylene Blue	>480	>480	>480	>480	>480
Common Chemical	Plaster of Paris (Calcined Gypsum)	>480	>480	>480	>480	>480
Cleaning Agent	OXIVIR TB (Accelerated Hydrogen Peroxide), > 0.5%	11.5	11.3	20.3	11.0	60.7
Cleaning Agent	Acetone, 99.9%	4.0	3.8	4.0	0.0	4.0
Cleaning Agent	Ammonium Hydroxide, 25%	92.8	29.2	66.2	45.2	112.5
Cleaning Agent	Glutaraldehyde, 2.5%	>480	>480	>480	>480	>480
Cleaning Agent	Hydrogen Peroxide, 30%	>480	466.2	357.8	232.6	>480
Cleaning Agent	n-Hexane, 96.1%	1.9	1.9	1.8	1.9	6.5
Cleaning Agent	Ortho-phthalaldehyde (OPA) - Cidex	>480	>480	>480	>480	>480
Cleaning Agent	Peracetic Acid, 0.35%	>480	>480	>480	>480	>480
Cleaning Agent	Phenol, 10%	2.2	3.2	20.5	0.8	>480
Cleaning Agent	Quaternary Cleaners	>480	>480	>480	>480	>480
Laboratory Chemical	Acetic Acid, 4%	>480	>480	>480	>480	>480
Laboratory Chemical	Ethidium Bromide, 0.5ug/ml	>480	>480	>480	>480	>480
Laboratory Chemical	Formaldehyde, 10%	>480	>480	>480	>480	>480
Laboratory Chemical	Formalin, 10% buffered	>480	>480	>480	>480	>480
Laboratory Chemical	(4% formaldehyde)	90.7	72	148.1	119.3	>480
Laboratory Chemical	Hydrochloric Acid, 37%	>480	>480	>480	>480	>480
Laboratory Chemical	Osmium Tetroxide, 2%	>480	>480	>480	>480	>480
Laboratory Chemical	Potassium Hydroxide, 45%	>480	>480	>480	>480	>480
Laboratory Chemical	Sodium Hydroxide, 50%	>480	>480	>480	>480	>480
Laboratory Chemical	Sodium Hypochlorite, 10-13%	>480	>480	>480	>480	>480

Chemical permeation test results according to EN374-3 standard. Data on file.

Performance Level	Chemical Permeation Time	Manufacturer Recommendation	Rating
6	≥ 480 Minutes	Safest Option with Best Rating	Excellent
5	≥ 240 Minutes	Change After 4 Hours	Very Good
4	≥ 120 Minutes	Change After 2 Hours	Good
3	≥ 60 Minutes	Change After 1 Hour	Fair
2	≥ 30 Minutes	Change After 30 Minutes	Poor
1	≥ 10 Minutes	Splash Protection Only	Very Poor
0	< 10 Minutes	Not Recommended	Dangerous

Chemical Testing References PN 103063A, B, C, D, E, June 2012, Akron Rubber Development Laboratory, USA **Gloves tested** Triumph LT (Latex Group A), Triumph Ortho with Aloe (Latex Group B), SensiCare with Aloe (PI Group A), SensiCare LT with Aloe (PI Group A), SensiCare LT with Aloe Custom Fit (PI Group A) SensiCare Micro (PI Group B), SensiCare Ortho (PI Group B), Neolon® 2G (Neoprene). It is recommended that this permeation guide be used as a reference tool to help aid your decision making process. Actual workplace conditions may vary from a controlled testing environment. Testing data for additional gloves and chemotherapy drugs available on request. Please contact your Medline Representative for specific testing information. Evaluation samples are also available to ensure our products meet you specific safety requirements.

PROGRESS TO A SAFER OPERATING ROOM.

Powdered gloves are soon to be a thing of the past. Despite being easy to don and low in price, research has uncovered numerous risks and complications associated with powdered gloves.

Banned around the world

Because of their health risks, powdered surgical gloves are banned in many hospitals around the world. The following countries are almost entirely powder-free:

- Germany
- Finland
- Sweden
- Norway
- United Kingdom

Powder adds health risks

Powder has the potential to detach from the surface of the gloves, acting as a vehicle for bacteria and latex proteins. Documented risks and complications related to powder include:

- Adhesions
- Anaphylaxis
- Asthma
- Blocked Vessels
- Conjunctivitis
- Contact Dermatitis
- Delayed Wound Healing
- Enhanced Bacteria Growth
- Granulomas
- Instrumentation Contamination
- Joint Inflammation
- Surgical Site Infections

A SAFER ALTERNATIVE.

Today, the market continues to evolve with new powder-free technology. Medline offers a comprehensive range of powder-free, technically-advanced gloves with synthetic polymer coatings that bond to the inner surface of the glove and create a smooth surface for effortless dry or damp hand donning.

Our gloves also undergo additional protein and chemical leaching stages, decreasing the sensitizing potential compared to powdered latex gloves.

KEEP YOUR HARD WORKING HANDS HEALTHY.

Repeated glove use and frequent hand washing are necessary for healthcare staff to maintain hand hygiene, but they also often lead to skin irritation.

Lotions and creams can help, but many healthcare workers still end up visiting occupational health specialists and dermatologists, and may be forced to take time off to allow their condition to improve, costing facilities money. For the average sized hospital these costs could run up to **$2,858** per nurse[8,9] per year with an additional cost of **$3,552** for a disability claim[10]. Thankfully, there's another way to keep your hard working hands healthy.

Aloetouch makes hands feel better.

The soothing and moisturizing benefits of aloe have been well known for many years. However, it wasn't until 1999 when Medline patented a revolutionary process to bring the moisturizing properties of aloe vera to medical gloves, that the healthcare industry realized the advantages of aloe.

Aloetouch® technology works by extracting 100% pure organic aloe vera gel directly from the plant, freeze-drying it, and evenly coating it to the inner surface of the glove. Body heat activates the aloe coating to create a moisturizing experience.

The preferred glove.

- Hospital surveys: Respondents preferred Aloetouch gloves to their current glove and noticed a significant difference in how their hands felt after the trial period.[4]
- Independent clinical studies: Demonstrated the efficacy of aloe coated gloves in moisturizing and improving skin condition.[5]
- Today, Medline is the world's leader in moisturizing medical gloves, with billions of aloe-coated exam and surgical gloves used since their introduction in 1999.

JUST LIKE LATEX, ONLY BETTER.

Concern over the complications of latex allergies is driving many healthcare facilities to eliminate latex products, particularly gloves, in their facilities. Up to 17% of healthcare workers and less than 1% of the population may be allergic to latex.[3]

Although powder-free latex gloves can help avoid many complications, even low-protein powder-free latex gloves are not completely safe.

Advanced protection. Exceptional performance.

In the late 1990s, SensiCare revolutionized the industry as the first synthetic polyisoprene surgical glove in the world. Compared to first generation synthetic gloves made from Neoprene, which are commonly used only for patients and staff with documented latex allergies, Medline's proprietary formulation provides exceptional comfort and performance to natural rubber latex.

Today, the SensiCare portfolio continues to evolve with standard and specialty options to suit virtually any clinical task. With so many choices, going latex-free is easier than ever before.

Polyisoprene made in the USA

Medline is the only surgical glove company that manufactures its own raw material polyisoprene. Isolex™ polyisoprene has a nearly identical molecular structure to natural rubber latex except for one key component – the latex proteins. In addition, Medline's Isolex polyisoprene is manufactured in the United States.

Unlike other companies who rely on third party suppliers for their polyisoprene needs, Medline's advantage is its control over research and development, quality, supply, and cost as a result of vertical integration.

BE FREE DAY

In an effort to create awareness for the latex allergy, Medline offers a BE FREE DAY. At no cost to the facility, we will provide a day's worth of SensiCare surgical gloves. This is a no-pressure opportunity to introduce surgeons and staff to the latest surgical glove technology, so they can feel what they've been missing.

LIKE A SECOND LAYER OF SKIN.

In order to provide comfort throughout long procedures, surgical gloves must have a precise fit, like a second layer of skin. Our former designs are the result of surgeon feedback and analysis of other popular glove brands from all over the world.

No matter what your hand's shape, Medline has a glove that fits.

- Low-protein latex and synthetic polyisoprene options available
- Powder-free and coated with a synthetic polymer for effortless damp hand donning and double gloving
- Constructed on our surgeon preference-inspired formers to minimize hand fatigue

LET MEDLINE CUSTOM FIT YOU.

Surgeons and staff should be worrying about the most important thing during surgery – their patients – not the fit of their gloves.

Medline's Custom-Fitting app gives the user a one-of-a-kind glove fitting experience. A complex algorithm takes into account a user's preferences as well as the measurement of their hand to return custom results. This patent-pending technology ensures each surgeon and staff member will be walking away knowing the glove they're wearing is an ideal fit.

THE CASE FOR DOUBLE GLOVING.

Concern over the risk of exposure to bloodborne pathogens is a major concern for surgeons and operating room staff. Often undetectable to the human eye, microperforations in surgical gloves are large enough to allow pathogens to pass between the glove wearer and the patient and cause infection.

» Over 80% of all surgical glove perforations go unnoticed.[2]

» The incidence of glove microperforations increased with duration of wear.[6]

Double gloving: Better protection. Faster identification.

Wearing two pairs of gloves helps reduce the risk of glove perforation and percutaneous injury.

» In the event that the outer glove is breached during surgery, blood and other fluids seep between the two glove layers, and the contrasting color of the dark green underglove alerts the wearer to change gloves.

» Double-gloving can reduce the risk of exposure to blood and bodily fluid by as much as 87% if the outer glove is punctured.[7]

» Perforations are detected more frequently and reliably with a perforation indicator glove system.

MEDLINE'S SEE GREEN FOR SAFETY UNDERGLOVE PROGRAM:

Medline's **See Green for Safety** double-gloving system provides staff and surgeons with the techniques necessary to not only lower the incidence of glove perforations they encounter, but also quickly identify perforations should they occur. At no cost to your facility, Medline will provide a day's worth of green under gloves. This provides a great opportunity to educate your staff on how they can decrease cross contamination and exposure to bloodborne pathogens.

SEE GREEN FOR SAFETY

Glove Assessment Program

The Glove Assessment Program (GAP) offers facilities a no-cost opportunity to have trained Medline representatives conduct a business review that provides a detailed snapshot of their current surgical glove usage and offers recommendations to help the facility achieve its safety/clinical initiatives (e.g., going latex or powder-free, etc.). The GAP also provides savings recommendations, including:

» SKU consolidation

» Vendor standardization

» Glove utilization

Ask your Medline representative about our Glove Assessment Program today.

REDUCE INVENTORY, INCREASE SAVINGS AND EFFICIENCY.

Disposable gloves are one of the highest volume supplies for hospitals. With various departments, clinical tasks, and individuals all requiring different types and sizes of gloves, the number of SKUs and suppliers can add up fast. Managing the inventory can become a challenge. Medline can help you optimize your selection by:

» Conducting a thorough audit and an on-site walk-through of your facility.

» Developing a detailed analysis of your current glove usage.

» Presenting opportunities for SKU reduction/elimination, vendor standardization, and savings.

» Identifying newer or safer glove options.

Evaluation & Conversion Management Program.

We understand that surgical gloves are clinically sensitive and that change can be difficult. Our Evaluation & Conversion Management Program is an organized approach that combines the planning, communication, clinical support, and education to make this process as simple and efficient as possible for you and your staff.

7 Steps to an easier change

STEP 1	Overview	Review of surgical glove portfolio, samples, literature, customized cross-reference and cost analysis.
STEP 2	Objective	Understand and align each other's goals.
STEP 3	Communication	Letters and posters properly communicate upcoming evaluation.
STEP 4	Glove Preview	Introduce options to staff before the evaluation.
STEP 5	Evaluation	Medline staff will be on-site to provide education, assist in sizing and selection, and address any questions.
STEP 6	Feedback	Ongoing feedback will address questions and provide updates to key department heads.
STEP 7	Action Plan	Present evaluation forms, a summary of the results, and an action plan for conversion.

To learn more, contact your Medline representative, visit us at medline.com, or call 1-800-MEDLINE.

Medline Industries, Inc. One Medline Place, Mundelein, IL 60060

FOLLOW US

Medline United States
1-800-MEDLINE (633-5463)
medline.com | info@medline.com

Medline Canada
1-800-396-6996
medline.ca | canada@medline.com

Medline México
01-800-831-0898
medlinemexico.com | mexico@medline.com

REFERENCES 1. James, John, T., Journal of Patient Safety, September 2013, https://www.documentcloud.org/documents/781687-john-james-a-new-evidence-based-estimate-of.html#document/p1/a117333 2. Edlich, R.F., Wind, T.C., Hill, L.G., Thacker, J.G. Resistance of double-glove hole puncture indication systems to surgical needle puncture. J Long Term Eff Med Implants. 2003;13:85–90. 3. http://latexallergyresources.org/statistics 4. Korniewicz, Denise M., and Maher El Masri. "Effect of Aloe Impregnated Gloves on Hand Hygiene Attitudes of Health Care Workers." MEDSURG Nursing 16.4 (2007): 247-52. Print 5. Mitchell, H. "Evaluation of Aloe Vera Gel Gloves in the Treatment of Dry Skin Associated with Occupational Exposure." American Journal of Infection Control 31.8 (2003): 516. Print 6. Partecke, Lars Ivo, Anna-Maria Goerdt, Inga Langner, Bernd Jaeger, Ojan Assadian, Claus-Dieter Heidecke, Axel Kramer, and Nils-Olaf Huebner. "Incidence of icroperforation for Surgical Gloves Depends on Duration of Wear." Infection Control and Hospital Epidemiology 30.5 (2009): 409-14. Print. 7. Berguer R & Heller PJ. Preventing sharps injuries in the operating room. Journal of the American College of Surgeons. 2004; (199)3:462-467 8. Jacob, Sharon E., MD; Steele, Tace. Contact Dermatitis & Workforce Economics; Seminars in Cutaneous Medicine & Surgery 25: 105-109. 2006. 9. PayScale. Hourly Rate Snapshot for Registered Nurse. Accessed August 2010. 10. McCall, Brian P, PhD, et al. Incidence Rates, Costs, Severity, and Work Related Factors of Occupational Dermatitis. Arch Dermatology. 2005; 141: 713-718.

Some products may not be available for sale in Mexico or Canada. We reserve the right to correct any errors that may occur within this brochure.

© 2015 Medline Industries, Inc. All rights reserved. Medline, Aloetouch, SensiCare, Neolon and Triumph are registered trademarks and Isolex is a trademark of Medline Industries, Inc.

MKT1548788 / LIT295 / 5M / AL / 5