CLIMATE X

SpectrA

API Documentation
Version 2.0

Highly Confidential
Not for further distribution

Version Control

Version	Date	Details
2.0	26 Feb 2026	• Return Period inclusion
1.20	9 Feb 2026	• Single asset API update
1.19	11 Aug 2025	• LatAm inclusion
1.18	9 Jul 2025	• Status option inclusion
1.17	5 Jun 2025	• Country list update
1.16	7 May 2025	• Africa inclusion
1.15	31 Jan 2025	• Middle East inclusion • Updated country list • Updated appendix
1.14	6 Dec 2024	• Corrected accepted country codes table
1.13	27 Sep 2024	• Fixed incorrect single asset API endpoint path
1.12	24 Sep 2024	• Updated Data Dictionary and Template
1.11	14 Aug 2024	• Added SSPs
1.10	15 Apr 2024	• Added appendix to specify acceptable country names
1.9	26 Feb 2024	• Added detail for single-asset API call • Updated formatting • Added a version control table

CONTENTS

CONTENTS 2
BACKGROUND & FUNCTIONALITY 3
EXAMPLE: SINGLE-ASSET API CALL 4
EXAMPLE: CSV API CALL 9
Appendices 12

BACKGROUND & FUNCTIONALITY

How the API works

The Climate X Spectra platform features an external REST API, the access of which requires a configured Spectra subscription and a machine with an internet connection. The IP address range of this connection should have already been provided to Climate X by your organisation to ensure secure access to the Spectra platform.

The API can be accessed programmatically from any command line or programming language that can make HTTP calls.

There are 2 ways in which you can use the API:

Option 1: Single-Asset Search

This option allows you to send a single API call, with details of the desired location, asset characteristics, and climate scenario, among other things, in the message body (subject to the user's region and scenario access permissions). Users will then get a comprehensive output, including hazard and loss data, from the Spectra platform in a single message.

Option 2: CSV Upload

This option allows the user to upload any number of assets (in the regions you have subscription access to), in CSV format, using our template structure. Users can check the status of the upload as it happens. Statuses include 'INACTIVE', 'TODO', 'IN-PROGRESS', 'COMPLETED' and 'FAILED'.

Accepted naming conventions for each country are outlined in Appendix 3.

Your Credentials

API access information will be provided from Climate X's support team to you in the following structure. We'll use the details contained in this table to populate the relevant fields of our example API calls (using the curl command-line tool) below.

User Name / E-mail	API Key	Organisation Name
User_1@company-x.com	AR07Wzv8xuaBpBcXcTqnDbQVnMdKJsEz	Company-X
User_2@company-x.com	52aLoeNxSB0gG8baQfdtCA9kTP69Uq27	
User_3@company-x.com	aP5Ag8RLvaKdUMOcZHpIUBX4fnP95cOq	
User_4@company-x.com	bzKMlrhDn9Dlhs8AZcnbqVDTFtBVo3v1	
User_5@company-x.com	8cXQkrkdw623cM3pSJME40QXRo0DRknh	

EXAMPLE: SINGLE-ASSET API CALL

The following is an example single-asset API call. As stated above, there is only one input message needed for this method. The user specifies the asset details in the input message and receives a comprehensive output also returned in a single message. Note: the detail returned in the output messages depends on user permissions. EPCs are only available in the UK, Ireland, and Italy.

Input - template:

```
curl -X 'POST' \
  'https://apis.climate-x.com/main/assets/v2/single-asset' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'x-api-key: user-1-api-key' \
  -d '{
    "data": {
        "country_id": "USA",
        "city": "Washington DC",
        "street_name": "Pennsylvania Avenue NW",
        "postcode": "DC 20500",
        "building_number": "1600 ",
        "property_identifier": "",

        "age_category": "pre-1919",
        "asset_use": "residential",
        "asset_type": "SINGLE_RES",
        "building_replacement_cost": 10000000,
        "structure_category": "C_4",
        "premise_area": 10000,
        "floor_count": 2
    },
    "options": {
        "year": custom-export-parameter,
        "scenario": custom-export-parameter,
        "defended": custom-export-parameter
    }'
```

Input - example:

```
curl -X 'POST' \
  'https://apis.climate-x.com/main/assets/v2/single-asset' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json'\
  -H 'x-api-key: AR07Wzv8xuaBpBcXcTqnDbQVnMdKJsEz'\
  -d '{
    "data": {
        "country_id": "GBR",
        "city": "London",
        "street_name": " Great Winchester Street",
        "postcode": " EC2N 2JA",
        "building_number": "21",
        "age_category": "1945-1964",
        "asset_use": "commercial",
        "asset_type": "OFFICE",
        "building_replacement_cost": 100000,
        "structure_category": "C_4",
        "premise_area": 250,
```

```
        "floor_count": 2
    },
    "options": {
        "year": 2050,
        "scenario": "ssp585",
        "defended": true
    }'
```

Output - example:


```
    "asset": {
        "asset_id": "60910860",
        "street": "Great Winchester Street",
        "city": "London",
        "postcode": "EC2N 2JA",
        "building_number": "21",
        "building_name": null,
        "region": "London",
        "country": "United Kingdom",
        "latitude": 51.5161117,
        "longitude": -0.0855275,
        "property_identifier": null
    },
    "conditions": {
        "year": 2050,
        "scenario": "ssp585",
        "defended": true
    },
    "hazards": {
        "river_flood": {
            "score": 1.0,
            "severity_value": 0.0,
            "severity_min": null,
            "severity_max": null,
            "likelihood": null,
            "climate_reliability": 0.9353354,
            "hazard_reliability": 0.66,
            "severity_metric": "maximum depth (m)"
        },
        "surface_flood": {
            "score": 1.0,
            "severity_value": 0.0,
            "severity_min": null,
            "severity_max": null,
            "likelihood": null,
            "climate_reliability": 0.9353354,
            "hazard_reliability": null,
            "severity_metric": "maximum depth (m)"
        },
        "coastal_flood": {
            "score": 1.0,
            "severity_value": 0.0,
            "severity_min": null,
```

```
            "severity_max": null,
            "likelihood": 0.0,
            "climate_reliability": 0.65,
            "hazard_reliability": 0.65,
            "severity_metric": "maximum depth (m)"
        },
        "wildfires": {
            "score": 1.0,
            "severity_value": 6.464035511016846,
            "severity_min": 0.0,
            "severity_max": 19.669172287,
            "likelihood": 0.0,
            "climate_reliability": 0.9353354,
            "hazard_reliability": 0.75,
            "severity_metric": "No of fire weather days"
        },
        "storms": {
            "score": 5.0,
            "severity_value": 157.5,
            "severity_min": null,
            "severity_max": null,
            "likelihood": null,
            "climate_reliability": 0.83,
            "hazard_reliability": 0.83,
            "severity_metric": "3s gust wind speed (km/h)"
        },
        "tropical_cyclones": {
            "score": 1.0,
            "severity_value": 0.0,
            "severity_min": null,
            "severity_max": null,
            "likelihood": null,
            "climate_reliability": null,
            "hazard_reliability": null,
            "severity_metric": "3s gust wind speed (km/h)"
        },
        "subsidence": {
            "score": 3.0,
            "severity_value": 1.2686457633972168,
            "severity_min": 1.1499999762,
            "severity_max": 1.2999999523,
            "likelihood": null,
            "climate_reliability": 0.9361328,
            "hazard_reliability": 0.75,
            "severity_metric": "indicator [0,2]"
        },
        "extreme_heat_days": {
            "score": 4.0,
            "severity_value": 15.858333587646484,
            "severity_min": 6.0,
            "severity_max": 32.0999984741,
            "likelihood": null,
```

```
            "climate_reliability": 0.8968716,
            "hazard_reliability": 0.8968716,
            "severity_metric": "No of heatwave days"
        },
        "droughts": {
            "score": 3.0,
            "severity_value": 4.659953594207764,
            "severity_min": 1.1129157543,
            "severity_max": 10.3556098938,
            "likelihood": 0.1703445464,
            "climate_reliability": 0.65,
            "hazard_reliability": 0.65,
            "severity_metric": "Magnitude"
        },
        "storm_surge": {
            "score": null,
            "severity_value": null,
            "severity_min": null,
            "severity_max": null,
            "likelihood": null,
            "climate_reliability": null,
            "hazard_reliability": null,
            "severity_metric": null
        }
    },
    "losses": {
        "age_category": "1945-1964",
        "age_category_flag": "U",
        "structure_category": "C_4",
        "building_replacement_cost": 129770.6,
        "gross_premise_area_flag": "U",
        "gross_premise_area": 500.0,
        "river_flood_loss": 0.0,
        "surface_flood_loss": 0.0,
        "coastal_flood_loss": 0.0,
        "landslide_loss": 0.0,
        "subsidence_loss": 363.35768,
        "wildfires_loss": 0.0,
        "storms_loss": 205.03754800000002,
        "tropical_cyclones_loss": 0.0,
        "storm_surge_loss": null,
        "physical_loss": 568.395228,
        "physical_loss_per_unit_or_flat": 568.395228,
        "physical_loss_percentage": 0.00438,
        "num_addresses": 1.0,
        "num_basement_floors": 0.0,
        "actual_epc": 2.0,
        "potential_epc": 2.0,
        "epc_flag": "A",
        "retrofit_a": 119.315255,
        "retrofit_b": 0.0,
        "retrofit_c": 0.0,
```

```
        "retro_a_flag": "modelled",
        "retro_b_flag": "modelled",
        "retro_c_flag": "modelled",
        "current_co2_emissions": 6.8464029172,
        "potential_co2_emissions": 6.8464029172,
        "co2_emissions_flag": "weak_filled",
        "current_energy_consumption": 39351.230025413,
        "potential_energy_consumption": 39351.230025413,
        "energy_consumption_flag": "weak_filled",
        "asset_use": "commercial",
        "asset_type": "OFFICE"
    }
```


The following options are available for the single-asset API (options in **bold** are used as a default if the user does not specify an option). EPCs are only available in the UK, Ireland, and Italy.

Variable	Description	Options
year	Spectra modelling output year.	2020, 2025, 2030, 2035, 2040, 2045, **2050**, 2060, 2070, 2080, 2090, 2100
scenario	Climate scenario to be used for modelling	“ssp126”, “ssp245”, “ssp370”, **“ssp585”**
defended	Toggle flood defences	true, **false**

In addition, building characteristics (which are usually modelled, or taken from Climate X’s buildings database) can be overwritten by a user. The full list of available overrides is available in Appendix 1.

EXAMPLE: CSV API CALL

The following is an example csv-API call for "User-1" (User_1@company-x.com) using the curl command-line tool. The call is structure in 4 steps, these allow you to (1) upload a csv, and (2) check the status of the upload, before (3) setting parameters and exporting a csv which can be (4) downloaded from AWS s3.

Data Upload Structure examples

Appendix 2 shows the latest CSV data template structure the Spectra API will expect you to upload before it can accurately process your records. This template can be downloaded from the Spectra platform. **Note: all columns from ID to Premise Identifier must be included, even if blank.**

Once uploaded, users can specify the desired climate scenarios (subject to permissions) they wish to apply to their portfolio. The API will process the request and return the relevant hazards and losses via secure download links. Each returned CSV file is limited to 6GB in size, and larger files will be available in clearly labelled parts.

Step 1: Upload your CSV project to Spectra

Input - template:

```
curl -X 'POST' \
  'https://apis.climate-x.com/main/external-upload-csv/' \
  -H 'accept: application/json' \
  -H 'x-api-key: user-1-api-key' \
  -F 'file=@"/absolute-system-path-to-csv-file"'
```

Input - example:

```
curl -X 'POST' \
  'https://apis.climate-x.com/main/external-upload-csv/' \
  -H 'accept: application/json' \
  -H 'x-api-key: AR07Wzv8xuaBpBcXcTqnDbQVnMdKJsEz' \
  -F
'file=@"/Users/johnsmith/Desktop/external_api_testing/united_kingdom_addresses.
csv"'
```

Output - example:

```
"project_id": 23,
"job_id": 20
```

Step 2: Check processing status of Project

Input - template:

```
curl -X 'GET' \
  'https://apis.climate-x.com/main/import-assets/<job_id>' \
  -H 'x-api-key: user-1-api-key'
```

Input - example:

```
curl -X 'GET' \
  'https://apis.climate-x.com/main/import-assets/20' \
  -H 'x-api-key: AR07Wzv8xuaBpBcXcTqnDbQVnMdKJsEz'
```

Output - example:

```
"job_id": 20,
"status": "COMPLETED",
"progress": 100
```

Statuses include 'INACTIVE', 'TODO', 'IN-PROGRESS', 'COMPLETED' and 'FAILED'.

Step 3: Export CSV output data using select parameters

Input - template:

```
curl -X 'POST' \
  'https://apis.climate-x.com/main/export-csv/' \
  -H 'accept: application/json' \
  -H 'x-api-key: user-1-api-key' \
  -H 'Content-Type: application/json' \
  -d '{
  "project_id": project_id
  "defended": custom-export-parameter,
  "scenario": custom-export-parameter,
  "one_in_x": [return-period-years]
}'
```

Input - example:

```
curl -X 'POST' \
  'https://apis.climate-x.com/main/export-csv/' \
  -H 'accept: application/json' \
  -H 'x-api-key: AR07Wzv8xuaBpBcXcTqnDbQVnMdKJsEz' \
  -H 'Content-Type: application/json' \
  -d '{
  "project_id": 23,
  "defended": true,
  "scenario": "ssp585",
  "one_in_x": [50, 200]
}'
```

Output - example:

```
"message": "Job started",
"export_job_id": 3
```

The following export parameters are set:

year	2020, 2025, 2030, 2035, 2040, 2045, 2050, 2060, 2070, 2080, 2090, 2100
one_in_x (if not specified)	100

However, some parameters can be customised based on the desired scenario/conditions (options in bold are used as a default if the user does not specify an option). EPCs are only available in the UK, Ireland, and Italy.

If the one_in_x variable is not defined, a standard CSV containing average annual losses and risks for all hazards will be exported. If one or more one_in_x (return period) values are provided, a return period CSV will be exported containing only the return period hazards and their corresponding return period–specific risks and losses.

Variable	Description	Options
scenario	Climate scenario to be used for modelling	“ssp126”, “ssp245”, “ssp370”, **“ssp585”**
defended	Toggle flood defences	true, **false**
one_in_x (optional)	Export hazard risk and losses for the specified return periods	10, 50, 100, 200, 500

Step 4: Querying the export job ID from the previous step

Input - template:

```
curl -X 'GET' \
  'https://apis.climate-x.com/main/export-csv/<export_job_id>' \
  -H 'accept: application/json' \
  -H 'x-api-key: user-1-api-key'
```

Input - example:

```
curl -X 'GET' \
  'https://apis.climate-x.com/main/export-csv/3' \
  -H 'accept: application/json' \
  -H 'x-api-key: AR07Wzv8xuaBpBcXcTqnDbQVnMdKJsEz'
```

Output - example:

```
"progress": 100.0,
"status": "COMPLETED",
"url": "https://dev-services-bucket-application-
storage.s3.amazonaws.com/export_csv/<rest of url removed>"
```

Appendices

Appendix 1 – Single-asset API asset overrides

The following building characteristics can be overridden when using the single-asset API. If not overridden, the API will use the information held in Climate X's buildings database, or use regional default values:

Variable	Description	Options
age_category	Period in which the asset was built	"pre-1919", "1919-1944", "1945-1964", "1965-1974", "1975-1985", "post-1985"
asset_use	High level use category of building	"commercial", "residential", "energy", "agriculture", "industrial", "infrastructure", "mixed_use"
asset_type	More granular specification of building use. Must be used in conjunction with a suitable asset_use category	If asset_use = "commercial": "DATA_CENTER", "EDUCATION", "HEALTHCARE", "HIGH_ST", HOTEL", "OFFICE", "PUBLIC", "RELIGION", "RESTAURANT", "SHOPPING", "RECREATIONAL", "PARKING", "OTHER" If asset_use = "residential": "SINGLE_RES", "MULTI_RES" If asset_use = "agriculture": "AGRICULTURE" If asset_use = "industrial": "INDUSTRIAL", "WAREHOUSE", "ALUMINIUM_PRODUCTION_PLANT", "BAUXITE_MINE" [1], "CEMENT_PRODUCTION_PLANT", "CHEMICALS_PRODUCTION_PLANT", "COPPER_MINE" [1], "IRON_MINE" [1], "MANUFACTURING", "PULP_PAPER_PRODUCTION_PLANT", "SEWAGE_TREATMENT_PLANT" [1], "STEEL_PRODUCTION_PLANT", "WASTE_INCINERATION_PLANT", "WATER_UTILITY"

		If asset_use = “energy”: “BATTERY_STORAGE_PLANT”, “BIOENERGY_POWER_PLANT”, “COAL_MINE” [1], “COAL_POWER_PLANT”, “COAL_TERMINAL” [1], “GAS_POWER_PLANT”, “GAS_UTILITY”, “GEOTHERMAL_POWER_PLANT”, “HYDROPOWER” [1], “LIQUID_NATURAL_GAS”, “NUCLEAR_POWER_PLANT”, “OIL_GAS_EXTRACTION” [1], “OIL_GAS_POWER_PLANT”, “OIL_GAS_REFINERY”, “OIL_UTILITY”, “ONSHORE_WIND” [1], “POWER_UTILITY”, “SOLAR” [1], “SUBSTATION” If asset_use = “infrastructure”: “TRANSPORT”, “AIRPORT”, “SHIPPING_PORT” [1], “TRAIN_STATION” If asset_use = “mixed_use”: Any of the above
structure_category	Signifies the strength of the asset.	“C_2”, (weakest) “C_3”, “C_4”, “C_5” (strongest)
building_replacement_cost	Total cost to replace the building	[User-defined integer]
premise_area	Footprint of building	[User-defined integer]
floor_count	Number of floors	[User-defined integer]

[1] *Losses Not Calculated*

Appendix 2 – Spectra csv upload template



Appendix 3 – Accepted country codes

Region	Country	Accepted entries
Africa	Egypt	['Egypt', 'EG', 'EGY']
Africa	Ethiopia	['Ethiopia', 'ET', 'ETH']
Africa	Ghana	['Ghana', 'GH', 'GHA']
Africa	Kenya	['Kenya', 'KE', 'KEN']
Africa	Nigeria	['Nigeria', 'NG', 'NGA']
Africa	South Africa	['South Africa', 'ZA', 'ZAF']
APAC	Australia	['Australia', 'AU', 'AUS']
APAC	Bangladesh	['Bangladesh', 'BD', 'BGD']
APAC	Bhutan	['Bhutan', 'BT', 'BTN']
APAC	Brunei	['Brunei Darussalam', 'Brunei', 'BN', 'BRN']
APAC	Cambodia	['Cambodia', 'KH', 'KHM']
APAC	China	['China', 'CN', 'CHN']
APAC	Hong Kong	['Hong Kong', 'China - Hong Kong', 'HK', 'HKG']
APAC	India	['India', 'IN', 'IND']
APAC	Indonesia	['Indonesia', 'ID', 'IDN']
APAC	Japan	['Japan', 'JP', 'JPN']
APAC	Laos	['Lao PDR', 'Laos', 'Lao', 'LA', 'LAO']
APAC	Malaysia	['Malaysia', 'MY', 'MYS']
APAC	Mongolia	['Mongolia', 'MN', 'MNG']
APAC	Myanmar	['Myanmar', 'Myanmar/Burma', 'Burma/Myanmar', 'Burma', 'MM', 'MMR']
APAC	Nepal	['Nepal', 'NP', 'NPL']
APAC	New Zealand	['New Zealand', 'NewZealand', 'NZ', 'NZL']
APAC	Pakistan	['Pakistan', 'PK', 'PAK']
APAC	Papua New Guinea	['Papua New Guinea', 'PG', 'PNG']
APAC	Philippines	['Philippines', 'PH', 'PHL']
APAC	Singapore	['Singapore', 'SG', 'SGP']
APAC	South Korea	['South Korea', 'S Korea', 'Korea', 'KR', 'KOR']
APAC	Sri Lanka	['Sri Lanka', 'LK', 'LKA']

APAC	Taiwan	['Taiwan', 'TW', 'TWN']
APAC	Thailand	['Thailand', 'TH', 'THA']
APAC	Vietnam	['Viet Nam', 'VietNam', 'Vietnam', 'VN', 'VNM']
Europe	Albania	['Albania', 'AL', 'ALB']
Europe	Andorra	['Andorra', 'AD', 'AND']
Europe	Austria	['Austria', 'AT', 'AUT']
Europe	Belarus	['Belarus', 'BY', 'BLR']
Europe	Belgium	['Belgium', 'BE', 'BEL']
Europe	Bosnia and Herzegovina	['Bosnia and Herzegovina', 'BA', 'BIH']
Europe	Bulgaria	['Bulgaria', 'BG', 'BGR']
Europe	Croatia	['Croatia', 'HR', 'HRV']
Europe	Czech Republic	['Czech Republic', 'CZ', 'Czechia', 'CZE']
Europe	Denmark	['Denmark', 'DK', 'DNK']
Europe	Estonia	['Estonia', 'EE', 'EST']
Europe	Faroe Islands	['Faroe Islands', 'FO', 'FRO']
Europe	Finland	['Finland', 'FI', 'FIN']
Europe	France	['France', 'FR', 'FRA']
Europe	Germany	['Germany', 'DE', 'DEU']
Europe	Greece	['Greece', 'GR', 'GRC']
Europe	Guernsey	['Guernsey', 'GG', 'GGY']
Europe	Hungary	['Hungary', 'HU', 'HUN']
Europe	Iceland	['Iceland', 'IS', 'ISL']
Europe	Ireland	['Ireland', 'IE', 'IRL']
Europe	Isle of Man	['Isle of Man', 'IM', 'IMN']
Europe	Italy	['Italy', 'IT', 'ITA']
Europe	Jersey	['Jersey', 'JE', 'JEY']
Europe	Kosovo	['Kosovo', 'XK', 'XXK']
Europe	Latvia	['Latvia', 'LV', 'LVA']
Europe	Liechtenstein	['Liechtenstein', 'LI', 'LIE']
Europe	Lithuania	['Lithuania', 'LT', 'LTU']
Europe	Luxembourg	['Luxembourg', 'LU', 'LUX']
Europe	Malta	['Malta', 'MT', 'MLT']
Europe	Moldova	['Moldova', 'MD', 'MDA']
Europe	Monaco	['Monaco', 'MC', 'MCO']
Europe	Montenegro	['Montenegro', 'ME', 'MNE']
Europe	Netherlands	['Netherlands', 'NL', 'NLD']
Europe	North Macedonia	['Macedonia', 'North Macedonia', 'North_Macedonia', 'MK', 'MKD']
Europe	Norway	['Norway', 'NO', 'NOR']

Europe	Poland	['Poland', 'PL', 'POL']
Europe	Portugal	['Portugal', 'PT', 'PRT']
Europe	Romania	['Romania', 'RO', 'ROU']
Europe	San Marino	['San Marino', 'SM', 'SMR']
Europe	Serbia	['Serbia', 'RS', 'SRB']
Europe	Slovakia	['Slovakia', 'SK', 'SVK']
Europe	Slovenia	['Slovenia', 'SI', 'SVN']
Europe	Spain	['Spain', 'ES', 'ESP']
Europe	Sweden	['Sweden', 'SE', 'SWE']
Europe	Switzerland	['Switzerland', 'CH', 'CHE']
Europe	United Kingdom	['Great Britain', 'GB', 'United Kingdom', 'UK', 'England', 'Scotland', 'Wales', 'Northern Ireland', 'GBR']
Europe	Vatican City	['Vatican City', 'Vatican', 'VA', 'VAT']
North America	Canada	['Canada', 'CA', 'CAN']
North America	United States	['United States of America', 'United States', 'US', 'USA']
Middle East	Bahrain	['Bahrain', 'BH', 'BHR']
Middle East	Israel	['Israel', 'IL', 'ISR']
Middle East	Jordan	['Jordan', 'JO', 'JOR']
Middle East	Kuwait	['Kuwait', 'KW', 'KWT']
Middle East	Oman	['Oman', 'OM', 'OMN']
Middle East	Qatar	['Qatar', 'QA', 'QAT']
Middle East	Saudi Arabia	['Saudi Arabia', 'SA', 'SAU']
Middle East	United Arab Emirates	['United Arab Emirates', 'AE', 'ARE']
Middle East	Yemen	['Yemen', 'YE', 'YEM']
Latin America	Bolivia	['Bolivia', 'BO', 'BOL']
Latin America	Brazil	['Brazil', 'BR', 'BRA']
Latin America	Colombia	['Colombia', 'CO', 'COL']
Latin America	Costa Rica	['Costa Rica', 'CR', 'CRI']
Latin America	Ecuador	['Ecuador', 'EC', 'ECU']
Latin America	El Salvador	['El Salvador', 'SV', 'SLV']
Latin America	Guatemala	['Guatemala', 'GT', 'GTM']
Latin America	Mexico	['Mexico', 'MX', 'MEX']
Latin America	Nicaragua	['Nicaragua', 'NI', 'NIC']
Latin America	Panama	['Panama', 'PA', 'PAN']
Latin America	Peru	['Peru', 'PE', 'PER']
Latin America	Venezuela	['Venezuela', 'VE', 'VEN']

CLIMATE X

Highly Confidential
Not for further distribution