Cyberbullying Detection Using Al

Keyan Guo

University at Buffalo






Outline

- The Critical Problem of Cyberbullying
- Processes in Al Development
- Data Collection
- Annotation
- Training
- Evaluation
- Deployment
- Q&A

What is Cyberbullying?

 Different from bullying, CYBERBULLYING is bullying with the use of Digital Technologies.



What is Cyberbullying?

- Cyberbullying is bullying with the use of Digital Technologies
 - Social media
 - Messaging platforms
 - Gaming platforms
 - Mobile phones

What is Cyberbullying?

 Cyberbullying is bullying with the use of Digital Technologies

 It is repeated behavior, aimed at scaring, angering or shaming those who are targeted.

Common types of cyberbullying

 Spreading lies about or posting embarrassing photos or videos of someone

 Sending hurtful, abusive or threatening messages, images or videos to someone

 Impersonating someone and sending mean messages to others

The Critical Problem of Cyberbullying

I hate you! I dislike these people because... You are an idiot, ... Get out from my house! You are not my friend anymore...



Based on words and phrases

hate, dislike, ugly, get out ...

State-of-the-art detectors

Google 🔀 clarifai Amazon Rekognition

Actively researched problem | Psychology

Sociology

Computer science

Process of AI Development


- Data Collection
 - We need dataset for training Al
- Annotation
 - We need to label dataset
- Training
 - Al training process
- Evaluation
 - How good are we doing?
- Deployment
 - Detect on real-world samples

Dataset Collection





Cyberbullying dataset is from Formspring


Annotation



Training








Tokens


Embeddings




Al is Learning ...


- epoch
 - When all training data has been learned by the Al once, this process is called an epoch
- How many epochs should we use?
 - Unfortunately, there is no correct answer to this question.
 - For different datasets, the answer is not the same.
 We still need to try different epochs number to figure it out.

- How many epochs should we use?
 - optimum epochs




- How many epochs should we use?
 - too many or too few epochs





Evaluation



Trained Al Model

Evaluation Cont...

Accuracy

- One simple way we measure an AI model's performance with test dataset
- Accuracy = the percentage of the correct predictions

$$Accuracy = \frac{\# \ of \ correct \ predictions}{\# \ of \ all \ predictions}$$

Deployment



















Even More Labs!

Go check Link: https://cuadvancelab.github.io/labs.html


Cyberbullying Detection on Images



Adversarial attack on Cyberbully detection models



Q & A



Jump to the Lab

Let's get our hands dirty!

Link for our lab:

https://colab.research.google.com/github/cuadvancelab/cuadvancelab.github.io/blob/main/instructions/lab1/social-science/lab1 interactive.ipynb