```
    $ SET SOURCEFORMAT"FRE
IDENTIFICATION DIVISION.
PROGRAM-ID.  Sequence-Prog
AUTHOR.  Michael Coughlan.

DATA DIVISION.
WORKING-STORAGE
01  Num1                                DS.
01  Num2                                DS.
01                                      DS.

PRO         SIO
Cal
                1.
    ACCEPT Num2.
    MULTIPLY Num1 BY Num2 (
    DISPLAY "Result is = "
    STOP RUN.
```

**Directive.**
L compiler
normal
ng rules.

**IDENTIFICATION DIVISION.**
An area of the program
used to supply
n about the
both the
lier and the
mmer.

**DATA DIVISION.**
An area of the program used to define/declare the data items that are to be used in the program.
The data items shown are
using the format of
;
Storage
Initia

**Level Number**
Non-Structured data items should have a level number of 01

**Data-Item Name**

**Storage Declaration**
Data items are declared using a kind of declaration by example. In this case PIC 99 declares storage sufficient to hold values between 0 and 99 (i.e. two digits)

**Value Clause**
In this case the Value Clause assigns an initial value of 00 to the data item.

```
      $ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.  Sequence-Program.
AUTHOR.  Michael Coughlan.

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1              PIC 9  VALUE ZEROS.
01  Num2              PIC 9  VALUE ZEROS.
01  Result            PIC 9

PROCEDURE DIVISION.
Calc-Result.
    ACCEPT Num1
    ACCEPT Num2.
    MULTIPLY Num1
    DISPLAY "Resul
    STOP RUN.
```

**PROCEDURE DIVISION.**

The PROCEDURE DIVISION is the area of the
m where we write our algorithmic
ion to the problem to be solved.
between the declaration
d the statements that

**A Paragraph Name**

A nam

**ACCEPT from keyboard**

Takes data typed at the
keyboard by the user a
place

**Arithmetic Calculation**

on multiplies the
1 by the value in
ces the result in
I suppose you
sed that.

**DISPLAY to screen**

This statement writes the specified
text and the contents of the data item
Result to the computer screen.