1 2 3 4 5 6 7

```
01 TextValue     PIC X(7).
01 NumericValue REDEFINES TextValue PIC
9(5)V99.
```

When we refer to TextValue, the value is treated as if it were an alphanumeric value. For instance, the compiler will reject a statement like IF *TextValue = 1234567.*

1 2 3 4 5 . 6 7

```
01 TextValue      PIC X(7).
01 NumericValue REDEFINES TextValue PIC
9(5)V99.
```

When we refer to NumericValue, the value is treated as if it were an numeric value with 2 decimal places. In this case a statement like -

IF NumericValue = 1234567

does not cause the compiler any problems but the statement evaluates to FALSE.

IF NumericValue = 12345.67 is TRUE

```cobol
01 InputDate.
   02 DateType          PIC 9.
      88 DateIsSort     VALUE 1.
      88 DateIsEuro     VALUE 2.
      88 DateIsUS       VALUE 3.
   02 SortDate.
      03 SortYear       PIC 9(4).
      03 SortMonth      PIC 99.
      03 SortDay        PIC 99.
   02 EuroDate REDEFINES SortDate.
      03 EuroDay        PIC 99.
      03 EuroMonth      PIC 99.
      03 EuroYear       PIC 9(4).
   02 USDate   REDEFINES SortDate.
      03 USMonth        PIC 99.
      03 USDay          PIC 99.
      03 USYear         PIC 9(4).
```



We can accept dates with different formats into the same area of storage and as long as we know what type of date has been entered we can access the day, month and year correctly.

```
01 InputDate.
   02 DateType           PIC 9.
      88 DateIsSort     VALUE 1.
      88 DateIsEuro     VALUE 2.
      88 DateIsUS       VALUE 3.
   02 SortDate.
      03 SortYear       PIC 9(4).
      03 SortMonth      PIC 99.
      03 SortDay        PIC 99.
   02 EuroDate REDEFINES SortDate.
      03 EuroDay        PIC 99.
      03 EuroMonth      PIC 99.
      03 EuroYear       PIC 9(4).
   02 USDate   REDEFINES SortDate.
      03 USMonth        PIC 99.
      03 USDay          PIC 99.
      03 USYear         PIC 9(4).
```



```
01 InputDate.
   02 DateType          PIC 9.
      88 DateIsSort     VALUE 1.
      88 DateIsEuro     VALUE 2.
      88 DateIsUS       VALUE 3.
   02 SortDate.
      03 SortYear       PIC 9(4).
      03 SortMonth      PIC 99.
      03 SortDay        PIC 99.
   02 EuroDate REDEFINES SortDate.
      03 EuroDay        PIC 99.
      03 EuroMonth      PIC 99.
      03 EuroYear       PIC 9(4).
   02 USDate    REDEFINES SortDate.
      03 USMonth        PIC 99.
      03 USDay          PIC 99.
      03 USYear         PIC 9(4).
```






```
01 Rates.
   02 10Rate    PIC 99V999.
   02 100Rate   REDEFINES 10Rate PIC 999V99.
   02 1000Rate REDEFINES 10Rate PIC 9999V9.
```

The REDEFINES clause allows us to treat an item as if it had 3, 2, or 1 decimal places merely by using different names.

Rates




```
01 Rates.
   02 10Rate    PIC 99V999.
   02 100Rate   REDEFINES 10Rate PIC 999V99.
   02 1000Rate REDEFINES 10Rate PIC 9999V9.
```




```
01 Rates.
   02 10Rate    PIC 99V999.
   02 100Rate   REDEFINES 10Rate PIC 999V99.
   02 1000Rate REDEFINES 10Rate PIC 9999V9.
```