

Reading an Indexed file Sequentially.

Example program

Click to view.

When viewing the program left click (or press the Page Up key) to see next comment and right click (or press Page Down) to see the previous comment

```
$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID. ReadingIndexedFile.
* Sequential reading of an indexed file
ENVIRONMENT DIVISION.
INPUT-OUTPUT SECTION.
FILE-CONTROL.
    SELECT VideoFile ASSIGN TO "VIDEO.DAT"
        ORGANIZATION IS INDEXED
        ACCESS MODE IS DYNAMIC
        RECORD KEY IS VideoCode
        ALTERNATE RECORD KEY IS VideoTitle
            WITH DUPLICATES
        FILE STATUS IS VideoStatus.
```

```
DATA DIVISION.
FILE SECTION.
FD VideoFile
01 VideoRecord.
    88 EndOfFile VALUE HIGH-VALUE.
    02 VideoCode          PIC 9(5) .
    02 VideoTitle         PIC X(40) .
    02 SupplierCode       PIC 99.
```

```
WORKING-STORAGE SECTION.
01 VideoStatus          PIC X(2) .
01 RequiredSequence     PIC 9.
    88 VideoCodeSequence VALUE 1.
    88 VideoTitleSequence VALUE 2.
01 PrnVideoRecord.
    02 PrnVideoCode     PIC 9(5) .
    02 PrnVideoTitle    PIC BBBB(40) .
    02 PrnSupplierCode  PIC BBBB99.
```

In this program we
show how to read an
Indexed file
Sequentially on either
These condition names
tell us upon what key
the user wants the file
to be read

PROCEDURE DIVISION.

Begin.

OPEN INPUT VideoFile.

DISPLAY "Enter key : 1=VideoCode, 2=VideoTitle ->"
WITH NO ADVANCING.
ACCEPT RequiredSequence.

IF VideoTitleSequence

MOVE SPACES TO VideoTitle

START VideoFile KEY IS GREATER THAN VideoTitle

INVALID KEY DISPLAY "VIDEO STATUS :- ", VideoStatus

END-START

END-IF

READ VideoFile NEXT RECORD

AT END SET EndOfFile TO TRUE

END-READ.

PERFORM UNTIL EndOfFile

MOVE VideoCode TO PrnVideoCode

MOVE VideoTitle TO PrnVideoTitle

MOVE SupplierCode TO PrnSupplierCode

DISPLAY PrnVideoRecord

READ VideoFile NEXT RECORD

AT END SET EndOfFile TO TRUE

END-READ

END-PERFORM.

CLOSE VideoFile.

STOP RUN.

The file can be read in

sequ
Video

The p
the

A Key Of Reference is used to decide which key sequence to use when reading the file sequentially.

By default the primary key is established as the

If VideoTitle is chosen then, before we can read the file,

The START establishes the VideoTitle as the Key Of Reference and positions the Next Record Pointer at the first record in the file (positions the pointer so that the value of the key in the file is greater than the spaces currently in VideoTitle).