

```
      $ SET SOURCEFORMAT"FREE"  
IDENTIFICATION DIVISION.  
PROGRAM-ID.    Sequence-Program.  
AUTHOR.    Michael Coughlan.
```

```
DATA DIVISION.
```

```
WORKING-STORAGE SECTION.
```

```
01  Num1          PIC 9  VALUE ZEROS.  
01  Num2          PIC 9  VALUE ZEROS.  
01  Result        PIC 99 VALUE ZEROS.
```

```
PROCEDURE DIVISION.
```

```
Calc-Result.
```

```
    ACCEPT Num1.
```

```
    ACCEPT Num2.
```

```
    MULTIPLY Num1 BY Num2 GIVING Result.
```

```
    DISPLAY "Result is = ", Result.
```

```
    STOP RUN.
```

DATA		
Num1	Num2	Result
0	0	00

```
$ SET SOURCEFORMAT"FREE"  
IDENTIFICATION DIVISION.  
PROGRAM-ID.    Sequence-Program.  
AUTHOR.    Michael Coughlan.
```

```
DATA DIVISION.
```

```
WORKING-STORAGE SECTION.
```

```
01  Num1          PIC 9  VALUE ZEROS.  
01  Num2          PIC 9  VALUE ZEROS.  
01  Result        PIC 99 VALUE ZEROS.
```

```
PROCEDURE DIVISION.
```

```
Calc-Result.
```

```
ACCEPT Num1.
```

```
ACCEPT Num2.
```

```
MULTIPLY Num1 BY Num2 GIVING Result.
```

```
DISPLAY "Result is = ", Result.
```

```
STOP RUN.
```

DATA		
Num1	Num2	Result
9	0	00

```
$ SET SOURCEFORMAT"FREE"  
IDENTIFICATION DIVISION.  
PROGRAM-ID.    Sequence-Program.  
AUTHOR.    Michael Coughlan.
```

```
DATA DIVISION.
```

```
WORKING-STORAGE SECTION.
```

```
01  Num1          PIC 9  VALUE ZEROS.  
01  Num2          PIC 9  VALUE ZEROS.  
01  Result        PIC 99 VALUE ZEROS.
```

```
PROCEDURE DIVISION.
```

```
Calc-Result.
```

```
    ACCEPT Num1.
```

```
    ACCEPT Num2.
```

```
    MULTIPLY Num1 BY Num2 GIVING Result.
```

```
    DISPLAY "Result is = ", Result.
```

```
    STOP RUN.
```

DATA		
Num1	Num2	Result
9	5	00

```
$ SET SOURCEFORMAT"FREE"  
IDENTIFICATION DIVISION.  
PROGRAM-ID.    Sequence-Program.  
AUTHOR.    Michael Coughlan.
```

```
DATA DIVISION.
```

```
WORKING-STORAGE SECTION.
```

```
01  Num1          PIC 9  VALUE ZEROS.  
01  Num2          PIC 9  VALUE ZEROS.  
01  Result        PIC 99 VALUE ZEROS.
```

```
PROCEDURE DIVISION.
```

```
Calc-Result.
```

```
    ACCEPT Num1.
```

```
    ACCEPT Num2.
```

```
    MULTIPLY Num1 BY Num2 GIVING Result.
```

```
    DISPLAY "Result is = ", Result.
```

```
    STOP RUN.
```

DATA		
Num1	Num2	Result
9	5	45

```
$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Sequence-Program.
AUTHOR.    Michael Coughlan.
```

```
DATA DIVISION.
```

```
WORKING-STORAGE SECTION.
```

```
01  Num1          PIC 9  VALUE ZEROS.
01  Num2          PIC 9  VALUE ZEROS.
01  Result        PIC 99 VALUE ZEROS.
```

```
PROCEDURE DIVISION.
```

```
Calc-Result.
```

```
    ACCEPT Num1.
```

```
    ACCEPT Num2.
```

```
    MULTIPLY Num1 BY Num2 GIVING Result.
```

```
    DISPLAY "Result is = ", Result.
```

```
    STOP RUN.
```

DATA		
Num1	Num2	Result
9	5	45

Right .. At last!!

It's not enough to
know what statements
are needed.

We must make sure
that the computer
executes them in the
right order.