

PERFORM..VARYING

using two counters

Click to view.

When viewing , left click (or press the Page Up key)
to see the next frame and right click (or press Page
Down) to see the previous frame.

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

5

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

5

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Dec Idx2

Move 6 to Idx2
Inc Idx1

T	Idx1	Idx2
1	1	6

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

5

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

4

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

1

Idx2

4

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Dec Idx2

Move 6 to Idx2
Inc Idx1

T	Idx1	Idx2
1	1	6
2	1	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Dec Idx2

Move 6 to Idx2
Inc Idx1

T	Idx1	Idx2
1	1	6
2	1	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5
3	4	6

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

5

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5
3	3	6

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

5

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Dec Idx2

Move 6 to Idx2
Inc Idx1

T	Idx1	Idx2
1	1	6
2	1	5
3	4	6

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

5

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5
3	4	6
4	4	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

4

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5
3	4	6
4	4	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

4

Idx2

4

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5
3	4	6
4	4	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

7

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Dec Idx2

Move 6 to Idx2
Inc Idx1

T	Idx1	Idx2
1	1	6
2	1	5
3	4	6
4	4	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

7

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5
3	4	6
4	4	5

```
PERFORM IterationCount
  VARYING Idx1 FROM 1 BY 3
  UNTIL Idx1 EQUAL TO 7
  AFTER Idx2 FROM 6 BY -1
  UNTIL Idx2 LESS THAN 5
```

Idx1

7

Idx2

6

Move 1 to Idx1
Move 6 to Idx2

Idx1 = 7

True

Next
Statement

False

Idx2 < 5

True

False

Loop Body

Move 6 to Idx2
Inc Idx1

Dec Idx2

T	Idx1	Idx2
1	1	6
2	1	5
3	4	6
4	4	5
=	7	6