

Adding records to an unordered Sequential File

Click to view.

When viewing , left click (or press the Page Up key)
to see the next frame and right click (or press Page
Down) to see the previous frame.

Transaction File (TF)

RecordF
RecordP
RecordW

PROGRAM

FILE SECTION.

TFRec



UFRec



PROCEDURE DIVISION.

OPEN EXTEND UF.

OPEN INPUT TF.

READ TF

AT END SET EOF TO TRUE

END-READ

PERFORM UNTIL EOF

MOVE TFRec TO UFRec

WRITE UFRec

READ T

AT

END-R

END-PER

STOP RU

Unordered File (UF)

RecordM
RecordH
RecordB
RecordN
RecordA
RecordK
RecordG

An OPEN INPUT, positions the
Next Record Pointer (NRP)
at the beginning of the file and an
OPEN EXTEND, positions the

NRP at the end of the file.

Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordF

UFRec

UFRec

PROCEDURE DIVISION.

OPEN EXTEND UF.

OPEN INPUT TF.

READ TF

AT END SET EOF TO TRUE

END-READ

PERFORM UNTIL EOF

MOVE TFRec TO UFRec

WRITE UFRec

READ TF

AT END SET EOF TO TRUE

END-READ

END-PERFORM

STOP RUN.

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordF

UFRec

RecordF

PROCEDURE DIVISION.

OPEN EXTEND UF.

OPEN INPUT TF.

READ TF

AT END SET EOF TO TRUE

END-READ

PERFORM UNTIL EOF

MOVE TFRec TO UFRec

WRITE UFRec

READ TF

AT END SET EOF TO TRUE

END-READ

END-PERFORM

STOP RUN.

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordF

UFRec

RecordF

PROCEDURE DIVISION.

OPEN EXTEND UF.

OPEN INPUT TF.

READ TF

AT END SET EOF TO TRUE

END-READ

PERFORM UNTIL EOF

MOVE TFRec TO UFRec

WRITE UFRec

READ TF

AT END SET EOF TO TRUE

END-READ

END-PERFORM

STOP RUN.

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF



Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordP

UFRec

RecordF

PROCEDURE DIVISION.

OPEN EXTEND UF.

OPEN INPUT TF.

READ TF

AT END SET EOF TO TRUE

END-READ

PERFORM UNTIL EOF

MOVE TFRec TO UFRec

WRITE UFRec

READ TF

AT END SET EOF TO TRUE

END-READ

END-PERFORM

STOP RUN.

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF

Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordP

UFRec

RecordP

PROCEDURE DIVISION.

OPEN EXTEND UF.

OPEN INPUT TF.

READ TF

AT END SET EOF TO TRUE

END-READ

PERFORM UNTIL EOF

MOVE TFRec TO UFRec

WRITE UFRec

READ TF

AT END SET EOF TO TRUE

END-READ

END-PERFORM

STOP RUN.

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF

Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordP

UFRec

RecordP

PROCEDURE DIVISION.

OPEN EXTEND UF.

OPEN INPUT TF.

READ TF

AT END SET EOF TO TRUE

END-READ

PERFORM UNTIL EOF

MOVE TFRec TO UFRec

WRITE UFRec

READ TF

AT END SET EOF TO TRUE

END-READ

END-PERFORM

STOP RUN.

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF

RecordP

Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordW

UFRec

RecordP

PROCEDURE DIVISION.

OPEN EXTEND UF.

OPEN INPUT TF.

READ TF

AT END SET EOF TO TRUE

END-READ

PERFORM UNTIL EOF

MOVE TFRec TO UFRec

WRITE UFRec

READ TF

AT END SET EOF TO TRUE

END-READ

END-PERFORM

STOP RUN.

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF

RecordP

Transaction File (TF)

RecordF

RecordP

RecordW

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF

RecordP

RecordW

RESULT

```
graph LR; TF[Transaction File TF] --> RESULT[RESULT]; RESULT --> UF[Unordered File UF];
```