


Creating an Indexed file from a Sequential file.

Example program

Click to view.

When viewing the program left click (or press the Page
Up key to see next comment and right click (or press Page
Down) to see the previous comment

\$ SET SOURCEFORMAT"FREE"



First

Let's look at the new
The ORGANIZATION
phrase specifies that the
ALTERNATE RECORD KEY

The ALTERNATE
RECORD KEY phrase
identifies the alternate
key.

WITH DUPLICATES
specifies that values of
this key do not have to
be unique.
The key **must** be part of
the record description.

PROCEDURE DIVISION.

Begin.

OPEN INPUT SeqVideoFile.

OPEN OUTPUT VideoFile.

READ SeqVideoFile

AT END SET EndOfFile TO TRUE

END-READ.

PERFORM UNTIL EndOfFile

WRITE VideoRecord FROM SeqVideoRecord

INVALID KEY DISPLAY "VIDEO STATUS :- ", VideoStatus

END-WRITE

READ SeqVideoFile

AT END SET EndOfFile TO TRUE

END-READ

END-PERFORM.

CLOSE VideoFile, SeqVideoFile.

STOP RUN.

This moves the key values (part of the record) into the Indexed key areas.

VideoRecord

Key	Alt Key	
-----	---------	--

When the WRITE is executed these values are used to write the record to the correct location.

SeqVideo

