

Reading an Indexed file Sequentially.

Example program

Click to view.

When viewing the program left click (or press the Page Up key) to see next comment and right click (or press Page Down) to see the previous comment

```
$ SET SOURCEFORMAT"FREE"
```

In this program we show
how to read an Indexed
file Sequentially on
either the primary key or
the alternate key.

These condition names
tell us upon what key the
user wants the file to be
read



PROCEDURE DIVISION.

Begin.

OPEN INPUT VideoFile.

DISPLAY "Enter key : 1=VideoCode, 2=VideoTitle ->"
WITH NO ADVANCING.
ACCEPT RequiredSequence.

IF VideoTitleSequence

~~MOVE SPACES TO VideoTitle~~

START VideoFile KEY IS GREATER THAN VideoTitle

INVALID KEY DISPLAY "VIDEO STATUS :- ", VideoStatus

END-START

END-IF

~~READ VideoFile NEXT RECORD~~

AT END SET EndOfFile TO TRUE

END-READ.

PERFORM UNTIL EndOfFile

MOVE VideoCode TO PrnVideoCode

MOVE VideoTitle TO PrnVideoTitle

MOVE SupplierCode TO PrnSupplierCode

DISPLAY PrnVideoRecord

READ VideoFile NEXT RECORD

AT END SET EndOfFile TO TRUE

END-READ

END-PERFORM.

CLOSE VideoFile.

STOP RUN.

The file can be read in sequence on either the VideoCode or

The pro
us

A Key Of Reference is used to decide which key sequence to use when reading the file sequentially.

By default the primary key is established as the Key Of Reference.

If VideoTitle is chosen then, before we can read the file, we must establish VideoTitle as the

The START establishes the VideoTitle as the Key Of Reference and positions the Next Record Pointer at the first record in the file (positions the pointer so that the value of the key in the file is greater than the spaces currently in VideoTitle).