

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

**DATA DIVISION.**

WORKING-STORAGE SECTION.

```

01  Num1          PIC 9   VALUE ZEROS.
01  Num2          PIC 9   VALUE ZEROS.
01  Result        PIC 99  VALUE ZEROS.
01  Operator      PIC X   VALUE SPACE.

```

PROCEDURE DIVISION.

Calculator.

```

    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 0    | 0    | 00     | —        |

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

```
DATA DIVISION.
```

```
WORKING-STORAGE SECTION.
```

```

01  Num1          PIC 9   VALUE ZEROS.
01  Num2          PIC 9   VALUE ZEROS.
01  Result        PIC 99  VALUE ZEROS.
01  Operator      PIC X   VALUE SPACE.

```

```
PROCEDURE DIVISION.
```

```
Calculator.
```

```
PERFORM 5 TIMES
```

```
    ACCEPT Num1
```

```
    ACCEPT Num2
```

```
    ACCEPT Operator
```

```
    IF Operator = "+" THEN
```

```
        ADD Num1, Num2 GIVING Result
```

```
    END-IF
```

```
    IF Operator = "*" THEN
```

```
        MULTIPLY Num1 BY Num2 GIVING Result
```

```
    END-IF
```

```
    DISPLAY "Result is = ", Result
```

```
END-PERFORM.
```

```
STOP RUN.
```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 0    | 0    | 00     | —        |

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

```

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1          PIC 9   VALUE ZEROS.
01  Num2          PIC 9   VALUE ZEROS.
01  Result        PIC 99  VALUE ZEROS.
01  Operator      PIC X   VALUE SPACE.

```

```

PROCEDURE DIVISION.
Calculator.
    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 5    | 0    | 00     | —        |

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

```

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1          PIC 9   VALUE ZEROS.
01  Num2          PIC 9   VALUE ZEROS.
01  Result        PIC 99  VALUE ZEROS.
01  Operator      PIC X   VALUE SPACE.

```

```

PROCEDURE DIVISION.
Calculator.
    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 5    | 3    | 00     | —        |

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

```

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1          PIC 9    VALUE ZEROS.
01  Num2          PIC 9    VALUE ZEROS.
01  Result        PIC 99   VALUE ZEROS.
01  Operator      PIC X    VALUE SPACE.

```

```

PROCEDURE DIVISION.
Calculator.
    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 5    | 3    | 00     | *        |

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

```

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1          PIC 9    VALUE ZEROS.
01  Num2          PIC 9    VALUE ZEROS.
01  Result        PIC 99   VALUE ZEROS.
01  Operator      PIC X    VALUE SPACE.

```

```

PROCEDURE DIVISION.
Calculator.
    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 5    | 3    | 00     | *        |

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 5    | 3    | 00     | *        |

```

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1          PIC 9   VALUE ZEROS.
01  Num2          PIC 9   VALUE ZEROS.
01  Result        PIC 99  VALUE ZEROS.
01  Operator      PIC X   VALUE SPACE.

```

```

PROCEDURE DIVISION.
Calculator.
    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

```

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1          PIC 9    VALUE ZEROS.
01  Num2          PIC 9    VALUE ZEROS.
01  Result        PIC 99   VALUE ZEROS.
01  Operator      PIC X    VALUE SPACE.

```

```

PROCEDURE DIVISION.
Calculator.
    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 5    | 3    | 15     | *        |



```
$ SET SOURCEFORMAT"FREE"  
IDENTIFICATION DIVISION.  
PROGRAM-ID. Iteration-Program.  
AUTHOR. Michael Coughlan.
```

```
DATA DIVISION.
```

```
WORKING-STORAGE SECTION.
```

```
01 Num1          PIC 9  VALUE ZEROS.  
01 Num2          PIC 9  VALUE ZEROS.  
01 Result        PIC 99 VALUE ZEROS.  
01 Operator      PIC X  VALUE SPACE.
```

```
PROCEDURE DIVISION.
```

```
Calculator.
```

```
    PERFORM 5 TIMES
```

```
        ACCEPT Num1
```

```
        ACCEPT Num2
```

```
        ACCEPT Operator
```

```
        IF Operator = "+" THEN
```

```
            ADD Num1, Num2 GIVING Result
```

```
        END-IF
```

```
        IF Operator = "*" THEN
```

```
            MULTIPLY Num1 BY Num2 GIVING Result
```


```
        END-IF
```

```
        DISPLAY "Result is = ", Result
```

```
    END-PERFORM.
```

```
    STOP RUN.
```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 5    | 3    | 15     | *        |



```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

```

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1          PIC 9    VALUE ZEROS.
01  Num2          PIC 9    VALUE ZEROS.
01  Result        PIC 99   VALUE ZEROS.
01  Operator      PIC X    VALUE SPACE.

```

```

PROCEDURE DIVISION.
Calculator.
    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 9    | 3    | 15     | *        |

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

```

DATA DIVISION.
WORKING-STORAGE SECTION.
01  Num1          PIC 9    VALUE ZEROS.
01  Num2          PIC 9    VALUE ZEROS.
01  Result        PIC 99   VALUE ZEROS.
01  Operator      PIC X    VALUE SPACE.

```

```

PROCEDURE DIVISION.
Calculator.
    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 9    | 3    | 15     | *        |

```

$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID.    Iteration-Program.
AUTHOR.    Michael Coughlan.

```

DATA DIVISION.

WORKING-STORAGE SECTION.

```

01  Num1          PIC 9   VALUE ZEROS.
01  Num2          PIC 9   VALUE ZEROS.
01  Result        PIC 99  VALUE ZEROS.
01  Operator      PIC X   VALUE SPACE.

```

PROCEDURE DIVISION.

Calculator.

```

    PERFORM 5 TIMES
        ACCEPT Num1
        ACCEPT Num2
        ACCEPT Operator
        IF Operator = "+" THEN
            ADD Num1, Num2 GIVING Result
        END-IF
        IF Operator = "*" THEN
            MULTIPLY Num1 BY Num2 GIVING Result
        END-IF
        DISPLAY "Result is = ", Result
    END-PERFORM.
STOP RUN.

```

| DATA |      |        |          |
|------|------|--------|----------|
| Num1 | Num2 | Result | Operator |
| 9    | 3    | 15     | *        |

**Etcetera !!**  
**Loops 5 times through**  
**the block of code from**  
**PERFORM to END-**  
**PERFORM**