

Adding records to an unordered Sequential File

Click to view.

When viewing , left click (or press the Page Up key) to see the next frame and right click (or press Page Down) to see the previous frame.

Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

UFRec

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

An OPEN INPUT, positions the Next
Record Pointer (NRP) at the
beginning of the file and an OPEN
EXTEND, positions the NRP at the end
of the file.

Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordF

UFRec

UFRec

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG



Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordF

UFRec

RecordF

Unordered File (UF)

RecordM

RecordH


RecordB

RecordN

RecordA

RecordK

RecordG



Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordF

UFRec

RecordF

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF



Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordP

UFRec

RecordF

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF



Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordP

UFRec

RecordP

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF



Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordP

UFRec

RecordP

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF

RecordP



Transaction File (TF)

RecordF

RecordP

RecordW

PROGRAM

FILE SECTION.

TFRec

RecordW

UFRec

RecordP

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN


RecordA

RecordK

RecordG

RecordF

RecordP



Transaction File (TF)

RecordF

RecordP

RecordW

Unordered File (UF)

RecordM

RecordH

RecordB

RecordN

RecordA

RecordK

RecordG

RecordF

RecordP

RecordW

RESULT

```
graph LR; TF[Transaction File (TF)] --> RESULT[RESULT]; UF[Unordered File (UF)] --> RESULT; RESULT --> TF_P[RecordP]; RESULT --> UF_F[RecordF];
```