

Creating an Indexed file from a Sequential file.

Example program

Click to view.

When viewing the program left click (or press the Page Up key to see next comment and right click (or press Page Down) to see the previous comment

```
$ SET SOURCEFORMAT"FREE"
IDENTIFICATION DIVISION.
PROGRAM-ID. CreateIndexedFromSeq.
* Creates an indexed file from a sequential file.
ENVIRONMENT DIVISION.
INPUT-OUTPUT SECTION.
FILE-CONTROL.
```

```
SELECT VideoFile ASSIGN TO "VIDEO.DAT"
    ORGANIZATION IS INDEXED
    ACCESS MODE IS RANDOM
    RECORD KEY IS VideoCode
    ALTERNATE RECORD KEY IS VideoTitle
    WITH DUPLICATES
    FILE STATUS IS VideoStatus.
SELECT SeqVideoFile ASSIGN TO "INVIDEO.DAT".
```

DATA DIVISION.

FILE SECTION.

FD VideoFile.

01 VideoRecord.

02 VideoCode	PIC 9(5).
02 VideoTitle	PIC X(40).
02 VideoSupplierCode	PIC 99.

FD SeqVideoFile.

01 SeqVideoRecord.

88 EndOfFile	VALUE HIGH-VALUES.
02 SeqVideoCode	PIC 9(5).
02 SeqVideoTitle	PIC X(40).
02 SeqVideoSupplierCode	PIC 99.

WORKING-STORAGE SECTION.

01 VideoStatus	PIC X(2).
----------------	-----------

First

The ORGANIZATION

The ALTERNATE
RECORD KEY phrase
identifies the alternate
key.

WITH DUPLICATES
specifies that values
of this key do not
have to be unique.

The key **must** be part
of the record
description.

PROCEDURE DIVISION.

Begin.

OPEN INPUT SeqVideoFile.

OPEN OUTPUT VideoFile.

READ SeqVideoFile

AT END SET EndOfFile TO TRUE

END-READ.

PERFORM UNTIL EndOfFile

WRITE VideoRecord FROM SeqVideoRecord

INVALID KEY DISPLAY "VIDEO STATUS :- ", VideoStatus

END-WRITE

READ SeqVideoFile

AT END SET EndOfFile TO TRUE

END-READ

END-PERFORM.

CLOSE VideoFile, SeqVideoFile.

STOP RUN.

This moves the key values (part of the record)
into the Indexed key areas.

VideoRecord

Key

Alt Key

SeqV

When the WRITE is executed
these values are used to write
the record to the correct
location.