

Reference Modification

xString examples

Instructions

These examples work on the data items defined above. Reference Modification is used to manipulate the text contained in xString.

To get maximum benefit from these examples try to see if you can work out for yourself what will happen before revealing the answer by clicking through the frames.

Viewing frames

Click on this text to see the first example then left click (or press the Page Up key) to see the next frame and right click (or press Page Down) to see the previous frame.

xString

This is the alphanumeric string


1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(9:3) .


xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8



DISPLAY xString(9:3) .



xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(9:3) .

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(9:3) .



the

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(13:SubStrSize) .

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

3

DISPLAY xString(13:SubStrSize) .

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(13:SubStrSize¹²) .

xString

This is the **alphanumeric** string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(13:SubStrSize) .



alphanumeric

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(StartPos:).


xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8



DISPLAY xString(StartPos:18).




xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

To end of string

DISPLAY xString(StartPos:).



xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(StartPos:).



numeric string

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(13:SubStrSize - 7) .

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8


DISPLAY xString(13:SubStrSize - 7) .

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(13:SubStrSize¹² - 7) .



xString

This is the **alpha**numeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

DISPLAY xString(13:SubStrSize - 7) .



alpha

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

```
MOVE "Fred was here" TO xString(18:4)  
DISPLAY xString.
```

xString

This is the alphanumeric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

MOVE "Fred was here" TO xString(18:4)
DISPLAY xString.

xString

This is the alphanumeric string


1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

MOVE "Fred was here" TO xString(18:4)
DISPLAY xString.

xString

This is the alphaFredric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8



MOVE "Fred was here" TO xString(18:4)
DISPLAY xString.

xString

This is the alpha**Fred**ric string

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8

MOVE "Fred was here" TO xString(18:4)
DISPLAY xString.



This is the alphaFredric string

Reference Modification NSString examples

Instructions

These examples use Reference Modification to manipulate the text contained in the data item NSString.


EG6

nString

3452656

1 2 3 4 5 6 7

DISPLAY nString(3:3) .



nString

3452656

1 2 3 4 5 6 7

DISPLAY nString(3:3) .

nString

3452656

1 2 3 4 5 6 7

DISPLAY nString(3:3) .

nString

3452656

1 2 3 4 5 6 7

DISPLAY nString(3:3) .

526

EG7

nString

3452656

1 2 3 4 5 6 7

DISPLAY nString(6:).

nString

3452656

1 2 3 4 5 6 7

DISPLAY nString(6:).

nString

3452656

1 2 3 4 5 6 7

To end of string

DISPLAY nString(6:).

nString

3452656

1 2 3 4 5 6 7

DISPLAY nString(6:).

56

End of examples.