

How the READ verb works

Click to view.

When viewing , left click (or press the Page Up key) to see the next frame and right click (or press Page Down) to see the previous frame.

Record
Buffer

StudentRec

StudentId

StudentName

DateOfBirth

Course

Gender

--	--	--	--	--	--	--	--

Surname

Init

YOB

MOB DOB

Record
occurrences in
the students
file

Students.Dat

9834567Curtain FB19801009LM51M

9583715Healy TC19760304LM68F

9734567Downes BC19791205LM51M

99634130'Brien MS19811221LM21F

(eof)

About to
execute the
READ
statement

```
PERFORM UNTIL EndOfFile
  READ StudentFile
  AT END SET EndOfFile TO TRUE
END-READ
END-PERFORM
```

StudentRec

StudentId	StudentName		DateOfBirth	Course	Gender
9834567	Curtain	FB	19801009	LM51	M
	Surname	Init	YOB	MOB	DOB

Students.Dat

9834567Curtain FB19801009LM51M
9583715Healy TC19760304LM68F
9734567Downes BC19791205LM51M
9963413O'Brien MS19811221LM21F
^Z (eof)

PERFORM UNTIL EndOfFile
 READ StudentFile
 AT END SET EndOfFile TO TRUE
 END-READ
END-PERFORM

StudentRec

StudentId	StudentName		DateOfBirth			Course	Gender
9583715	Healy	TC	1976	03	04	LM68	F
Surname		Init	YOB	MOB	DOB		

Students.Dat

9834567Curtain FB19801009LM51M
9583715Healy TC19760304LM68F
9734567Downes BC19791205LM51M
9963413O'Brien MS19811221LM21F
^Z (eof)

PERFORM UNTIL EndOfFile
 READ StudentFile
 AT END SET EndOfFile TO TRUE
 END-READ
END-PERFORM

StudentRec

StudentId	StudentName	DateOfBirth	Course	Gender
9734567	Downes	BC 19791205	LM51	M
Surname		Init	YOB	MOB DOB

Students.Dat

```
9834567Curtain FB19801009LM51M
9583715Healy TC19760304LM68F
9734567Downes BC19791205LM51M
9963413O'Brien MS19811221LM21F
^Z (eof)
```



```
PERFORM UNTIL EndOfFile
  READ StudentFile
  AT END SET EndOfFile TO TRUE
END-READ
END-PERFORM
```

StudentRec

StudentId	StudentName	DateOfBirth	Course	Gender
9963413	O' Brien MS	19811221	LM21	F
	Surname Init	YOB MOB DOB		

Students.Dat

9834567Curtain FB19801009LM51M
9583715Healy TC19760304LM68F
9734567Downes BC19791205LM51M
9963413O' Brien MS19811221LM21F
^Z (eof)



```
PERFORM UNTIL EndOfFile  
  READ StudentFile  
  AT END SET EndOfFile TO TRUE  
  END-READ  
END-PERFORM
```

StudentRec

StudentId

StudentName

DateOfBirth

Course

Gender



Surname

Setting the condition name to true, fills the whole record with HIGH-VALUES

HIGH-VALUES

Students.Dat

9834567Curtain FB19801009LM51M

9583715Healy TC19760304LM68F

9734567Downes BC19791205LM51M

99634130'Brien MS19811221LM21F

^Z (eof)

When the end of the student file is detected, the AT END activates and sets the condition name to true

PERFORM UNTIL EndOfFile

READ StudentFile

AT END SET EndOfFile TO TRUE

END-READ

END-PERFORM