

# Cucumber Report

25 Jun, 2021 3:11:10 PM

**Start : Jun 25, 3:01:25.740 PM**

**End : Jun 25, 3:11:09.783 PM**

**Duration : 9 m 44.043 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**




**FAILED - 11**


**SKIPPED - 0**

**PASSED - 36**


**FAILED - 11**

**SKIPPED - 29**






#	Feature Name	T	P	F	S	Duration
1	<u>To test the Quiz Module functionality of Subsource</u>	14	3	11	0	9 m 44.043 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the Quiz Module functionality of Subsource</u>	<u>To verify the basic functionality For TO button</u>	5	5	0	0	1 m 14.373 s
2	<u>To test the Quiz Module functionality of Subsource</u>	<u>To Verify the basic functionalits for choose template edit button</u>	3	2	1	0	2 m 12.771 s
3	<u>To test the Quiz Module functionality of Subsource</u>	<u>To validate the creating New Quiz Template,Edit Quiz Template Name and Delete the Quiz Teamplate</u>	7	2	1	4	2 m 16.575 s
4	<u>To test the Quiz Module functionality of Subsource</u>	<u>to verify the creating new quiz Teamplate by enetring invalid data</u>	2	1	1	0	1 m 55.961 s
5	<u>To test the Quiz Module functionality of Subsource</u>	<u>to verify the basic functionality for subscription</u>	15	2	1	12	2 m 2.747 s
6	<u>To test the Quiz Module functionality of Subsource</u>	<u>To Verify the basic functionality for Send Only button</u>	4	4	0	0	26.309 s
7	<u>To test the Quiz Module functionality of Subsource</u>	<u>To Validate the basic functionality for Save and Send button</u>	7	1	1	5	55.995 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>To test the Quiz Module functionality of Subsource</u>	<u>To Validate the basic functionality of Upate Template button</u>	7	5	1	1	2 m 3.227 s
9	<u>To test the Quiz Module functionality of Subsource</u>	<u>To verify the basic functionality of Select Roles button</u>	3	1	1	1	37.544 s
10	<u>To test the Quiz Module functionality of Subsource</u>	<u>To Validate the basic functionality of additional role check box</u>	5	5	0	0	17.566 s
11	<u>To test the Quiz Module functionality of Subsource</u>	<u>To Validate the basic finctionality of Plus button</u>	3	2	1	0	32.248 s
12	<u>To test the Quiz Module functionality of Subsource</u>	<u>To Verify the copy button</u>	5	3	1	1	28.327 s
13	<u>To test the Quiz Module functionality of Subsource</u>	<u>To Valiadte The basic functionality of Save new tenplate</u>	8	2	1	5	2 m 14.548 s
14	<u>To test the Quiz Module functionality of Subsource</u>	<u>To validate the Manager Edit button</u>	2	1	1	0	34.838 s

**(F)- To test the Quiz Module functionality of Subsource**



<b>FAILED</b>	<b>DURATION - 9 m 44.043 s</b>	Scenarios		Steps	
/ 3:01:25.740 PM // 3:11:09.783 PM /		Total - 14		Total - 76	
		Pass - 3		Pass - 36	
		Fail - 11		Fail - 11	
		Skip - 0		Skip - 29	


**(S)- To verify the basic functionality For TO button**

<b>PASSED</b> <i>DURATION - 1 m 14.373 s</i>			Steps	
/ 3:01:25.744 PM // 3:02:40.117 PM /			Total - 5	
To test the Quiz Module functionality of Subsource			Pass - 5	
@persent			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	50.846 s
2	When - When To Leave as a emty and click on To Edit button	PASSED	9.891 s
3	Then - Then Edit button pop up message should be displayed	PASSED	0.085 s
4	When - When TO text Leave as a emty and choose the Test template	PASSED	0.255 s
5	Then - Then Quiz Should not be sent to the employees	PASSED	0.145 s

**(S)- To Verify the basic functionalits for choose template edit button**

<div>FAILED</div> <div>DURATION - 2 m 12.771 s</div>		<div></div>	Steps	<div></div>
<div>/ 3:01:25.752 PM // 3:03:38.523 PM /</div>			Total - 3	
<div>To test the Quiz Module functionality of Subsource</div>			Pass - 2	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	46.555 s
2	When - When Click on choose template edit button	PASSED	10.941 s
3	Then - Then The Edit pop up window should be displayed	FAILED	1 m 1.128 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (85e34ed8cf7a7eea48cb1db504296af9)] -&gt; xpath: //h4[contains(text(),'Templates')]] (tried for 60 second(s) with 500 milliseconds interval) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:51241}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 85e34ed8cf7a7eea48cb1db504296af9</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)  at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:49)  at com.pages.QuizPage.get_Choose_Template_Pop_Up_Text(QuizPage.java:283)  at Parallel.QuizTest.the_edit_pop_up_window_should_be_displayed(QuizTest.java:89)  at ?.The Edit pop up window should be displayed(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:14)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.250 s
	To_Verify_the_basic_functionalits_for_choose_template_edit_button		
			


### (S)- To validate the creating New Quiz Template,Edit Quiz Template Name and Delete the Quiz Teamplate

FAILED		DURATION - 2 m 16.575 s			Steps Total - 7 Pass - 2 Fail - 1 Skip - 4			
/ 3:02:40.148 PM // 3:04:56.723 PM /								
To test the Quiz Module functionality of Subsource								



#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	28.052 s
2	When - When creating new Quiz Template as "Quiz" , title is "General Question", Description "Every one has basic general knowledge" and passing percentage is "60"	PASSED	7.029 s
3	<p>Then - Then New Quiz Template should be created and Pop up message Sholud be displayed as "Quiz template saved successfully."</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //p[contains(text(),'Quiz template saved successfully.')] (tried for 60 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)   at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:49)   at com.pages.QuizPage.template_Save_Pop_up(QuizPage.java:429)   at Parallel.QuizTest.new_quiz_template_should_be_created_and_pop_up_message_sholud_be_displayed_as_something(QuizTest.java:143)   at ?.New Quiz Template should be created and Pop up message Sholud be displayed as "Quiz template saved successfully."(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:18) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[contains(text(),'Quiz template saved successfully.')]"} (Session info: chrome=91.0.4472.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56601}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 274f66b747b7d6bc5c71cd16781ad698 *** Element info: {Using=xpath, value=//p[contains(text(),'Quiz template saved successfully.')]   at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)   at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.lang.reflect.Constructor.newInstance(Constructor.java:423)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)   at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)   at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at com.sun.proxy.\$Proxy22.isDisplayed(Unknown Source) </pre>	FAILED	1 m 32.142 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:49) at com.pages.QuizPage.template_Save_Pop_up(QuizPage.java:429) at Parallel.QuizTest.new_quiz_template_should_be_created_and_pop_up_message_sholud_be_displayed_as_something(QuizTest.java:143) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) </pre>		




#	Step / Hook Details	Status	Duration
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) * Not displayable characters are replaced by '?'.		
4	When - When Edit "Quiz" template name to "Quizbws"	SKIPPED	0.000 s
5	Then - Then Template Name should be Changed and pop up message should be displayed as "Template name updated successfully."	SKIPPED	0.000 s
6	When - When Click on "Quizbws" Delete button	SKIPPED	0.000 s
7	Then - Then Quiz Template Should be Deleted and pop up Message Should be displayed as "Quiz Template deleted successfully!"	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.150 s
	To_validate_the_creating_New_Quiz_Template,Edit_Quiz_Template_Name_and_Delete_the_Quiz_Template		
			

### (S)- to verify the creating new quiz Teamplate by enetring invalid data



<div>FAILED</div> <div>DURATION - 1 m 55.961 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 3:03:38.540 PM // 3:05:34.501 PM /				
To test the Quiz Module functionality of Subsource				

#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	10.250 s
2	Then - Then Quiz Template Should not be created and PopUp message should be displayed as "Please check all Required Fields"	FAILED	1 m 38.218 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //p[contains(text(),'Please check all Required Fields')]' (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:49)		

#	Step / Hook Details	Status	Duration
	<p>at com.pages.QuizPage.required_field_Pop_Up(QuizPage.java:404)</p> <p>at Parallel.QuizTest.quiz_template_should_not_be_created_and_popup_message_should_be_displayed_as_something(QuizTest.java:216)</p> <p>at ?.Quiz Template Should not be created and PopUp message should be displayed as "Please check all Required Fields"(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:25)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[contains(text(),'Please check all Required Fields')]"} (Session info: chrome=91.0.4472.114) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:55833}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 91fa332750f32bedde66276682f3e207 *** Element info: {Using=xpath, value=//p[contains(text(),'Please check all Required Fields')]}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</p> <p>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy22.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)</p> <p>at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:49)</p> <p>at com.pages.QuizPage.required_field_Pop_Up(QuizPage.java:404)</p> <p>at Parallel.QuizTest.quiz_template_should_not_be_created_and_popup_message_should_be_displayed_as_something(QuizTest.java:216)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.105 s
	to_verify_the_creating_new_quiz_Teamplate_by_enetring_invalid_data		
			

**(S)- to verify the basic functionality for subscription**

<div>FAILED</div> <div>DURATION - 2 m 2.747 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 12</div>	<div></div>
<div>/ 3:04:56.738 PM // 3:06:59.485 PM /</div>				
<div>To test the Quiz Module functionality of Subsource</div>				


#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	15.769 s
2	When - When creating new Quiz as "subscription" , title is "General Knowledge", Description "Creating Quiz for Subscription" and passing percentage is "70"	PASSED	7.109 s
3	Then - Then the quiz should be created and Pop up message Should be displayed as "Quiz template saved successfully."  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //p[contains(text(),'Quiz template saved successfully.')] (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:49) at com.pages.QuizPage.template_Save_Pop_up(QuizPage.java:429) at com.qa.factory.UtilMethods.quiz_save_Successfully(UtilMethods.java:107) at Parallel.QuizTest.the_quiz_should_be_created_and_pop_up_message_sholud_be_displayed_as_something(QuizTest.java:234) at ?.the quiz should be created and Pop up message Sholud be displayed as "Quiz template saved successfully."(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:29)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[contains(text(),'Quiz template saved successfully.')]"} (Session info: chrome=91.0.4472.114) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\Local\Temp\chrome-win-1029\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:60901}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7371c71acbec28d64c0e3323e07a3652 *** Element info: {Using=xpath, value=//p[contains(text(),'Quiz template saved successfully.')]} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)	FAILED	1 m 32.262 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy22.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:49) at com.pages.QuizPage.template_Save_Pop_up(QuizPage.java:429) at com.qa.factory.UtilMethods.quiz_save_Successfully(UtilMethods.java:107) at Parallel.QuizTest.the_quiz_should_be_creadted_and_pop_up_message_sholud_be_displayed_as_something(QuizTest.java:234) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	When - When navigate to the subscription page	SKIPPED	0.001 s
5	And - And creating new subscription list as "testing"	SKIPPED	0.000 s
6	And - And select template name as "subscription"	SKIPPED	0.000 s
7	Then - Then save the subscription list and Pop up Should be displayed as "Rule created successfully."	SKIPPED	0.001 s
8	When - When user navigate to the message page	SKIPPED	0.000 s
9	Then - Then Let delete the Subscription quiz"subscription" but user not able to delete delete the subscritpion Quiz and get the text as "This template can not be deleted as this is mapped with the subscription(s)."	SKIPPED	0.000 s
10	When - When navigate to the subscription list page	SKIPPED	0.000 s
11	Then - Then Validate The "subscription" Subscription Quiz list edit Button function	SKIPPED	0.000 s
12	When - When Changing the Subscription name "testing" to "Edting" of "subscription" quiz	SKIPPED	0.000 s
13	Then - Then Verify the basic functionality for "subscription" quiz delete button and get the validation text as "Rule deleted successfully."	SKIPPED	0.000 s
14	When - When user navigate to the message page	SKIPPED	0.000 s
15	Then - Then Let delete the "subscription" quiz and successfull Message get as "Quiz Template deleted successfully!"	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.088 s
	to_verify_the_basic_functionality_for_subscription		
			





#	Step / Hook Details	Status	Duration
	<p>false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3a269b5699e7989a3d1a28a9efc8c307</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)  at sun.reflect.GeneratedMethodAccessor98.invoke(Unknown Source)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)  at com.sun.proxy.\$Proxy22.click(Unknown Source)  at com.pages.QuizPage.clickon_Manager_Check_Box(QuizPage.java:563)  at Parallel.QuizTest.click_on_to_button_and_choose_the_to_recipients(QuizTest.java:342)  at ?.Click on to button and Choose the to recipients(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:49)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	And - And creating the new quiz as "recipients"	SKIPPED	0.001 s
4	Then - Then Lets click on Save and Send button then the quiz is saved,assigned to the recipients and pop up message is displayed as "Quiz assigned succesfully!"	SKIPPED	0.001 s
5	When - When navigate to the quiz message page and click on teamplate Edit button	SKIPPED	0.001 s
6	Then - Then to validate wheather the "recipients" quiz saved or not	SKIPPED	0.000 s
7	Then - Then Let delete the "recipients" quiz and successfull Message is displayed as "Quiz Template deleted successfully!"	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.272 s
	To Validate the basic functionality for Save and Send button		
			




**(S)- To Validate the basic functionality of Upate Template button**

<div>FAILED</div>	<div>DURATION - 2 m 3.227 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>15</td></tr><tr><td>2</td><td>10</td></tr><tr><td>3</td><td>2</td></tr><tr><td>6</td><td>80</td></tr></tbody></table></div>	Step	Duration (s)	1	15	2	10	3	2	6	80	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div> <div></div>
Step	Duration (s)												
1	15												
2	10												
3	2												
6	80												
<div>/ 3:06:56.840 PM // 3:09:00.067 PM /</div>													
<div>To test the Quiz Module functionality of Subsource</div>													

#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	14.849 s
2	When - When creating Quiz as "Update Template" , title is "General Knowledge", Description "Creating Quiz for Subscription" and passing percentage is "70"	PASSED	7.747 s
3	Then - Then Quiz should be creadted and Pop up message Sholud be displayed as "Quiz template saved successfully."	PASSED	1.600 s
4	When - When select new Template as "Update Template"	PASSED	0.128 s
5	When - When Let changing the template title as "Upadte"	PASSED	0.123 s
6	Then - Then click on update Template button then The template should be Updated and PopUp message should be displayed as "Quiz template updated successfully."  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //button[@title='Save Update Selected']' (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.qa.factory.WebDriverUtil.waitForElementToBeClickable(WebDriverUtil.java:27) at com.pages.QuizPage.clickon_Update_Template_Button(QuizPage.java:449) at Parallel.QuizTest. click_on_update_template_button_then_the_template_should_be_updated_and_popup_message_should_be_displayed_as_something(QuizTest.java:415) at ?.click on update Template button then The template should be Updated and PopUp message should be displayed as "Quiz template updated successfully."(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:61) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@title='Save Update Selected']"} (Session info: chrome=91.0.4472.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57934}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ab64b4837a53be985b431ef495a62abb *** Element info: {Using=xpath, value=//button[@title='Save Update Selected']}	FAILED	1 m 30.780 s


#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy22.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.qa.factory.WebDriverUtil.waitForElementToBeClickable(WebDriverUtil.java:27) at com.pages.QuizPage.clickon_Update_Template_Button(QuizPage.java:449) at Parallel.QuizTest. click_on_update_template_button_then_the_template_should_be_updated_and_popup_message_should_be_displayed_as_something(QuizTest.java:415) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then - Then let delete the "Update Template" quiz and pop up message should be displayed as "Quiz Template deleted successfully!"	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.086 s
	To Validate the basic functionality of Upate Template button		
			



**(S)- To verify the basic functionality of Select Roles button**

<div>FAILED</div> <div>DURATION - 37.544 s</div>		<table><caption>Test Results Data</caption><tr><th>Step</th><th>Value</th></tr><tr><td>1</td><td>25</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>0</td></tr></table>	Step	Value	1	25	2	4	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>
Step	Value										
1	25										
2	4										
3	0										
/ 3:06:59.493 PM // 3:07:37.037 PM /											
To test the Quiz Module functionality of Subsource											

#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	26.774 s
2	When - When Click on To button and nagivate to Select Role	FAILED	4.172 s

#	Step / Hook Details	Status	Duration
	at Parallel.QuizTest.click_on_to_button_and_navigate_to_select_role(QuizTest.java:436) at ?.Click on To button and navigate to Select Role(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:65) * Not displayable characters are replaced by '?'.		
3	Then - Then The "Additional Roles" window is Displayed	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.103 s
	To_verify_the_basic_functionality_of_Select_Roles_button		
			

### (S)- To Validate the basic functionality of additional role check box


PASSED		DURATION - 17.566 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:07:37.063 PM // 3:07:54.629 PM /						
To test the Quiz Module functionality of Subsource						

#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	5.601 s
2	When - When Click on To button and navigate to Select Role	PASSED	3.120 s
3	And - And Click on all the check boxes	PASSED	0.728 s
4	And - And Click on save button	PASSED	1.622 s
5	Then - Then all "12" roles should be selected	PASSED	0.052 s



**(S)- To Validate the basic functionality of Plus button**

<div>FAILED</div> <div>DURATION - 32.248 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>7.028</td></tr><tr><td>2</td><td>16.858</td></tr><tr><td>3</td><td>1.689</td></tr></tbody></table></div>	Step	Duration (s)	1	7.028	2	16.858	3	1.689	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
Step	Duration (s)											
1	7.028											
2	16.858											
3	1.689											
<div>/ 3:07:54.636 PM // 3:08:26.884 PM /</div>												
<div>To test the Quiz Module functionality of Subsource</div>												


#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	7.028 s
2	When - When Select the new Template as "Create new template..."	PASSED	16.858 s
3	Then - Then Click on Plus button up to 100 Questions then the "Q100." should be created.  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <i aria-hidden="true" class="fa fa-plus add-question-icon ng-star-inserted" title="Add Question"></i> is not clickable at point (1209, 732). Other element would receive the click: <div _ngcontent-c1="" class="backdrop ng-star-inserted" style="border-radius: 0px; background-color: rgba(0, 0, 0, 0.3);"></div> (Session info: chrome=91.0.4472.114) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57810}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a48e2288354f8901606992be06daec93 at sun.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at sun.reflect.GeneratedMethodAccessor98.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)	FAILED	1.689 s

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.\$Proxy22.click(Unknown Source) at com.pages.QuizPage.clickon_100Question(QuizPage.java:631) at Parallel.QuizTest.click_on_plus_button_up_to_100_questions_then_the_something_should_be_created(QuizTest.java:472) at ?.Click on Plus button up to 100 Questions then the "Q100." should be created.(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:76) * Not displayable characters are replaced by '?'.		
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.252 s
	To Validate the basic functionality of Plus button		
			

**(S)- To Verify the copy button**

<div>FAILED</div> <div>DURATION - 28.327 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:08:26.896 PM // 3:08:55.223 PM /</div>				
<div>To test the Quiz Module functionality of Subsource</div>				

#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	7.048 s
2	When - When Select the new Template as "Create new template..."	PASSED	7.812 s
3	And - And Fill The "Question" text, Select "Radio Button" option, fill the options as "Answer1", "Answer2", "Answer3" and select answer	PASSED	5.803 s
4	And - And Click on copy button	FAILED	1.054 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <i aria-hidden="true" class="fa fa-clone" title="Copy Question"></i> is not clickable at point (1134, 738). Other element would receive the click: <div _ngcontent-c1="" class="backdrop ng-star-inserted" style="border-radius: 0px; background-color: rgba(0, 0, 0, 0.3);"></div> (Session info: chrome=91.0.4472.114) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55558}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		

#	Step / Hook Details	Status	Duration
	<p>Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6901ccd13e522a389f3e4597afde29a4</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)  at sun.reflect.GeneratedMethodAccessor98.invoke(Unknown Source)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)  at com.sun.proxy.\$Proxy22.click(Unknown Source)  at com.pages.QuizPage.clickon_Copy_Button(QuizPage.java:304)  at Parallel.QuizTest.click_on_copy_button(QuizTest.java:488)  at ?.Click on copy button(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:81)</p> <p>* Not displayable characters are replaced by '?'. </p>		
5	Then - Then The copy "Question" should be created with the "Radio Button"option,options as "Answer1","Answer2","Answer3"	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.240 s
	To_Verify_the_copy_button		
			




**(S)- To Valiadte The basic functionality of Save new tenplate**



<div>FAILED</div> <div>DURATION - 2 m 14.548 s</div>		<div><table><thead><tr><th>Step</th><th>Passes</th></tr></thead><tbody><tr><td>1</td><td>30</td></tr><tr><td>2</td><td>7</td></tr><tr><td>3</td><td>100</td></tr></tbody></table></div>	Step	Passes	1	30	2	7	3	100	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
Step	Passes											
1	30											
2	7											
3	100											
<div>/ 3:08:55.235 PM // 3:11:09.783 PM /</div>												
<div>To test the Quiz Module functionality of Subsource</div>												


#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	28.424 s
2	When - When creating Quiz as "Update Template" , title is "General Knowledge", Description "Creating Quiz for Subscription" and passing percentage is "70"	PASSED	7.126 s
3	<p>Then - Then Quiz should be created and Pop up message Should be displayed as "Quiz template saved successfully."</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //p[contains(text(),'Quiz template saved successfully.')] (tried for 60 second(s) with 500 milliseconds interval)     at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)     at com.qa.factory.WebDriverUtil.waitForElementVisibility(WebDriverUtil.java:49)     at com.pages.QuizPage.template_Save_Pop_up(QuizPage.java:429)     at com.qa.factory.UtilMethods.quiz_save_Successfully(UtilMethods.java:107)     at Parallel.QuizTest.quiz_should_be_created_and_pop_up_message_should_be_displayed_as_something(QuizTest.java:401)     at ?.Quiz should be created and Pop up message Should be displayed as "Quiz template saved successfully."(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:86) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[contains(text(),'Quiz template saved successfully.')]"} (Session info: chrome=91.0.4472.114) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60649}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7106eff7b7619d2512d91ff1aab417b4 *** Element info: {Using=xpath, value=//p[contains(text(),'Quiz template saved successfully.')]     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</pre>	FAILED	1 m 32.089 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy22.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.qa.factory.WebDriverUtil.waitForElementVisiblity(WebDriverUtil.java:49) at com.pages.QuizPage.template_Save_Pop_up(QuizPage.java:429) at com.qa.factory.UtilMethods.quiz_save_Successfully(UtilMethods.java:107) at Parallel.QuizTest.quiz_should_be_creadted_and_pop_up_message_sholud_be_displayed_as_something(QuizTest.java:401) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
4	When - When select new Template as "Update Template"	SKIPPED	0.000 s
5	When - When Let changing the template title as "Upadte"	SKIPPED	0.000 s
6	When - When clickon save new template button	SKIPPED	0.000 s
7	When - When Enter the new "Template Name"	SKIPPED	0.000 s
8	Then - Then the pop up message should be display as"Quiz template saved successfully."	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.107 s
	To_Valiadte_The_basic_functionality_of_Save_new_tenplate		
			

**(S)- To validate the Manager Edit button**

<div>FAILED</div> <div>DURATION - 34.838 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:09:00.074 PM // 3:09:34.912 PM /				
To test the Quiz Module functionality of Subsource				

#	Step / Hook Details	Status	Duration
1	Given - Given user navigate to the Quiz page	PASSED	23.724 s
2	When - When Click on To button and Manager Check box	FAILED	4.238 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;span&gt;&lt;/span&gt; is not clickable at point (378, 248). Other element would receive the click: &lt;div _ngcontent-c1="" class="backdrop ng-star-inserted" style="border-radius: 0px; background-color: rgba(0, 0, 0, 0.3);"&gt;&lt;/div&gt; (Session info: chrome=91.0.4472.114) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-PU3962Q', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870..., userDataDir: C:\Users\BWS-TE~1\AppData\Local\Temp\chrome-options-debuggerAddress: localhost:59460}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 285f1b00b49c4aef99947075b10d8e34</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)  at sun.reflect.GeneratedMethodAccessor98.invoke(Unknown Source)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)  at com.sun.proxy.\$Proxy22.click(Unknown Source)  at com.pages.QuizPage.clickon_Manager_Check_Box(QuizPage.java:563)  at Parallel.QuizTest.click_on_to_button_and_manager_check_box(QuizTest.java:537)  at ?.Click on To button and Manager Check box(file:///C:/Users/BWS-Tester/git/SubSource/src/test/resources/Parallel/Quiz.feature:94)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.210 s
	To_validate_the_Manager_Edit_button		
			

(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) To Verify the basic functionalities for  
choose template edit button

(F) To test the Quiz Module functionality  
of Subsource

(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) To validate the creating New Quiz  
Template,Edit Quiz Template Name and  
Delete the Quiz Teamplate

(F) To test the Quiz Module functionality  
of Subsource

**SUBSOURCE**

Quiz

Message / Sent / Subscriptions

To No Employee(s) Selected

Choose Template test Data 23

Title: Untitled form

Description

test Data

Passing (%):

90

Questions

Q1. Felicity now law securing breeding likewise extended

Checkbox

☐ Option 1☒ x☐ Option 2☒ x☐ Option 3☐ x

Q1. present p.m of india ?

Checkbox

☐ Rahul☐ x☐ modi☒ x☐ sonia☐ x

Add Option



Q2. present india cricket team captain ?

Checkbox

☐ Rohit☒ x☐ rahul☐ x☐ kohli☒ x

Add Option



Q3. indian captial ?

Checkbox

☐ Option 1 newdelhi☒ x☐ delhi☒ x☐ kolkata☒ x

(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) to verify the creating new quiz  
Template by enetring invalid data

(F) To test the Quiz Module functionality  
of Subsource

Q1.

present p.m of india ?

Checkbox

☐ Rahul

☐ modi

☐ sonia

Add Option

☒ x

☒ x

☐ x

Q2.

present india cricket team captain ?

Checkbox

☐ Rohit

☐ rahul

☐ kohli

Add Option

☒ x

☐ x

☒ x

Q3.

indian captial ?

Checkbox

☐ Option 1 newdelhi

☐ delhi

☐ kolkata

Add Option

☒ x

☒ x

☒ x

(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) to verify the basic functionality for  
subscription

(F) To test the Quiz Module functionality  
of Subsource

Q1.

present p.m of india ?

Checkbox

☐ Rahul

☐ modi

☐ sonia

Add Option

☐ x

☒ x

☐ x

Q2.

present india cricket team captain ?

Checkbox

☐ Rohit

☐ rahul

☐ kohli

Add Option

☒ x

☐ x

☒ x

Q3.

indian captial ?

Checkbox

☐ Option 1 newdelhi

☐ delhi

☐ kolkata

Add Option

☒ x

☒ x

☒ x

(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) To Validate the basic functionality for  
Save and Send button

(F) To test the Quiz Module functionality  
of Subsource

The screenshot shows the SUBSOURCE Quiz creation interface. The top bar has the SUBSOURCE logo and user avatars. The left sidebar contains various icons. The main area is titled 'Quiz' and shows a 'Message / Sent / Subscriptions' breadcrumb. Below this, there's a 'To' field with 'No Employee(s) Selected'. A list of roles is displayed: All, Manager (146), Asst. Manager (60), Supervisor (17), PIC (76), Sandwich Artist Pro (20), and Sandwich Artist (849). A 'Choose Template' dropdown is set to 'test Data 23'. The 'Title' field is 'Untitled form' and the 'Description' field is 'test Data'. The 'Passing (%)' field is set to 90. The 'Questions' section shows a single question: 'Q1. Felicity now law securing breeding likewise extended' with a 'Checkbox' answer type and 'Option 1' as the only option.

(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) To Validate the basic functionality of  
Upate Template button

(F) To test the Quiz Module functionality  
of Subsource

The screenshot shows the SUBSOURCE Quiz editing interface. The top bar has the SUBSOURCE logo and user avatars. The left sidebar contains various icons. The main area is titled 'Quiz' and shows a 'Message / Sent / Subscriptions' breadcrumb. Below this, there's a 'To' field with 'No Employee(s) Selected'. A list of roles is displayed: All, Manager (146), Asst. Manager (60), Supervisor (17), PIC (76), Sandwich Artist Pro (20), and Sandwich Artist (849). A 'Choose Template' dropdown is set to 'test Data 23'. The 'Title' field is 'Untitled form' and the 'Description' field is 'test Data'. The 'Passing (%)' field is set to 90. The 'Questions' section shows two questions: 'Q2. present india cricket team captain ?' and 'Q3. indian captial ?'. Both questions have a 'Checkbox' answer type. Question 2 has three options: Rohit, rahul, and kohli. Question 3 has three options: Option 1 newdelhi, delhi, and kolkata. The interface includes 'Add Option' buttons and checkboxes for each option. At the bottom, there are buttons for 'Save Template', 'Send', and 'Cancel'.

(F) To test the Quiz Module functionality of Subsource

[illegible]

(F) To test the Quiz Module functionality of Subsource

To ▾ No Employee(s) Selected

Choose Template

test Data 23 ▾ ✎

Title:

Untitled form

Description

test Data

Passing (%):

90

Questions

⋮ Q1.

Felcity now law securing breeding likewise extended

Checkbox ▾

☐ Option 1

☒ ✕

☐ Option 2

☒ ✕

☐ Option 3

☐ ✕

Add Option

⋮ Q2.

Article nor prepare chicken you him now.

Radio Button ▾

☐ Option 1

☒ ✕

☐ Option 2

☒ ✕

☐ Option 3

☐ ✕

Add Option



(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) To Verify the copy button

(F) To test the Quiz Module functionality  
of Subsource

The screenshot shows the 'Quiz' module interface. At the top, there's a 'Message / Sent / Subscriptions' header. Below it, a 'To' field shows 'No Employee(s) Selected'. A 'Choose Template' dropdown is set to 'test Data 23'. The 'Title' field is 'Untitled form'. The 'Description' field contains 'test Data'. A 'Passing (%)' field is set to '90'. Under the 'Questions' section, there's a question 'Q1. Felicity now law securing breeding likewise extended Question' with a 'Radio Button' type. It has three options: 'Answer1', 'Answer2', and 'Answer3'. 'Answer2' is selected. There's an 'Add Option' button. On the right side of the question, there are checkboxes for 'Correct' (checked) and 'Incorrect' (unchecked).

(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) To Valiadte The basic functionality of  
Save new tenplate

(F) To test the Quiz Module functionality  
of Subsource

The screenshot shows a list of three questions in the Quiz module. Each question has a title, a type (Checkbox), and a list of options. The first question is 'Q1. present p.m of india ?' with options 'Rahul', 'modi', and 'sonia'. 'modi' is selected. The second question is 'Q2. present india cricket team captain ?' with options 'Rohit', 'rahul', and 'kohli'. 'Rohit' and 'kohli' are selected. The third question is 'Q3. indian captial ?' with options 'Option 1 newdelhi', 'delhi', and 'kolkata'. 'Option 1 newdelhi', 'delhi', and 'kolkata' are all selected. Each question has an 'Add Option' button and checkboxes for 'Correct' and 'Incorrect' status.

(Step) AFTER - Parallel.ApplicationHooks.  
tearDown(io.cucumber.java.Scenario)

(S) To validate the Manager Edit button

(F) To test the Quiz Module functionality  
of Subsource

The screenshot displays the SUBSOURCE Quiz module interface. The header shows the SUBSOURCE logo and navigation icons. The main content area is titled 'Quiz' and includes a breadcrumb 'Message / Sent / Subscriptions'. Below this, there is a 'To' field with a dropdown menu showing 'No Employee(s) Selected'. A list of roles with checkboxes is provided: All, PIC (76), Manager (146), Sandwich Artist Pro (20), Asst. Manager (60), Sandwich Artist (849), and Supervisor (17). A 'Select Roles' link is also present. The 'Choose Template' section features a dropdown menu with 'Create new template...' and three dots. The 'Title' field is labeled 'Untitled form'. The 'Description' field is a large text area. The 'Passing (%)' field is set to 90. The 'Questions' field is a large text area. At the bottom right, there are buttons for 'Save Template', 'Send', and 'Cancel'.