

Make definitions easy to recognize.

A focused review of the underlined labels and the missing definition action in nested breadcrumbs.

CURRENT / FACT LABELS

Kept	States	Arcs	Changed by
4	2	2	2

The underline carries an ambiguous promise.

Kept, States, Arcs, and Changed by look like links. Clicking opens a definition in place. This matches the confusion you described; a help mark would make that action more explicit.

WHAT WAS VERIFIED


These controls are click-to-open popovers. They have interactive definitions and a documentation link. Their content design can stay as it is.

Evidence: Chrome DevTools MCP and source review. Proposals use temporary DOM/CSS studies; added breadcrumb and group actions are illustrative.

?

Recommendation: a quiet, persistent question mark for definitions, with a separate help button beside navigable breadcrumb labels.

CURRENT / COLLECTION BREADCRUMB



AFTER OPENING BLUEPRINT



The definition action disappears at depth.

The nested branch renders Entities as a navigation button. Its hover tooltip repeats the label; it no longer opens the Entity definition.

Choose how visible help should be.

All three remove the dotted underline from the fact labels. These are temporary browser studies.

A / RECOMMENDED

Always-visible question mark

Kept ?	States ?	Arcs ?	Changed by ?
4	2	2	2

A direct clue beside every helpable label. The label and mark share one button, so the small icon is easy to activate.

Tradeoff: four facts add four small marks.

B / ALTERNATIVE

Reveal the mark on hover or focus

Kept	States ?	Arcs	Changed by
4	2	2	2

Keeps the resting page quieter. Show the mark when the label is hovered or focused; show it persistently on touch devices.

Tradeoff: readers must discover that labels offer help.

C / ALTERNATIVE

One action for the whole fact row

Kept	States	Arcs	Changed by	? Field definitions
4	2	2	2	

Field definitions opens the existing Vocabulary at Entities. This reduces repeated marks and keeps labels visually plain.

Tradeoff: readers then locate their term in the panel.

?

i

I would use ? for a question about a term. An i is a reasonable visual alternative, but suggests broader information. Choose one symbol consistently.

Keep help beside the resource type.

Use the same marker at every depth. A navigable label and its definition need separate sibling controls.

PROPOSED / VISUAL STUDIES

01 / COLLECTION

 **BusinessLens** >  **Entities** ⓘ 16

Entities + ⓘ opens the Entity definition. The collection count remains a count.

02 / RESOURCE

 **BusinessLens** >  **ENTITIES** ⓘ > **Blueprint**

Entities goes back to the collection. ⓘ opens the Entity definition. **Blueprint** names the current resource.

03 / SCENARIO WITH A PARENT

 **BusinessLens** >  **CAPABILITIES** ⓘ > **Export a Blueprint** > **Export a portable Blueprint**

Capabilities and **Export a Blueprint** keep their navigation. The help mark beside **Capabilities** explains Capability.

Attach the definition to the type.


Resource names such as Blueprint are instances. Do not turn every breadcrumb segment into a glossary term. The page-specific Vocabulary remains available.

INTERACTION RULE

Label navigates. Mark explains.
No nested buttons or competing click actions.

Give a small mark a usable target.

The marker adds width. Keep it visible while giving the current page name enough room to read.



Use a larger invisible button area

Start with a 14px icon and a 4px label gap. Use a 24px-high combined field trigger on desktop and 32px on touch. A standalone breadcrumb help button can be 44px square on touch.

A naive insertion crowds the title

At 320px, adding the touch target without adjusting spacing leaves only about 25px for Blueprint. This is the initial browser study:



Compact spacing recovers the reading


The 320px variant reduces toolbar gaps, removes the redundant type icon, and tightens spacing between facts. Blueprint stays readable and all four facts fit on one row.

Longer and deeper trails still need an overflow check: shorten ancestor labels first and keep the help button reachable. These previews do not establish every responsive case.

Ship the marker with the breadcrumb fix.

Option A offers the clearest local lookup. Preserve the approved definition card and the current-page Vocabulary behavior.

A / SAME DEFINITION CARD



The card already has the right hierarchy.

Keep its 336px width, 16px padding, 14px title and body, and the smaller documentation action beneath the definition. The new mark changes the invitation to open it.

Apply the mark to existing definition triggers in fact labels, headings, and the report header. Cross-references inside definitions already lead into Vocabulary; avoid adding an icon after every word there.

IMPLEMENTATION SCOPE

BlrTerm.vue

Add the marker and a compact icon-only variant. Retain the existing popover, focus return, and vocabulary handoff.

BlrReportShell.vue

Carry the collection term into the breadcrumb trail and render a sibling help control in both desktop and mobile branches. Keep each navigation action intact.

BEFORE IMPLEMENTATION IS CONSIDERED COMPLETE

1. Collection, resource, and Scenario trails retain the correct definition.
2. Label navigation and help remain distinct; opening help leaves the URL unchanged.
3. Enter / Space opens, Escape closes, and focus returns to the trigger.
4. Check 320px, 390px, desktop, long labels, and both themes; preserve Vocabulary context and history.

Use an accessible name such as "Entities - what Entity means"; make the icon decorative. Keep controls comfortably sized. WCAG 2.2 sets a 24 x 24px minimum target rule with exceptions; the touch sizes above are design recommendations. [W3C target-size guidance](#).

Breadcrumbs express navigation through parent pages. [W3C breadcrumb pattern](#).