

Cucumber Report



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Functionality	21.242 s	1	1	0	0	3	3	0	0
Country Multi Scenerio	41.411 s	1	0	1	0	6	5	1	0
DataTable Functionality	1 m 16.382 s	3	3	0	0	30	30	0	0


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@SmokeTest	1	1	0	0	1	1	0	0
@Regression	5	4	1	0	3	2	1	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	1	0	0	21.242 s
2	Country Multi Scenerio	1	0	1	0	41.411 s
3	DataTable Functionality	3	3	0	0	1 m 16.382 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	Login with valid username and password	3	3	0	0	21.233 s
2	Country Multi Scenerio	Create a country 2	6	5	1	0	41.411 s
3	DataTable Functionality	Create Country	10	10	0	0	26.566 s
4	DataTable Functionality	Create Nationality	10	10	0	0	24.449 s
5	DataTable Functionality	Fees Functionality	10	10	0	0	25.310 s

DETAILED SECTION -- 6 --

Login Functionality


PASSED	DURATION - 21.242 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 9:47:35.237 PM	// 9:47:56.479 PM /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login with valid username and password




#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	8.183 s
2	When Enter username and password and click login button	PASSED	1.443 s
3	Then User should login successfully	PASSED	5.131 s

Country Multi Scenerio



Create a country 2

DETAILED SECTION -- 7 --




#	Step / Hook Details	Status	Duration
	Given Navigate to Campus	PASSED	5.519 s
	When Enter username and password and click login button	PASSED	1.501 s
	Then User should login successfully	PASSED	3.794 s
	And Navigate to country page	PASSED	1.235 s
;	When create a country name as "BusraUl1" code as "bu868"	PASSED	3.041 s
	Then Success message should be displayed	FAILED	20.220 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.verifyContainsTextFunction(Parent.java:48) at StepDefinitions02CountrySteps.successMessageShouldBeDisplayed(_02CountrySteps.java:35) at ?.Success message should be displayed(file:///C:/Users/Busra/IdeaProjects/Cucumber5/src/test/java/FeatureFiles/_03CountryMultipleScenerios.feature:17) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"//div[contains(text(), successfully')]")" (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/lhosuchelement Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0351' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf9635fcce1252774efeef24a4fc5979, findElement {using=xpath, value=//div[contains(text(), successfully')]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (cf10e93d5b63, userDataDir: C:\Users\Busra\AppDataLoca}}, goog:chromeOptions: {debuggerAddress: localhost:52128}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy: Proxy(), se:cdp: ws://localhost:52128/devtoo, se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: op ageLoad 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.\$Proxy25.getText(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:346)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:342)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at Pages.Parent.verifyContainsTextFunction(Parent.java:48)		
	at StepDefinitions02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		


#	Step / Hook Details	Status	Duration
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		
	at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
	* Not displayable characters are replaced by '?'.		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	6.089 s
	screenshot		
	Commission		

DataTable Functionality



DETAILED SECTION -- 10 --


Create Country



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	6.882 s
2	When Enter username and password and click login button	PASSED	1.623 s
3	Then User should login successfully	PASSED	5.230 s
4	And Click on the element in LeftNav	PASSED	1.018 s
	setup parameters countries		
5	And Click on the element in Dialog	PASSED	1.016 s
	addButton		
6	And User sending the keys in Dialog Content	PASSED	1.461 s
	nameInput bsra98trdgd95 codeInput b984dfgdg985		
7	And Click on the element in Dialog	PASSED	0.239 s
	saveButton		
8	Then Success message should be displayed	PASSED	0.616 s
9	And User delete item from Dialog Content	PASSED	1.917 s
	bsra98trdgd95		
10	Then Success message should be displayed	PASSED	0.652 s


Create Nationality

DETAILED SECTION -- 11 --



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	6.371 s
2	When Enter username and password and click login button	PASSED	2.074 s
3	Then User should login successfully	PASSED	4.072 s
4	And Click on the element in LeftNav	PASSED	1.462 s
	setup parameters nationalities		
5	And Click on the element in Dialog	PASSED	0.820 s
	addButton		
6	And User sending the keys in Dialog Content	PASSED	0.406 s
	nameInput bsra564546		
7	And Click on the element in Dialog	PASSED	0.212 s
	saveButton		
8	Then Success message should be displayed	PASSED	0.614 s
9	And User delete item from Dialog Content	PASSED	1.532 s
	bsra564546		
10	Then Success message should be displayed	PASSED	0.606 s

Fees Functionality



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	5.845 s
2	When Enter username and password and click login button	PASSED	1.874 s
3	Then User should login successfully	PASSED	4.101 s
4	And Click on the element in LeftNav	PASSED	1.438 s
	setup parameters fees		
5	And Click on the element in Dialog	PASSED	0.994 s
	addButton		
6	And User sending the keys in Dialog Content	PASSED	1.372 s
	nameInputbrsa5678codeInputbrs5845integrationCode30priority1898		
7	And Click on the element in Dialog	PASSED	0.535 s
	toggleBar saveButton		
8	Then Success message should be displayed	PASSED	0.599 s
9	And User delete item from Dialog Content	PASSED	1.637 s
	brsa5678]	
10	Then Success message should be displayed	PASSED	0.603 s