



Materials Equipment & Components Global Fee Scale 2026 for Clients, Version 2.0



1	Content	i
2	Version Control	1
3	Introduction.....	2
3.1	Description of Method	2
3.2	Application and request for survey.....	2
3.3	Work carried out outside normal working hours.....	2
3.4	Zonal Travel	2
3.5	Remote and Data Driven Surveys.....	3
3.6	Minimum Fee	3
3.7	Services and Products (including Statutory) not included on the MEC Global Fee Scale	4
3.8	Maximum limits	4
3.9	Waiting time, retesting of products, reissuing of LR certificates & excessive survey/meeting, cancellation.....	4
3.10	Repair and Reconditioned products	4
4	Materials.....	5
4.1	Rolled and Extruded Metal Products – applicable only at LR Approved Manufacturers Site.....	6
4.2	Castings.....	7
4.2.1	Castings – applicable only at LR Approved Manufacturers Site.....	7
4.2.2	Castings-Finished Condition	7
4.3	Forgings.....	8
4.3.1	Forgings – applicable only at LR Approved Manufacturers Site.....	8
4.3.2	Forgings – Finished Condition	8
4.4	Cancelled	8
4.5	Testing/Retesting/Validation of Materials/Transfer of Marks.....	9
4.5.1	Testing/Retesting/Validation of Materials.....	9
4.5.2	Transfer of Marks.....	9
4.6	Pipe & Tube (Seamless/Welded/Stainless Steel) – applicable only at LR Approved Manufacturers Site	10
4.7	Pipe & Tube (Aluminium Alloy) – applicable only at LR Approved Manufacturers Site	10
4.8	Pipe & Tube (Copper Alloy) – applicable only at LR Approved Manufacturers Site.....	10
5	Electrical Equipment & Components	11
5.1	Motors.....	12
5.2	Generators.....	13
5.3	Electrical Cables.....	14
5.4	Transformers, Converters & UPS (Uninterruptible Power Supply)	14



5.5	Bus Bar Trunking System	15
5.6	Main Switchboard & Emergency Switchboard.....	15
5.7	Standard Control, Alarm & Safety System/ Panels	16
5.8	Local, Individual, Group Starter Panels	16
5.9	Alternative Marine Power for Shore Connection Panels.....	17
5.10	High Voltage Bow Thruster Panels, Electric Motor Starter Panels. This include DC-systems which are below HV.....	17
5.11	Miscellaneous Electrical Components.....	18
6	Engines and Fuel Cells	19
6.1	Main Oil Engines.....	20
6.2	Auxiliary Oil Engines	21
6.3	Auxiliary Engines for Emergency Use	22
6.4	NOx Test for Non LR Classed Ships.....	23
6.5	Fuel Cells and Fuel Cell Assembly Systems	23
6.5.1	Fuel Cell Module.....	23
6.5.2	Fuel Cell Assembly Systems including/excluding Hydrogen	23
7	Engine & Propulsion Components.....	24
7.1	Gearing for Propulsion.....	25
7.2	Propellers.....	26
7.3	Voith-Schneider Propellers.....	26
7.4	Cancelled	26
7.5	Cancelled	27
7.6	Semi-built Crankshaft	27
7.7	Turbochargers	27
7.8	Auxiliary Engine Generator Sets	28
7.9	Bedplates, Framebox & Column.....	28
7.10	Mass Produced Miscellaneous Engine Components - no longer be used. Please use 10.9 instead.....	29
7.11	Podded Propulsion Units.....	29
7.12	Cancelled	29
8	Hull Equipment.....	30
8.1	Anchors	31
8.2	Chain Cables	31
8.2.1	Chain Cables and Chain Cable fittings, for Anchoring and Mooring	31
8.2.2	Divided Anchor Chain Cables	31
8.3	Bow & Stern Thrusters	32
8.4	Accommodation Ladder & Associated Winch and Standard Gangway	32



8.5	Welded Structure	32
8.6	Rope Ladder, Pilot (Rope) Ladder and Embarkation Ladder	33
8.7	Side Scuttles, Windows with Frame and Windows Glass Panes	33
8.7.1	Side Scuttles and Windows with Frame	33
8.7.2	Windows Glass Panes	33
8.8	Container Securing Arrangements	33
8.9	Anchor Chain Stopper	34
9	Lifting Appliances	35
9.0	Lifting Appliances definitions.....	36
9.1	Shipboard Crane Certification, Gantry Cranes.....	37
9.2	Shipboard Crane Certification, Jib & Luffing Cranes, Tender Boat and Rescue Cranes.....	37
9.3	Spreader and lifting beams, Masts, Derrick Posts & Derricks (Welded Construction).....	38
9.4	Masts, Derrick Posts & Derricks (Seamless Tubular Construction)	38
9.5	Shipboard Crane Certification Engine Room Overhead Cranes	38
9.6	Proof Load Test for Loose Gear (Shackles, Hooks, Stretching Screws, Blocks, Tackles Etc).....	39
9.7	Shackles & Swivels.....	39
9.8	Steel Wire & Fiber Ropes	40
9.9	Winches For Cargo Gear and other winches.....	40
10	Machinery Equipment.....	41
10.1	Pumps	42
10.2	Compressors, Evaporators & Condensers for Refrigeration Plant - no longer be used	42
10.3	Reciprocating Air Compressors	42
10.4	Turbo Compressors, Screw Compressor and Rotary Air Compressors	43
10.5	Valves.....	43
10.6	Mechanical Ventilators - no longer be used	43
10.7	Gearing for Non-Propulsion Purposes	44
10.8	Inert Gas and N2 Generators	44
10.9	Miscellaneous Machinery Components.....	45
10.10	Fabricated Pipes, Hoses & Tubes, Expansion Bellows	45
10.11	Tank Welded Structure.....	45
10.12	Oil Filtering Equipment & Oil Separators	46
10.13	Machinery Units/Skid.....	46
10.14	Hydraulic Cylinders	47
11	Outfitting Equipment & Components.....	48
11.1	Windows Glass Panes - no longer in use. Please use 8.7.2 instead	49



11.2	Rudder Assembly	49
11.3	Hatch Covers.....	49
11.4	Mooring Components for Single Point Mooring Systems (including Stopper, Fairlead & Pedestal) and Emergency Towing Arrangement	49
11.5	Shell Doors	50
11.5.1	Below 2.5m ²	50
11.5.2	Above 2.5m ²	50
11.6	Watertight/Weathertight Small Hatches & Doors.....	50
11.7	Windlasses for Anchoring Equipment.....	51
11.8	All Types of Steering Gears	51
12	Pressure Vessels.....	52
12.1	Boilers.....	53
12.2	Exhaust Gas Economisers.....	53
12.3	Plate Type Heat Exchangers.....	53
12.4	Shell Type Heat Exchangers and Electrical Heaters	54
12.5	Box Coolers	54
12.6	Unfired Pressure Vessels	54
12.7	Pipe Fittings & Flanges.....	56
12.8	Miscellaneous Boiler Components	56
12.9	Mass Produced Solid Drawn or Welded Gas Cylinders (e.g. CO2 bottle)	56
13	LNG/CCS Components	57
13.1	Boil off Gas Compressors	58
13.2	Type C Tank to be included Liquid Gas Cargo and Fuel Tanks (LNG, Ammonia, etc).....	58
13.3	Type B Tank to be included Liquid Gas Cargo and Fuel Tanks (LNG, Ammonia, etc).....	58
13.4	Cargo Tank Insulation.....	58
13.5	Fuel Gas Supply Unit/Station.....	59
13.6	Cargo Containment System & Metallic Component for GTT's NO96 and MARK III/V.....	59
14	Appendix I – Country Factors (Local Currency)	60
15	Appendix II - Minimum Fee (Local Currency)	61
16	Appendix III – Zonal Travel Fees	62
17	Appendix IV – Hourly Rate (Local Currency).....	63

2 Version Control

Version	Published	Notes
Version 1	17 th November 2023	
Version 2	5 th December 2023	
Version 3	21 st December 2023	Updated to include 24 FX rates
Version 4	27 th March 2024	Effective 29 th April 2024
Version 5	30 November 2024	Effective 1 st January 2025
Version 6	30 November 2025	Effective 1st January 2026
General updates - Additional clarification notes on the application of this Fee Scale - Replacement of the Minimum fee by Fee Unit in the lower segment (when applicable) - Changes are marked in Green Chapter 4 - Materials 4.1 New material included - Cladded/Triclad Material - Updated of Fee modifiers: 4.2/4.3/4.5 Chapter 5 – Electrical Equipment & Components - Updated of Fee modifiers: 5.6/5.8 5.7 New system included Chapter 6 – Engines and Fuel Cells - NEW section 6.4 - NOx Test for Non LR Classed Ships - NEW section 6.5 – Fuel Cells Chapter 7 – Engine & Propulsion Components 7.7 Updated Fee Units 7.10 no longer in use - use 10.9 Chapter 8 – Hull Equipment - NEW 8.2.1 Chain Cables and Chain cable fittings for Anchoring and Mooring - NEW 8.2.2 Divided Anchor Chain Cables 8.4/8.6/8.7 Updated Fee Units - New 8.7.2 Windows Glass Panes		Chapter 9 – Lifting Appliances - Updated definition of the components 9.2 update of the fee units in the 2 first segments Chapter 10 – Machinery Equipment 10.2/10.6 No longer in use 10.8/10.9/10.10/10.11/10.13 Update Fee Units Chapter 11- Outfitting Equipment & Components 11.1 no longer in use - use 8.7.2 11.4/11.5.1/11.6 Update Fee Units Chapter 12 Pressure Vessels 12.4 Updated Fee Modifier 12.8 Updated Fee Units Chapter 13 - LNG/CCS Components 13.1 Updated Fee Units - NEW 13.3 - Type B Tank - NEW 13.4 - Cargo Tank Insulation - NEW 13.5 - Fuel Gas Supply Unit/Station - NEW 13.6 - Cargo Containment System & Metallic Component for GTT's NO96 and MARK III/V Appendix - Updated



3 Introduction

3.1 Description of Method

The Lloyd's Register (LR) Materials, Equipment & Components (MEC) Global Fee Scale (GFS) is the pricing catalogue of direct and remote surveys/inspections. The total invoiced price for each project (as applicable), including travel, is as shown below:

Total invoiced amount per project = (Fee Unit x Country Factor x Product Quantity) + Zonal Travel Fee

Invoicing Principles:

- The total invoiced amount per project is subject to a minimum fee check.
 - For each invoice, the calculated fee must be compared against the minimum fee defined in section 3.6.
 - The higher amount will be applied for final invoicing.
- Design appraisal for all products is charged separately and is out of scope of this GFS.
- Prototype evaluation for all products is charged under section 3.7.

3.2 Application and request for survey

Inspections for all components outlined on the Products & Service Register and therefore contained in this fee scale shall be requested via the MEC Workbench (MEC WB). Applications outside of the MEC WB shall not be accepted unless special agreement, in writing, is received from LR.

3.3 Work carried out outside normal working hours

Additional fees for work carried out outside the normal working hours will be charged as follows:

1. Monday to Friday from 7.00 p.m. to 7.00 a.m. will be charged at 25% of the hourly rate in addition to the product fee.
2. Friday 7.00 p.m. to Monday 7.00 a.m. and during public holidays will be charged at 50% of the hourly rate in addition to the product fee.

Monday to Friday daytime	Product Fee only
Monday to Friday overtime	Product Fee + (hourly rate * 0.25 * Number of Hours)
	Example: 2 Hours Overtime: Product Fee + 300GBP * 0.25 * 2
Weekend and Public Holidays	Product Fee + (hourly rate * 0.5 * Number of Hours)
	Example: 2 Hours Overtime: Product Fee + 300GBP * 0.5 * 2

3.4 Zonal Travel

Zonal Fee Policy

- A single fee is charged per project, covering all travel and expenses.
- Applicable fees are listed in Appendix III and are determined by the country where the survey takes place.
 - a. Example: A survey in the UK for a Zone A client is charged at the UK Zone A rate.

Zone A-E

- Fees are based on the average number of projects and client visits.
- Charged per project, not per visit or attendance.
- The zonal fee is not split between visits: only one fee is charged per MEC WB project.

Zone F

- Charged per visit.



- All expenses (including mileage, where applicable) are included in the Zone F fee and are not invoiced separately (see Appendix III).
- LR will make all efforts to transfer clients from Zone F to Zone A–E at the earliest opportunity.

3.5 Remote and Data Driven Surveys

The LR definition of a Remote Survey:

- A remote survey is a survey that is conducted without the Surveyor being directly in attendance e.g. not being on-board an asset or visiting an office or manufacturing site.
- Instead, the Surveyor is remote and undertakes their survey by employing remote technique tools, such as
 - Reviewing a live audio-visual stream
 - Monitoring data stream or
 - Assessing submitted information and review information (i.e. data), such as reports, photographs and condition data.
- Charging Principle: Remote and Data Driven surveys are to be charged at the fee outlined for the respective product and without travel fees.

$$\text{Total Invoiced Amount} = \text{Fee Unit} * \text{Country Factor} * \text{Product Quantity}$$

Fee Modifiers (FM):

A 100% Remote Survey will be charged with a FM of **plus 10%** on the calculated Fee pro certificate

Example: 100 Valves DN 30 (15 FU each) = $100 * 15 \text{ FU} * 1.1 = 1650 \text{ FU}$

Example: 1 Valve DN 30 (15 FU) = $1 * 15 \text{ FU} * 1.1 = 16.5 \text{ FU} = \text{Minimum Fee}$

3.6 Minimum Fee

Unless explicitly mentioned in the relevant product section each product is subject to a minimum fee to be charged in accordance with Appendix II, [see notes for further information.](#)

Application Notes:

1. Note: A project must be started and finished on the same **single visit** to be eligible for Minimum Fee splitting.
2. Should more than one project in a visit trigger a minimum fee (i.e. the project value is less than the base minimum fee as per Appendix II) then the minimum fee is to be split, up to a maximum of three projects for which Minimum Fee applied.

Number of projects completed during attendance	Total fee to be charged for the attendance	Fee per project
1	Minimum Fee x 1	Minimum fee
2	Minimum Fee x 1	Minimum fee/2
3	Minimum Fee x 1	Minimum fee/3
4	Minimum Fee x 2	(Minimum fee x 2)/4
5	Minimum Fee x 2	(Minimum fee x 2)/5
6	Minimum Fee x 2	(Minimum fee x 2)/6
7	Minimum Fee x 3	(Minimum fee x 3)/7
8	Minimum Fee x 3	(Minimum fee x 3)/8
9	Minimum Fee x 3	(Minimum fee x 3)/9
10	Minimum Fee x 4	(Minimum fee x 4)/10
11	Minimum Fee x 4	(Minimum fee x 4)/11
12 etc	Minimum Fee x 4 etc	(Minimum fee x 4 etc)/12



3.7 Services and Products (including Statutory) not included on the MEC Global Fee Scale

The LR MEC Products & Services Register (available on request¹) outlines those products and services for which the MEC GFS is applicable. All other products, that do not fall within the scope of this GFS, are to be charged as per an agreed local fixed rate or as per hourly rates, as follows:

Total invoiced amount = fixed fee agreed locally

Total invoiced amount = (LHR¹ x No. of hours attending survey) + (LHR¹ x No. of hours spent reporting) + Zonal Fee²

Application Notes:

1. LHR = Local hourly rate as per Appendix IV
2. If a Zonal Fee has not been determined for a client, then travel is to be charged at zone F as per Appendix III

3.8 Maximum limits

Each fee scale is capped by a maximum limit outlined within the relevant fee scale section. Products beyond this limit are to be charged in accordance with an interpolated rate based on the calculation of that applicable fee scale section.

3.9 Waiting time, retesting of products, reissuing of LR certificates & excessive survey/meeting, cancellation

Prices in this Fee Scale are based upon standard survey times and normal test occurrences. Should excessive waiting times occur, extensive retesting be required or if a survey of a component takes considerably longer than a standard time period (e.g. if the time spent exceed the calculated value) for that product, then that time will be charged at local hourly rate (as per Appendix IV) to cover the costs incurred for that survey, retest or waiting time. These costs will be charged in addition to the normal calculated Fee.

Application Notes:

1. That “3.9 Retesting of Products” does not cover those items under 4.5 Testing/Retesting/Validation of Materials/Transfer of Marks
2. LR reserves the right to charge for cancellations made less than 24 hours before the scheduled survey. Any costs incurred due to the cancellation, including travel and time spent, will be charged on a pro-rata basis according to LR's current travel and hourly rates.

3.10 Repair and Reconditioned products

Repaired Products: Products previously in use with a rectified defect, to be charged under 3.7.

Re-conditioned Products: Products previously in use, disassembled and renewed with like-for-like parts, to be charged at the standard product fee.

¹ Due to the size of this document, it is not practicable to include it as an appendix this fee scale. Should it need to be referenced please email local LR contact or request via the LR website (www.lr.org/en/contact-us/)



4 Materials

Product	Fee Scale to be used
Rolled Steel	Rolled and Extruded Metal Products (4.1)
Rolled and Extruded Aluminium Products	

Product	Fee Scale to be used
Steel casting as cast/rough machined/final machined	Castings (4.2)
Copper Alloy casting as cast/rough machined/final machined	
Aluminium Alloy casting as cast/rough machined/final machined	
Stainless Steel Castings as cast/rough machined/final machined	

Product	Fee Scale to be used
Steel forgings as forged/rough machined/final machined	Forgings (4.3)
Copper Alloy as forged/rough machined/final machined	
Aluminium Alloy as forged/rough machined/final machined	
Stainless Steel as forged /rough machined/final machined	

Service	Fee Scale to be used
Testing, retesting and validation of materials including attendance at a laboratory	Testing/Retesting/Validation of materials/Transfer of Marks (4.5)

Product	Fee Scale to be used
Piping	Pipe & Tube (Seamless/Welded/Stainless Steel) (4.6)
	Pipe & Tube (Aluminium Alloy) (4.7)
	Pipe & Tube (Copper & Copper Alloy) (4.8)



4.1 Rolled and Extruded Metal Products – applicable only at LR Approved Manufacturers Site

Calculation	
Unit of Measure	Weight (Ton)
Minimum Fee per Project I. D	As per Appendix II

Application Notes:

1. The total weight named on the certificate is to be used for fee calculation
2. Steel Material – Extruded Sections, Profiles, Stiffeners will be covered by this section as well.
3. Welded structure as per 8.5

Material at the Approved Manufacturer	Fee Units (FU) Per Ton
(Industrial) Structural Steel (e.g. S235, S275, S355, S460, S690 etc)	10.10 FU
Normal Strength Steels for Ships – Grade A-E	13.01 FU
Higher Strength Steels for Ships – Grade AH, DH, EH, FH	14.56 FU
Austenitic & Duplex Stainless Steel	34.47 FU
Low Temperature / Hi-Mn/Hi-Nickel (21NiCrMo2, 5Ni, 9Ni)	15.83 FU
Boiler & Pressure Vessel Steel (e.g. P235, P265; P355, P460, 16Mo3)	14.56 FU
Aluminium (Alloys)	62.95 FU
Steel Round Bars for Chain Cable	22.16 FU
Special Steel Grades (NOT Stainless, NOT Alloy)	57.01 FU
Cladded/Triclad Material	62.95 FU

Fee Modifiers:

Where additional inspection is required, a 20% increase is applied to the final product fee.



4.2 Castings

Calculation	
Unit of Measure	Weight (kg)
Minimum Fee per Project I. D	As per Appendix II

Weight up to	Fee Units (FU)
Up to 20,000 Kg	12 FU Per 100 Kg
Over 20,000 Kg	1,200 FU + [6 FU Per 100 Kg]

Application Notes:

- Both lines in the table are stand on his own. No surplus or deduction between the two lines will apply.
 - Example: one piece of 19,900 Kg = 12 FU*199 = 2,388 FU
 - Example: one piece of 21,000 Kg = 1,200 FU+(6 FU*(21,000/100)) = 2,460 FU
- The total weight named on the certificate is to be used for fee calculation

4.2.1 Castings – applicable only at LR Approved Manufacturers Site

Fee Modifiers:
For unfinished products/materials – applicable only at Manufacturers Site
For materials delivered As Cast , a discount of 20% is applied to the final product fee.
For materials delivered As Rough , a discount of 10% is applied to the final product fee.
If a product is Stainless Steel , a 20% increase is applied to the final product fee.
If a product is Copper Alloy , a 20% increase is applied to the final product fee.
If a product is Alloy Steel , a 30% increase is applied to the final product fee.
If a product is Aluminium a 40% increase is applied to the final product fee.

4.2.2 Castings-Finished Condition

Fee Modifiers at the Approved Manufacturer Site:
For finished products at the Approved Manufacturer Site: If the Approved Manufacturer delivers LR Certificate for the component as finished, the full base fee (100%) applies — no reduction should be applied
If a product is Stainless Steel , a 20% increase is applied to the final product fee.
If a product is Copper Alloy , a 20% increase is applied to the final product fee.
If a product is Alloy Steel , a 30% increase is applied to the final product fee.
If a product is Aluminium a 40% increase is applied to the final product fee.
Fee Modifiers at the Machining Location:
For finished products delivered As Cast , a discount of 70% is applied to the final product fee.
For finished products delivered As Rough , a discount of 80% is applied to the final product fee.

Application Note

- The Base material used for final machining need to be delivered with LR Certificate/ 3.2 Manufactured certificate validated by LR



4.3 Forgings

Calculation	
Unit of Measure	Weight (kg)
Minimum Fee per Project I. D	As per Appendix II

Weight up to	Fee Units (FU)
Up to 20,000 Kg	16 FU Per 100 Kg
Over 20,000 Kg	1,600 FU + [8 FU Per 100 Kg]

Application Notes:

- Both lines in the table are stand on his own. No surplus or deduction between the two lines will apply.
 - Example: one piece of 19,900 Kg = 16 FU*199 = 3,184 FU
 - Example: one piece of 21,000 Kg = 1,600 FU+(8 FU*(21,000/100)) = 3,280 FU
- The total weight named on the certificate is to be used for fee calculation.

4.3.1 Forgings – applicable only at LR Approved Manufacturers Site

Fee Modifiers:
For unfinished products at the Approved Manufacturer – applicable only at Manufacturers Site:
For materials delivered As Forged , a discount of 20% is applied to the final product fee.
For materials delivered As Rough , a discount of 10% is applied to the final product fee.
If product is Stainless Steel, a 20% increase is applied to the final product fee.
If product is Copper Alloy, a 20% increase is applied to the final product fee.
If a product is Alloy Steel, a 30% increase is applied to the final product fee.
If a product is Aluminium a 40% increase is applied to the final product fee.

4.3.2 Forgings – Finished Condition

Fee Modifiers at the Approved Manufacturer Site:
For finished products at the Approved Manufacturer Site: If the Approved Manufacturer delivers LR Certificate for the component as finished, the full base fee (100%) applies – no reduction should be applied
If product is Stainless Steel, a 20% increase is applied to the final product fee.
If product is Copper Alloy, a 20% increase is applied to the final product fee.
If a product is Alloy Steel, a 30% increase is applied to the final product fee.
If a product is Aluminium a 40% increase is applied to the final product fee.
Fee Modifiers at the Machining Location:
For finished products delivered As Forged , a discount of 70% is applied to the final product fee.
For finished products delivered As Rough , a discount of 80% is applied to the final product fee.

Application Notes:

- The Base material used for final machining need to be delivered with LR Certificate/ 3.2 Manufactured certificate validated by LR

4.4 Cancelled.



4.5 Testing/Retesting/Validation of Materials/Transfer of Marks

4.5.1 Testing/Retesting/Validation of Materials

Calculation	
Unit of Measure	Heat Number (Charge Number)
Minimum Fee per Project I. D	As per Appendix II, 3.6 is not applicable
Maximum Limit for UoM:	50 Tons, above 50 tons special considerations required

Application Notes:

1. This section is to be used also for failed material retesting. In addition, the relevant product fee is also to be charged.
2. The total weight/heat number/charge named on the certificate is to be used for fee calculation

Item	Fee Units (FU)
Testing/Retesting/Validation of materials for first heat number/charge	550 FU
Testing/Retesting/Validation of materials per additional heat number/charge	150 FU
Testing/Retesting/Validation of Small cut-out below <u>1-ton total weight</u> during one project ID max 5 heat number/charges	550 FU

Fee Modifiers:

If product is **Stainless Steel**, a **20%** increase is applied to the final product fee.
 If product is **Copper Alloy**, a **20%** increase is applied to the final product fee.
 If a product is **Alloy Steel**, a **30%** increase is applied to the final product fee
 If a product is **Aluminium** a **40%** increase is applied to the final product fee
 If a product is **Forgings** a **20%** increase is applied to the final product fee
 If a product is **Casting** a **20%** increase is applied to the final product fee

4.5.2 Transfer of Marks

Calculation	
Unit of Measure	Heat Number (Charge Number)
Minimum Fee per Project I. D	As per Appendix II

Item	Fee Units (FU)
Transfer of Marks (for all items/ marks/ pieces per heat number/charge	95 FU



4.6 Pipe & Tube (Seamless/Welded/Stainless Steel) – applicable only at LR Approved Manufacturers Site

Calculation	
Unit of Measure	Weight (Kg)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	300,000 Kg, above 300,000 Kg, special considerations required

Type of Material	Weight up to	Fee Units (FU)
Seamless/Welded	Up to 20,000 Kg	8 FU Per 100 Kg
	Over 20,000 Kg	1,600 FU + [4 FU Per Additional 100 Kg]
Stainless Steel	Up to 20,000 Kg	9.6 FU Per 100 Kg
	Over 20,000 Kg	1,920 FU + [4.8 FU Per Additional 100 Kg]

Application Notes:

1. The total weight named on the certificate is to be used for fee calculation

4.7 Pipe & Tube (Aluminium Alloy) – applicable only at LR Approved Manufacturers Site

Calculation	
Unit of Measure	Weight (Kg)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	300,000 Kg, above 300,000 Kg, special considerations required

Weight up to	Fee Units (FU)
Up to 20,000 Kg	11.2 FU Per 100 Kg
Over 20,000 Kg	2,240 FU + [5.6 FU Per Additional 100 Kg]

Application Notes:

1. The total weight named on the certificate is to be used for fee calculation

4.8 Pipe & Tube (Copper Alloy) – applicable only at LR Approved Manufacturers Site

Calculation	
Unit of Measure	Weight (Kg)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	300,000 Kg, above 300,000 Kg, special considerations required

Weight up to	Fee Units (FU)
Up to 5,000 Kg	50 FU Per 100 Kg
Over 5,000 Kg	2,500 FU + [30 FU Per Additional 100 Kg]

Application Notes:

1. The total weight named on the certificate is to be used for fee calculation



5 Electrical Equipment & Components

Product	Fee Scale to be used
AC Motor	Motors (5.1)
DC Motor	
Propulsion Motors	
Power Take Off Motors connected to Gearing	
Product	Fee Scale to be used
AC Generator	Generators (5.2)
DC Generator	
Propulsion Generators	
Power Take-Off Generators	
Power Take-In system connected to Gearing	
Product	Fee Scale to be used
Electric Cables	Electric Cables (5.3)
Product	Fee Scale to be used
Transformers	Transformers, Converters & UPS (5.4)
Frequency Converters	
UPS Unit Uninterrupted Power Supply	
Product	Fee Scale to be used
Busbar Trunking System	Busbar Trunking System (5.5)
Product	Fee Scale to be used
Switchboard	Main Switchboard & Emergency Switchboard (5.6)
Emergency Switchboard	
Product	Fee Scale to be used
Control, Alarm and Monitoring	Standard Control, Alarm & Safety System/Panels (5.7)
Product	Fee Scale to be used
Electrical Console/Panel	Local, Individual, Group Starter Panels (5.8)
Product	Fee Scale to be used
Alternative Marine Power for Shore Connection Panels	AMP Panels I (5.9)
Product	Fee Scale to be used
High Voltage Bower Thruster Starter Panels	HV Bow Thruster Panels, Electric Motor Starter Panels (5.10)
Product	Fee Scale to be used
Miscellaneous Electrical Components	Miscellaneous Electrical Components (5.11)
Batteries	
Batteries used for Ship's Main Power	
Battery Cabinets	
Dynamic Breaking Assembly	
Neutral Earthing Resistor	
Filters	
Heaters	
Crankcase Lightning	
Exciters	
Lightning Conductor	
Slip Ring Assemblies	
Oil Water Interface Detector	



5.1 Motors

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II, 3.6 is not applicable
Maximum Limit for UoM:	30,000 kW. Above 30,000 kW special considerations required

Application Notes:

- If no Power Factor is available, then 0.8 is to be assumed to convert kVA to kW.

Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)
Up to 100	700 FU	1,800	2,100 FU	6,200	3,825 FU
125	800 FU	1,900	2,175 FU	6,400	3,900 FU
150	850 FU	2,000	2,250 FU	6,600	3,975 FU
175	900 FU	2,200	2,325 FU	6,800	4,050 FU
200	950 FU	2,400	2,400 FU	7,000	4,125 FU
250	1,000 FU	2,600	2,475 FU	7,200	4,200 FU
325	1,050 FU	2,800	2,550 FU	7,400	4,275 FU
400	1,100 FU	3,000	2,625 FU	7,600	4,350 FU
475	1,150 FU	3,200	2,700 FU	7,800	4,425 FU
550	1,200 FU	3,400	2,775 FU	8,000	4,500 FU
625	1,250 FU	3,600	2,850 FU	8,200	4,575 FU
700	1,300 FU	3,800	2,925 FU	8,400	4,650 FU
775	1,350 FU	4,000	3,000 FU	8,600	4,725 FU
850	1,400 FU	4,200	3,075 FU	8,800	4,800 FU
925	1,450 FU	4,400	3,150 FU	9,000	4,875 FU
1,000	1,500 FU	4,600	3,225 FU	9,200	4,950 FU
1,100	1,575 FU	4,800	3,300 FU	9,400	5,025 FU
1,200	1,650 FU	5,000	3,375 FU	9,600	5,100 FU
1,300	1,725 FU	5,200	3,450 FU	9,800	5,175 FU
1,400	1,800 FU	5,400	3,525 FU	10,000	5,250 FU
1,500	1,875 FU	5,600	3,600 FU	10,200	5,325 FU
1,600	1,950 FU	5,800	3,675 FU	N/A	N/A
1,700	2,025 FU	6000	3,750 FU	Over 10,200	5,325 FU + [75 FU Per Additional 200KW]

Fee Modifiers:

Note: High Voltage is defined as DC=1,500V and AC=1,000V

For High Voltage Equipment, a **20%** increase is applied to the final product fee.

For motors used for propulsion purposes, a **25%** increase is applied to the final product fee.

Volume Discounts:

For 2 Motors, a discount of **10%** is applied to the final product fee.

For 3 or more Motors, a discount of **15%** is applied to the final product fee.



5.2 Generators

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II, 3.6 is not applicable
Maximum Limit for UoM:	30,000 kW. Above 30,000 kW special considerations required

Application Notes:
1. If no Power Factor is available, then 0.8 is to be assumed to convert kVA to kW.

Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)
Up to 100	700 FU	1,800	2,100 FU	6,200	3,825 FU
125	800 FU	1,900	2,175 FU	6,400	3,900 FU
150	850 FU	2,000	2,250 FU	6,600	3,975 FU
175	900 FU	2,200	2,325 FU	6,800	4,050 FU
200	950 FU	2,400	2,400 FU	7,000	4,125 FU
250	1,000 FU	2,600	2,475 FU	7,200	4,200 FU
325	1,050 FU	2,800	2,550 FU	7,400	4,275 FU
400	1,100 FU	3,000	2,625 FU	7,600	4,350 FU
475	1,150 FU	3,200	2,700 FU	7,800	4,425 FU
550	1,200 FU	3,400	2,775 FU	8,000	4,500 FU
625	1,250 FU	3,600	2,850 FU	8,200	4,575 FU
700	1,300 FU	3,800	2,925 FU	8,400	4,650 FU
775	1,350 FU	4,000	3,000 FU	8,600	4,725 FU
850	1,400 FU	4,200	3,075 FU	8,800	4,800 FU
925	1,450 FU	4,400	3,150 FU	9,000	4,875 FU
1,000	1,500 FU	4,600	3,225 FU	9,200	4,950 FU
1,100	1,575 FU	4,800	3,300 FU	9,400	5,025 FU
1,200	1,650 FU	5,000	3,375 FU	9,600	5,100 FU
1,300	1,725 FU	5,200	3,450 FU	9,800	5,175 FU
1,400	1,800 FU	5,400	3,525 FU	10,000	5,250 FU
1,500	1,875 FU	5,600	3,600 FU	10,200	5,325 FU
1,600	1,950 FU	5,800	3,675 FU	N/A	N/A
1700	2,025 FU	6000	3,750 FU	Over 10,200	5,325 FU + [75 FU Per Additional 200KW]

Fee Modifiers:
Note: High Voltage is defined as DC=1500V and AC=1000V
For High Voltage Equipment a 20% increase is applied to the final product fee.
For generators used for propulsion purposes, a 25% increase is applied to the final product fee.

Volume Discounts:
For 2 generators, a discount of 10% is applied to the final product fee.
For 3 or more generators, a discount of 15% is applied to the final product fee.



5.3 Electrical Cables

Calculation	
Unit of Measure	Cable Size (sq. mm) and Fee Units (FU) / km length
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 mm2. Above 10,000 mm2 special considerations required

Cable Size up to	Single Core	Double Core	Multi Core
Up to 6 mm2	50 FU	60 FU	70 FU
16 mm2	100 FU	120 FU	140 FU
50 mm2	150 FU	180 FU	210 FU
100 mm2	250 FU	300 FU	350 FU
250 mm2	400 FU	480 FU	560 FU
Over 250 mm2	500 FU	600 FU	700 FU

5.4 Transformers, Converters & UPS (Uninterruptible Power Supply)

Calculation	
Unit of Measure	Power (kVA)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	50,000 kVA. Above 50,000 kVA special considerations required

Application Notes:

- If no Power Factor is available, then 0.8 is to be assumed to convert kVA to kW.

Power rating kVA up to	Fee Units (FU)	Power rating kVA up to	Fee Units (FU)
Up to 100	500 FU	3,000	2,625 FU
150	700 FU	3,500	2,813 FU
200	860 FU	4,000	3,000 FU
300	1,020 FU	4,500	3,188 FU
400	1,110 FU	5,000	3,375 FU
500	1,200 FU	6,000	3,750 FU
1,000	1,500 FU	7,000	4,125 FU
1,500	1,875 FU	8,000	4,500 FU
2,000	2,250 FU	9,000	4,875 FU
2,500	2,438 FU	Over 9,000	4,875 + 75 FU per additional 200 kVA

Fee Modifier:
For mechanical Converters fee to be calculated as follows: (Motor as per 5.1 + Generator as per 5.2) x 0.9

Volume Discounts:
For 3 or 4 Transformers, Converters & UPS, a discount of 10% is applied to the final product fee.
For 5 or more Transformers, Converters & UPS, a discount of 20% is applied to the final product fee.



5.5 Bus Bar Trunking System

Calculation	
Unit of Measure	Cable Length (m)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 m. Above 10,000 m special considerations required

Cable length	
Fee:	20 Fee Units (FU) Per Meter

5.6 Main Switchboard & Emergency Switchboard

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 kW. Above 100,000 kW special considerations required

Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)
Up to 100	210 FU	6,000	5,000 FU	14,000	7,000 FU
200	420 FU	6,500	5,150 FU	14,500	7,100 FU
300	630 FU	7,000	5,300 FU	15,000	7,200 FU
400	840 FU	7,500	5,450 FU	15,500	7,300 FU
500	1,050 FU	8,000	5,600 FU	16,000	7,400 FU
700	1,100 FU	8,500	5,750 FU	16,500	7,500 FU
1,000	1,800 FU	9,000	5,900 FU	17,000	7,600 FU
1,500	2,150 FU	9,500	6,050 FU	17,500	7,700 FU
2,000	2,500 FU	10,000	6,200 FU	18,000	7,800 FU
2,500	2,800 FU	10,500	6,300 FU	18,500	7,900 FU
3,000	3,100 FU	11,000	6,400 FU	19,000	8,000 FU
3,500	3,550 FU	11,500	6,500 FU	19,500	8,100 FU
4,000	4,000 FU	12,000	6,600 FU	20,000	8,200 FU
4,500	4,350 FU	12,500	6,700 FU	Over 20,000	8,200 FU + 16 FU Per additional 100 kW
5,000	4,700 FU	13,000	6,800 FU		
5,500	4,850 FU	13,500	6,900 FU		

Application Notes:

1. If no Power Factor is available, then 0.8 is to be assumed to convert kVA to kW.
2. High Voltage is defined as DC=1,500V and AC=1,000V

Fee Modifiers:
For High Voltage Equipment a 20% increase is applied to the final product fee.



5.7 Standard Control, Alarm & Safety System/Panels

Calculation	
Unit of Measure	System
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	50 Systems. Above 50 Systems special considerations required

System Type	Fee Units (FU)
Alarm Monitoring System (AMS)	1,000 FU
Remote Control System (RCS)	1,000 FU
EGCS, BWTS, SCR, Gas Sampling & Detecting System	1,000 FU
Console (ECC, BCC, CCC) & Local Control Panel	500 FU
Power Management System (PMS), ETC	500 FU

Fee Modifiers:
Plus 50% for Twin Propulsion for AMS and RCS system
Plus 50% Cruise Vessels, Gas Carriers and Dual Fuel for AMS and RCS system
20% Discount for 4 systems or above surveyed simultaneously per MEC WB

5.8 Local, Individual, Group Starter Panels

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 kW. Above 10,000 kW special considerations required

Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)
Up to 50	121 FU	2600	1,727 FU	5200	2,358 FU	7800	2,957 FU
100	242 FU	2700	1,751 FU	5300	2,382 FU	7900	2,980 FU
200	485 FU	2800	1,775 FU	5400	2,406 FU	8000	3,000 FU
300	728 FU	2900	1,799 FU	5500	2,430 FU	8100	3,020 FU
400	840 FU	3000	1,823 FU	5600	2,454 FU	8200	3,040 FU
500	953 FU	3100	1,847 FU	5700	2,478 FU	8300	3,060 FU
600	1,002 FU	3200	1,871 FU	5800	2,502 FU	8400	3,080 FU
700	1,050 FU	3300	1,895 FU	5900	2,526 FU	8500	3,098 FU
800	1,100 FU	3400	1,919 FU	6000	2,550 FU	8600	3,116 FU
900	1,150 FU	3500	1,943 FU	6100	2,573 FU	8700	3,134 FU
1000	1,200 FU	3600	1,967 FU	6200	2,596 FU	8800	3,152 FU
1100	1,230 FU	3700	1,991 FU	6300	2,619 FU	8900	3,170 FU
1200	1,260 FU	3800	2,015 FU	6400	2,642 FU	9000	3,188 FU
1300	1,290 FU	3900	2,039 FU	6500	2,663 FU	9100	3,207 FU
1400	1,320 FU	4000	2,063 FU	6600	2,685 FU	9200	3,226 FU
1500	1,350 FU	4100	2,088 FU	6700	2,707 FU	9300	3,245 FU
1600	1,395 FU	4200	2,113 FU	6800	2,729 FU	9400	3,264 FU
1700	1,440 FU	4300	2,138 FU	6900	2,752 FU	9500	3,285 FU
1800	1,485 FU	4400	2,163 FU	7000	2,775 FU	9600	3,303 FU
1900	1,530 FU	4500	2,190 FU	7100	2,798 FU	9700	3,321 FU
2000	1,575 FU	4600	2,214 FU	7200	2,821 FU	9800	3,339 FU
2100	1,601 FU	4700	2,238 FU	7300	2,844 FU	9900	3,357 FU



2200	1,627 FU	4800	2,262 FU	7400	2,867 FU	10000	3,375 FU
2300	1,653 FU	4900	2,286 FU	7500	2,888 FU	Above 10,000	Special consideration
2400	1,679 FU	5000	2,310 FU	7600	2,911 FU		
2500	1,703 FU	5100	2,334 FU	7700	2,934 FU		

Fee Modifiers:

For Battery Panel: additional **10%** is applied to the final product fee

5.9 Alternative Marine Power for Shore Connection Panels

Calculation	
Unit of Measure	Power (kVA)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	30,000 kVA. Above 30,000 kVA special considerations required

Power Rating up to	Fee Units (FU)
Up to 3,125 kVA	1,050 FU
6,250 kVA	2,800 FU
9,375 kVA	4,700 FU
12,500 kVA	5,450 FU
30,000 kVA	6,200 FU

5.10 High Voltage Bow Thruster Panels, Electric Motor Starter Panels. This include DC-systems which are below HV

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 kW. Above 10,000 kW special considerations required

Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)
Up to 300	1,245 FU	3,600	1,967 FU	6,900	2,752 FU
400	1,245 FU	3,700	1,991 FU	7,000	2,775 FU
500	1,245 FU	3,800	2,015 FU	7,100	2,798 FU
600	1,245 FU	3,900	2,039 FU	7,200	2,821 FU
700	1,245 FU	4,000	2,063 FU	7,300	2,844 FU
800	1,245 FU	4,100	2,088 FU	7,400	2,867 FU
900	1,245 FU	4,200	2,113 FU	7,500	2,888 FU
1,000	1,245 FU	4,300	2,138 FU	7,600	2,911 FU
1,100	1,245 FU	4,400	2,163 FU	7,700	2,934 FU
1,200	1,260 FU	4,500	2,190 FU	7,800	2,957 FU
1,300	1,290 FU	4,600	2,214 FU	7,900	2,980 FU
1,400	1,320 FU	4,700	2,238 FU	8,000	3,000 FU
1,500	1,350 FU	4,800	2,262 FU	8,100	3,020 FU
1,600	1,395 FU	4,900	2,286 FU	8,200	3,040 FU
1,700	1,440 FU	5,000	2,310 FU	8,300	3,060 FU
1,800	1,485 FU	5,100	2,334 FU	8,400	3,080 FU
1,900	1,530 FU	5,200	2,358 FU	8,500	3,098 FU
2,000	1,575 FU	5,300	2,382 FU	8,600	3,116 FU
2,100	1,601 FU	5,400	2,406 FU	8,700	3,134 FU



2,200	1,627 FU	5,500	2,430 FU	8,800	3,152 FU
2,300	1,653 FU	5,600	2,454 FU	8,900	3,170 FU
2,400	1,679 FU	5,700	2,478 FU	9,000	3,188 FU
2,500	1,703 FU	5,800	2,502 FU	9,100	3,207 FU
2,600	1,727 FU	5,900	2,526 FU	9,200	3,226 FU
2,700	1,751 FU	6,000	2,550 FU	9,300	3,245 FU
2,800	1,775 FU	6,100	2,573 FU	9,400	3,264 FU
2,900	1,799 FU	6,200	2,596 FU	9,500	3,285 FU
3,000	1,823 FU	6,300	2,619 FU	9,600	3,303 FU
3,100	1,847 FU	6,400	2,642 FU	9,700	3,321 FU
3,200	1,871 FU	6,500	2,663 FU	9,800	3,339 FU
3,300	1,895 FU	6,600	2,685 FU	9,900	3,357 FU
3,400	1,919 FU	6,700	2,707 FU	10,000	3,375 FU
3,500	1,943 FU	6800	2,729 FU	N/A	N/A

5.11 Miscellaneous Electrical Components

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II

Application Notes:
1. Fee scale 3.7 applies.



6 Engines and Fuel Cells

Product	Fee Scale to be used
Main Engine	Main Oil Engines (6.1)
Product	Fee Scale to be used
Auxiliary Engines	Auxiliary Oil Engines (6.2)
Product	Fee Scale to be used
Emergency Generator Engine	Auxiliary Engines for Emergency Use (6.3)
Product	Fee Scale to be used
NOxTest for Non LR Classed Ships	NOxTest for Non LR Classed Ships (6.4)
Product	Fee Scale to be used
Fuel Cells	Fuel Cells and Fuel Cell Assembly Systems (6.5)



6.1 Main Oil Engines

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 kW. Above 100,000 kW special considerations required

Application Notes:

1. The unit of measure is for a single engine/unit only. In cases where the unit of measure goes below the minimum fee each engine/unit is to be charged separately.

Power Rating	Fee Units (FU)
Up to 100 Kw	1500 FU
Each 50KW or part thereof up to 200KW	796.12 FU
<i>Fee Units at 200KW</i>	<i>3,184.47 FU</i>
Each 100KW or part thereof above 200KW and up to 1000KW	796.12 FU
<i>Fee Units at 1000KW</i>	<i>9,553.4 FU</i>
Each 200KW or part thereof above 1000KW and up to 3000KW	796.12 FU
<i>Fee Units at 3000KW</i>	<i>17,514.56 FU</i>
Each 250KW or part thereof above 3000KW and up to 5000KW	796.12 FU
<i>Fee Units at 5000KW</i>	<i>23,883.5 FU</i>
Each 500KW or part thereof above 5000KW and up to 10000KW	796.12 FU
<i>Fee Units at 10000KW</i>	<i>31,844.66 FU</i>
Each 500KW or part thereof above 10000KW and up to 26000KW	995.15 FU
<i>Fee Units at 26000KW</i>	<i>63,689.32 FU</i>
Each 500KW or part thereof above 26000KW	995.15 FU

Fee Modifiers:

For Dual Fuel Engines, a **20%** increase is applied to the final product fee.

For Reconditioned Engines, a discount of **20%** is applied to the final product fee.

Where the Crankshaft Work Location is different to Engine Location and the product has previously been certified/charged for certification accordingly, a discount of **20%** is applied to the final product fee.

Examples: Min Fee Other Country = 524 GBP and Country Factor = 1.1667

120 kW -> (3*796.12) FU = 2388.36 x 1.1667 = 2786.50 GBP 3500 kW -> (17514.56 + 2 x 796.12 FU) = 19106.8 x 1.1667 = 22,291.90 GBP



6.2 Auxiliary Oil Engines

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 kW. Above 100,000 kW, special considerations required

Application Notes:

- The unit of measure is for a single engine/unit only. In cases where the unit of measure goes below the minimum fee each engine/unit is to be charged separately.

Power Rating	Fee Units (FU)
Up to 50kW	1,200 FU
Each 50KW or part thereof up to 200KW	796.12 FU
<i>Fee Units at 200KW</i>	<i>3,184.47 FU</i>
Each 100KW or part thereof above 200KW and up to 1000KW	796.12 FU
<i>Fee Units at 1,000KW</i>	<i>9,553.4 FU</i>
Each 200KW or part thereof above 1,000KW and up to 3,000KW	796.12 FU
<i>Fee Units at 3,000KW</i>	<i>17,514.56 FU</i>
Each 250KW or part thereof above 3,000KW and up to 5,000KW	796.12 FU
<i>Fee Units at 5,000KW</i>	<i>23,883.5 FU</i>
Each 500KW or part thereof above 5,000KW and up to 10,000KW	796.12 FU
<i>Fee Units at 10,000KW</i>	<i>31,844.66 FU</i>
Each 500KW or part thereof above 10000KW and up to 26,000KW	995.15 FU
<i>Fee Units at 26,000KW</i>	<i>63,689.32 FU</i>
Each 500KW or part thereof above 26,000KW	995.15 FU

Fee Modifiers:

For Dual Fuel Engines, a **20%** increase is applied to the final product fee.

For Reconditioned Engines, a discount of **20%** is applied to the final product fee.

Where the Crankshaft Work Location is different to Engine Location and the product has previously been certified/charged for certification accordingly, a discount of **20%** is applied to the final product fee.

Examples: Min Fee Other Country = 524 GBP and Country Factor = 1.1667

100 kW -> (2 x 796.12) FU = 1592.24 x 1.1667 = 1857.67 GBP **2400 kW -> (9553.4 + 7 x 796.12) FU = 15126.24 x 1.1667 = 17,647.78 GBP**

Volume Discounts:

For 2 Engines, a discount of **10%** is applied to the final combined product fee.

For 3 or more Engines, a discount of **15%** is applied to the final combined product fee.

6.3 Auxiliary Engines for Emergency Use

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 kW. Above 10,000 kW, special considerations required

Application Notes:

- The unit of measure is for a single engine/unit only. In cases where the unit of measure goes below the minimum fee each engine/unit is to be charged separately.

Power Rating	Fee Units (FU)
Up to 50kW	1,000 FU
Each 50KW or part thereof up to 200KW	716.5 FU
<i>Fee Units at 200KW</i>	<i>2,866.02 FU</i>
Each 100KW or part thereof above 200KW and up to 1,000KW	716.5 FU
<i>Fee Units at 1,000KW</i>	<i>8,598.06 FU</i>
Each 200KW or part thereof above 1000KW and up to 3,000KW	716.5 FU
<i>Fee Units at 3,000KW</i>	<i>15,763.11 FU</i>
Each 250KW or part thereof above 3000KW and up to 5,000KW	716.5 FU
<i>Fee Units at 5,000KW</i>	<i>21,495.15 FU</i>
Each 500KW or part thereof above 5000KW and up to 10,000KW	716.5 FU
<i>Fee Units at 10,000KW</i>	<i>28,660.19 FU</i>
Each 500KW or part thereof above 10000KW and up to 26,000KW	895.63 FU
<i>Fee Units at 26,000KW</i>	<i>57,320.39 FU</i>
Each 500KW or part thereof above 26,000KW	895.63 FU

Examples: Min Fee Other Country = 524 GBP and Country Factor = 1.1667		
40 kW -> (1000×1.1667) FU = 1166.7 GBP	180 kW -> (4×716.5) FU = $2866 \times 1.1667 = 3343.76$ GBP	3100 kW -> $(15763.11 + 716.5) = 16479.61 \times 1.1667 = 19226.76$ GBP

Volume Discounts:

For 2 Engines, a discount of **10%** is applied to the final product fee.

For 3 or more Engines, a discount of **15%** is applied to the final product fee.

6.4 NOx Test for Non LR Classed Ships

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 kW. Above 100,000 kW special considerations required

Engine Type	Medium Speed	Low Speed
Parent Engine	2,500 FU (Tier II: 1,500 FU)	3,500 FU (Tier II: 2600 FU)
Member Engine	1 unit: 730 FU	1 unit: 730 FU
	2 units: 1,000 FU	2 or more unit:: 500 FU per unit
	3 units: 1,300 FU	
	4 or more units: 400 FU per unit	

6.5 Fuel Cells and Fuel Cell Assembly Systems

6.5.1 Fuel Cell Module

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 kW. Above 100,000 kW special considerations required

Power Rating	Fee Units (FU)
Up to 50kW	1,200FU
Each 50KW or part thereof up to 200KW	796.12 FU
<i>Fee Units at 200KW</i>	<i>3,184.47 FU</i>
Each 100KW or part thereof above 200KW and up to 1,000KW	796.12 FU
<i>Fee Units at 1,000KW</i>	<i>9,553.4 FU</i>
Each 200KW or part thereof above 1000KW and up to 3,000KW	796.12 FU
<i>Fee Units at 3,000KW</i>	<i>17,514.56 FU</i>
Each 250KW or part thereof above 3,000KW and up to 5,000KW	796.12 FU
<i>Fee Units at 5,000KW</i>	<i>23,883.5 FU</i>
Each 500KW or part thereof above 5000KW and up to 1,0000KW	796.12 FU
<i>Fee Units at 10,000KW</i>	<i>31,844.66 FU</i>
Each 500KW or part thereof above 10,000KW and up to 26,000KW	995.15 FU
<i>Fee Units at 26,000KW</i>	<i>63,689.32 FU</i>
Each 500KW or part thereof above 26,000KW	995.15 FU

Examples: Min Fee Other Country = 524 GBP and Country Factor = 1.1667

100 kW -> $2 \times 796.12 = 1592.24 \times 1.1667 = 1857.67$ GBP	2400 kW -> $(9553.4 + 7 \times 796.12) \text{ FU} = 15126.24 \times 1.1667 = 17,647.78$ GBP
---	---

6.5.2 Fuel Cell Assembly Systems including/excluding Hydrogen

Calculation	
Unit of Measure	3.7 Applies
Minimum Fee per Project I. D	As per Appendix II

7 Engine & Propulsion Components

Product	Fee Scale to be used
Gearing for Propulsion	Gearing for propulsion (7.1)
Product	Fee Scale to be used
FPP Propeller and CPP Propeller	Propellers (7.2)
Product	Fee Scale to be used
Voith Inline Thruster/Propeller	Voith Schneider Propellers (7.3)
Product	Fee Scale to be used
Crankshaft (Forged)	Forgings (4.3)
Cylinder Head (Forged)	
Generator Shaft	
Screw Shafts, Intermediate Shaft, Propeller Shaft	
Piston Rod	
Product	Fee Scale to be used
Cylinder Head (Cast)	Castings (4.2)
Bearing Girder Centre Piece	
Hydraulic Block or Cylinder	
Piston/Piston units and Piston Rod	
Product	Fee Scale to be used
Crankshaft (Semi-Built)	Semi Built Crankshaft (7.6)
Product	Fee Scale to be used
Turbo Charger	Turbochargers (7.7)
Product	Fee Scale to be used
Auxiliary Engine-Generator Set	Auxiliary Engine Generator Sets (7.8)
Product	Fee Scale to be used
Engine Bedplate, Frame Box	Bedplates, Frame box & Column (7.9)
Product	Fee Scale to be used
Bearings and Bearing caps	Misc Machinery Components (10.9)
Blank Pad	
Bolts	
Bulkhead stuffing box	
Chocks	
Flexible Couplings and Shaft Couplings	
Gear Wheels, Gearing/Shaft and Wheels	
Glands and seals	
Screws and Studs	
Shaft Sleeve	
Tie-rod	
Turbine Seals/Glands	
Engine Dampers	
Piston Crown	
Product	Fee Scale to be used
Main Propulsion Thruster	Podded Propulsion Units (7.11)
Podded Propulsion Unit and Rudder Propeller	
Azimuth Thrusters	
Waterjets	



7.1 Gearing for Propulsion

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 kW. Above 100,000 kW special considerations required

Power Rating	Fee Units (FU)
Up to 50kW	600 FU
Each 50KW or part thereof up to 200KW	796.12 FU
<i>Fee Units at 200KW</i>	<i>3,184.47 FU</i>
Each 100KW or part thereof above 200KW and up to 1,000KW	796.12 FU
<i>Fee Units at 1,000KW</i>	<i>9,553.4 FU</i>
Each 200KW or part thereof above 1,000KW and up to 3,000KW	796.12 FU
<i>Fee Units at 3,000KW</i>	<i>17,514.56 FU</i>
Each 250KW or part thereof above 3,000KW and up to 5,000KW	796.12 FU
<i>Fee Units at 5,000KW</i>	<i>23,883.5 FU</i>
Each 500KW or part thereof above 5,000KW and up to 10,000KW	796.12 FU
<i>Fee Units at 10,000KW</i>	<i>31,844.66 FU</i>
Each 500KW or part thereof above 10,000KW and up to 26,000KW	995.15 FU
<i>Fee Units at 26,000KW</i>	<i>63,689.32 FU</i>
Each 500KW or part thereof above 26,000KW	995.15 FU

Examples: Min Fee Other Country = 524 GBP and Country Factor = 1.1667	
180kW = (4 x 796.12) FU = 3184.48 x 1.1667 = 3715.33 GBP	3500 kW -> (17514.56 + 2 x 796.12 FU) = 19106.8 x 1.1667 = 22,291.90 GBP

Fee Modifiers:
For Single Reduction Gearing, a discount of 70% is applied to the final product fee based on the table above
For Double Reduction Gearing, a discount of 60% is applied to the final product fee based on the table above
For Multiple Gearing, a discount of 50% is applied to the final product fee based on the table above
For Complicated Gearing, a discount of 40% is applied to the final product fee based on the table above
For Reverse Gears, a 10% increase is applied to the final product fee.
If Coupling is included in the Gearing, a 10% increase is applied to the final product fee.
For Reconditioned Gearing, an additional discount of 20% is applied to the final product fee.
For stand-alone coupling fee to be calculated as 4,5% of the FU according to the table above.



7.2 Propellers

Calculation	
Unit of Measure	Weight (Ton)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100 Ton. Above 100 Ton special considerations required

Application Notes:

1. Normal Propeller refers to those not used for ice class or other special applications.
2. Built-up propellers are defined as being constructed from several castings that are then connected
3. For controllable pitch propellers (CPP) the blades and hub are to be charged under section 7.2. For CPP systems section 3.7 is to be used. The relevant sub-components need to show a relevant valid LR certificate.
4. Ice classed propeller will calculate as per Rules and highly likely the weight will be increased.
5. Hovercraft Propellers (carbon Fibre or wood) as per 3.7

Weight Ton up to	Fee Units (FU)
Up to 10 ton	100 FU Per 500 Kg
Over 10 ton	2,200 FU + [100 FU Per Additional Ton]

Examples:

9,900 kg = 20 * 100 = 2,000 FU	10,000 kg = 2,200 FU
--------------------------------	----------------------

Fee Modifiers:

For Normal Built-up Propellers, a 50% increase is applied to the final product fee.

7.3 Voith-Schneider Propellers

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 kW. Above 10,000 kW special considerations required

Power Rating (kW) up to	Fee Units (FU) Without Gear (eVSP)	Fee Units (FU) Incl. Gear
221	2,190 FU	3,350 FU
370	2,305 FU	3,765 FU
600	2,490 FU	4,320 FU
750	2,730 FU	4,920 FU
880	2,920 FU	5,320 FU
1,100	3,195 FU	5,920 FU
1,250	3,425 FU	6,445 FU
1,400	3,845 FU	7,085 FU
10,000	3,845 FU + 340 FU per Additional 150kW	7,085 FU + 640 FU per Additional 150kW

For Reference: With 0,7457 kW/HP	
HP	kW
300	223.7
500	372.9
800	596.6
1,000	745.7
1,200	894.8
1,500	1,118.6
1,700	1,267.7
1,900	1,416.8

Fee Modifiers:

For Welded Propeller Blades, extra 450 Fee Units (FU) are added to the final product fee.

7.4 Cancelled



7.5 Cancelled

7.6 Semi-built Crankshaft

Calculation	
Unit of Measure	Power (kW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 kW. Above 100,000 kW special considerations required

Application Notes:

1. The Semi-built Crankshaft Model is calculated based on 27.5% of the Main Oil Engines Fee Table.
2. Where the cast or forged components already have LR certification then the fee for these items is to be deducted from the final invoice fee.

Power Rating	Fee Units (FU)
Below 50kW	200 FU
Each 50KW or part thereof up to 200KW	218.93 FU
<i>Fee at 200KW</i>	<i>875.73 FU</i>
Each 100KW or part thereof above 200KW and up to 1000KW	218.93 FU
<i>Fee at 1,000KW</i>	<i>2,627.18 FU</i>
Each 200KW or part thereof above 1000KW and up to 3000KW	218.93 FU
<i>Fee at 3,000KW</i>	<i>4,816.5 FU</i>
Each 250KW or part thereof above 3000KW and up to 5000KW	218.93 FU
<i>Fee at 5,000KW</i>	<i>6,567.96 FU</i>
Each 500KW or part thereof above 5000KW and up to 10000KW	218.93 FU
<i>Fee at 10,000KW</i>	<i>8,757.28 FU</i>
Each 500KW or part thereof above 10000KW and up to 26000KW	273.67 FU
<i>Fee at 26,000KW</i>	<i>17,514.56 FU</i>
Each 500KW or part thereof above 26000KW	273.67 FU

7.7 Turbochargers

Calculation	
Unit of Measure	Diameter (mm)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	5,000 mm. Above 5,000 mm special considerations required

Application Notes:

1. For turbochargers produced at the OEM site of the oil engine manufacturer, the turbocharger fee is included in the oil engine fee

Outside diameter of compressor wheel up to	Fee Units (FU)
150mm	250
300mm	460
450 mm	670
600 mm	880
750 mm	1090
900 mm	1300
Above 900 mm	1510



7.8 Auxiliary Engine Generator Sets

Calculation	
Unit of Measure	Power (KW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	30,000 KW. Above 30,000 KW special considerations required

Application Notes:

1. A Generator Set consists of both Oil Engine and Generator mounted on a single frame. Both products need to be supplied with LR certification.
2. High Voltage is defined as DC=1500V and AC=1000V
3. The unit of measure is for a single engine/unit only. In cases where the unit of measure goes below the minimum fee each engine/unit is to be charged separately.

Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)
Up to 100	600	1200	1485 FU	3800	2633 FU	7200	3780 FU
125	720 FU	1300	1553 FU	4000	2700 FU	7400	3848 FU
150	765 FU	1400	1620 FU	4200	2768 FU	7600	3915 FU
175	810 FU	1500	1688 FU	4400	2835 FU	7800	3983 FU
200	855 FU	1600	1755 FU	4600	2903 FU	8000	4050 FU
250	900 FU	1700	1823 FU	4800	2970 FU	8200	4118 FU
325	945 FU	1800	1890 FU	5000	3038 FU	8400	4185 FU
400	990 FU	1900	1958 FU	5200	3105 FU	8600	4253 FU
475	1035 FU	2000	2025 FU	5400	3173 FU	8800	4320 FU
550	1080 FU	2200	2093 FU	5600	3240 FU	9000	4388 FU
625	1125 FU	2400	2160 FU	5800	3308 FU	9200	4455 FU
700	1170 FU	2600	2228 FU	6000	3375 FU	9400	4523 FU
775	1215 FU	2800	2295 FU	6200	3443 FU	9600	4590 FU
850	1260 FU	3000	2363 FU	6400	3510 FU	9800	4658 FU
925	1305 FU	3200	2430 FU	6600	3578 FU	10000	4725 FU
1000	1350 FU	3400	2498 FU	6800	3645 FU	10200	4793 FU
1100	1418 FU	3600	2565 FU	7000	3713 FU	Over 10,200	4,793 + [68 per Additional 200 kW] FU

Fee Modifiers:

For High Voltage Equipment a **20%** increase is applied to the final product fee.

7.9 Bedplates, Framebox & Column

Calculation	
Unit of Measure	Power (KW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	500,000 KW. Above 500,000 KW special considerations required

Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)	Power Rating up to	Fee Units (FU)
Up to 10,000 kW	1,800 FU	60,000 kW	2,800 FU	200,000 kW	3,300 FU
20,000 kW	2,000 FU	70,000 kW	2,900 FU	300,000 kW	3,400 FU
30,000 kW	2,200 FU	80,000 kW	3,000 FU	400,000 kW	3,500 FU
40,000 kW	2,400 FU	90,000 kW	3,100 FU	500,000 kW	3,600 FU
50,000 kW	2,700 FU	100,000 kW	3,200 FU	N/A	N/A



7.10 Mass Produced Miscellaneous Engine Components - no longer be used. Please use 10.9 instead

7.11 Podded Propulsion Units

Calculation	
Unit of Measure	Power (KW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	30,000 KW. Above 30,000 KW special considerations required

Power (kW) N is Power in kW	Fee Units (FU)
N	1,225.97 FU + [0.3299 FU Per kW]

Fee Modifiers:
Note: If two identical units are inspected, then a 25% discount on the final fee applies

7.12 Cancelled

8 Hull Equipment

Product	Fee Scale to be used
Anchor (Cast Steel)	Anchors (8.1)
Fabricated Anchors	
Forged Anchors	

Product	Fee Scale to be used
Anchor Chain Cable	Chain Cables (8.2)
Anchor Chain Cable Fittings	
Chafing Chain (Emergency towing arrangements)	
Mooring Chain	

Product	Fee Scale to be used
Bow Thruster (Auxiliary)	Bow & Stern Thrusters (8.3)
Bow Thruster (Dynamic Positioning)	
Stern Thruster	

Product	Fee Scale to be used
Accommodation Ladder and Gangway	Accommodation Ladder & Associated Winch and Standard Gangway (8.4)

Product	Fee Scale to be used
Tunnel	Welded Structure (8.5)
Structure	
Tanks Others	
Other Structure	
Hatch Coaming	
Liftable Wheelhouses	
Tween Decks	
Structure for Machinery and Electrical equipment	
Fin Stabilisers Housing	
Fixed and Steering Nozzles	
Azimuth Thrusters (Structure)	
Bathing Platform	
Bathing Ladder	
Rudder Trunk	
Movable Bulkheads	
Pedestal for Lifting Appliances	

Product	Fee Scale to be used
Rope, Pilot and Embarkation Ladder	Rope Ladder, Pilot (Rope) Ladder and Embarkation Ladder (8.6)

Product	Fee Scale to be used
Side Scuttles	Side Scuttles, Windows with Frame and Windows Glass Panes (8.7)
Windows with Frame	

Product	Fee Scale to be used
Container Securing Arrangements	Container Securing Arrangements (8.8)

Product	Fee Scale to be used
Anchor Chain Stopper	Anchor Chain Stopper (8.9)



8.1 Anchors

Calculation	
Unit of Measure	Weight (Kg)
Minimum Fee per Project I. D	As per Appendix II
Note:	The total weight named on the certificate is to be used for fee calculation

Weight	Fee Units (FU)
Up to 20,000 Kg	13.2 FU Per 100 Kg
Over 20,000 Kg	1,320 FU + [6.6 FU Per 100 Kg]

8.2 Chain Cables

8.2.1 Chain Cables and Chain Cable fittings, for Anchoring and Mooring

Calculation	
Unit of Measure	Diameter (mm)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	200 mm. Above 200 mm special considerations required

Application Notes:

1. Fee Units (FU) are based on chain cables of 27.5m length.

Diameter up to	Fee Units (FU) per 27.5m length (including joining shackle)
Up to 10mm	30 FU
20 mm	40 FU
30 mm	50 FU
40 mm	60 FU
50 mm	70 FU
60 mm	80 FU
70 mm	90 FU
80 mm	100 FU
90 mm	105 FU
100 mm	110 FU
110 mm	115 FU
120 mm	120 FU
200 mm	125 FU

Fee Modifiers:
- For Used Cables (With 3 link breaking sample), a 20% increase is applied to the final product fee. - When the fittings are part of a chain and have been tested and inspected at the same time, then the fittings should not be charged additionally, but will be part of the chain cable. The following is applicable for independent certification: Shackles per piece will be 20% of chain cable fee from the table above. Swivels per piece will be 30% of chain cable fee from the table above.

8.2.2 Divided Anchor Chain Cables

Dividing of Anchor Chain Cable and Fittings Certificates **based on a valid LR Certificate.**

Dividing of Anchor Chain Cable and Fittings Certificates	Fee Units (FU)
Per divided Certificate	118



8.3 Bow & Stern Thrusters

Calculation	
Unit of Measure	Power (KW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 KW. Above 10,000 KW special considerations required

Power Rating up to	Fee Units (FU)
Up to 500 kW	1,100 FU
1,000 kW	1,700 FU
1,500 kW	2,100 FU
2,000 kW	2,400 FU
2,500 kW	2,700 FU
3,000 kW	3,000 FU
3,500 kW	3,300 FU
4,000 kW	3,600 FU
10,000 kW	3,600 FU + [300 FU Per Additional 500 increase in Power Rating]

8.4 Accommodation Ladder & Associated Winch and Standard Gangway

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II, 3.6 is not applicable
Maximum Limit for UoM:	1,000. Above 1,000 special considerations required

Application Notes:

- Accommodation Ladder & Associated Winch in mainland China to be multiplied by a Factor of 0.3

Application	Fee Units (FU)
Ladder	550 FU
Gangway	550 FU
Winch	275 FU per winch

8.5 Welded Structure

Calculation	
Unit of Measure	Weight (Ton)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	500 Ton. Above 500 Ton special considerations required

Weight up to	Fee Units (FU)
10 ton	27.5 FU per 500 Kg
Over 10 ton	550 FU + [55 FU per additional ton over 10 tons]

Application Notes:

- Welded Aluminium specially considered



8.6 Rope Ladder, Pilot (Rope) Ladder and Embarkation Ladder

Calculation	
Unit of Measure	Per Ladder
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100. Above 100 special considerations required
Note:	For Ladder in mainland China to be multiplied by a Factor of 0.3

Number of Rope Ladders	Fee Units (FU)
For first 3 Rope Ladders	520 FU
Additional Rope Ladder	520 FU + [260 FU per Additional Rope Ladder].

8.7 Side Scuttles, Windows with Frame and Windows Glass Panes

8.7.1 Side Scuttles and Windows with Frame

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	1,000. Above 1,000 special considerations required

Number Seen up to	Fee Units (FU)
10	520 FU
Over 10	520 FU + [20 FU per Additional one].

8.7.2 Windows Glass Panes

Calculation	
Unit of Measure	Pieces
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	50,000. Above 50,000 special considerations required

Type	Fee Units (FU) Per Glass
Windows for Cargo Vessels/Passenger Ships	1.52 FU
Windows for Yachts & Bespoke Applications	29.36 FU

8.8 Container Securing Arrangements

Calculation	
Unit of Measure	Pieces
Minimum Fee per Project I. D	As per Appendix II

Number Seen Weight up to	Fee Units (FU)
Up to 7,500to	0.29 / pc
15,000to	0.26 / pc
Over 15,000to	0.23 / pc



8.9 Anchor Chain Stopper

Calculation	
Unit of Measure	Pieces
Minimum Fee per Project I. D	As per Appendix II

Diameter of Anchor Chain (mm) up to	Fee Units (FU)
100	330/ pc
200	400/pc
>200	500/pc
Chain Cable Clench	30/pc

9 Lifting Appliances

Product	Fee Scale to be used
Shipboard Crane Certification, Gantry Cranes	Gantry Cranes (9.1)

Product	Fee Scale to be used
Shipboard Crane Certification, Jib and Luffing Cranes	Jib and Luffing Cranes (9.2)

Product	Fee Scale to be used
Beams	Spreader and lifting beams, Masts, Derrick Posts & Derricks (Welded Construction) (9.3)
Derrick	
Lifting/Spreading Beam	

Product	Fee Scale to be used
Derrick	Masts, Derrick Posts & Derricks (Seamless Tubular Construction) (9.4)

Product	Fee Scale to be used
Shipboard Crane Certification Engine Room Overhead Cranes	Engine Room Overhead Cranes (9.5)

Product	Fee Scale to be used
Loose Gear for Lifting Appliances	Proof Load Test for Loose Gear (9.6) Shackles & Swivels (9.7)
Shackles	
Sheave Block	
Swivel and eye	
Hook for Cranes	
Sheaves	
Swivels	
Steel wire rope products	

Product	Fee Scale to be used
Fibre Ropes (LA5)	Steel Wire & Fibre Ropes (9.8)
Steel wire rope (LA4)	
Emergency Towing Arrangements – Fibre Ropes	
Mooring Lines – Rope & Wire	
Emergency Towing Arrangements – Steel Wire Ropes	
Wire Rope End Termination	
Wire Rope Terminal Connections	
Towing Wire	
Anchor Wire	

Product	Fee Scale to be used
Winch for Cargo Gear	Winches for Cargo Gear and other winches (9.9)
Winch for Personal Handling	
Winch for Main Loading-bearing	
Topping Lift (Hand) Winches	
Topping Lift (Electric) Winches	
Boat Winches	
Electric Mooring Winches	
Normal Cargo Winches	
Heavy Lift Cargo Winches	

9.0 Lifting Appliances definitions

Term	Definition
WLL	It is a common abbreviation when it comes to lifting. It stands for Working Load Limit. WLL is specified by the manufacturer of the product. This means that it is the Maximum load that the non-fixed lifting attachment is designed to lift under the conditions specified by the manufacturer
SWL	It is the abbreviation for Safe Working Load. SWL was formerly a commonly used term, but the legal meaning of the word "safe" meant that the term was largely replaced by WLL. In general, SWL today corresponds to WLL for all lifting equipment under the crane hook, such as hooks, shackles and other lifting equipment.
Capacity	For cranes, hoists and winches, the term "Capacity" is used. The capacity is usually affected by the weight of the lifting beam or lifting equipment assembled under the crane hook.
MBL	Indicates the minimum load or force to be achieved before the lifting equipment risks breakage or any change that causes the load to loosen.
Nominal capacity	Used for cranes, hoists and winches to indicate what they may safely lift
Safety factor	How much stronger the equipment is compared to what it is designed to lift
Proof load	The load/burden the manufacturer has exposed the product to during testing



9.1 Shipboard Crane Certification, Gantry Cranes

Calculation	
Unit of Measure	Lifting Capacity (Ton),
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	50 Ton. Above 50 Ton special considerations required

Application Notes:

1. Safe working load to be used with a factor of 1 Ton = 10 kN

Lifting capacity up to	Fee Units (FU)
Up to 20 ton	3,820 FU
50 ton	2,120 FU + [85 FU per ton]

9.2 Shipboard Crane Certification, Jib & Luffing Cranes, Tender Boat and Rescue Cranes

Calculation	
Unit of Measure	Lifting Capacity (Ton)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	50 Ton. Above 50 Ton special considerations required

Application Notes:

1. Safe working load to be used with a factor of 1 Ton = 10 kN

Lifting Capacity up to	Fee Units (FU)
Up to 2 ton	500 FU
5 ton	900 FU
10 ton	1,224 FU
15 ton	1,848 FU
20 ton	2,228 FU
25 ton	2,566 FU
30 ton	2,866 FU
35 ton	3,066 FU
40 ton	3,266 FU
50 ton	3,666 FU

Fee Modifiers:

For Combined Crane (including Personnel Handling), a 20% increase is applied to the final product fee.



9.3 Spreader and lifting beams, Masts, Derrick Posts & Derricks (Welded Construction)

Calculation	
Unit of Measure	Weight (Ton) of the Steel Structure
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	1,000 Ton. Above 1,000 Ton 3.7 applies

Weight up to	Fee Units (FU)
2 tons (or part thereof)	150 FU per ton
10 tons (or part thereof)	300 FU + [65 FU per Additional ton]
20 ton (or part thereof)	820 FU + [30 FU per Additional ton]
All over 20 ton	1,120 FU + [20 FU per Additional ton]

9.4 Masts, Derrick Posts & Derricks (Seamless Tubular Construction)

Calculation	
Unit of Measure	Weight (Ton) of the Steel Structure
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	1,000 Ton. Above 1,000 Ton 3.7 applies

Weight up to	Fee Units (FU)
Up to 10 ton	160 FU
14 ton	180 FU
18 ton	250 FU
22 ton	290 FU
1000 ton	290 FU + [40 FU per Additional 4 tons]

9.5 Shipboard Crane Certification Engine Room Overhead Cranes

Calculation	
Unit of Measure	Lifting Capacity (Ton)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	50 Ton. Above 50 Ton special considerations required

Application Notes:	
1.	Safe working load to be used with a factor of 1 Ton = 10 kN

Lifting capacity up to	Fee Units (FU)
Up to 5 ton	600 FU
10 ton	1,210 FU
50 ton	1,210 FU + [70 FU per Additional ton]



9.6 Proof Load Test for Loose Gear (Shackles, Hooks, Stretching Screws, Blocks, Tackles Etc)

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	1,000. Above 1,000 special considerations required

Application Notes:

- The Fee is per unit:
- Example: 10 shackles < 100 tons = 10 x 24 FU = 240 FU**

Product	Parameter	Fee Units (FU)
Shackles	WLL<100 Tons	24 FU
	100 Tons <= WLL <= 1000 Tons	$(0.16 \times (WLL-100)) + 24$ FU
	Re-Certification/Visual Examination only	44 FU
Blocks, Sockets and Sheaves	WLL<10 Tons	57 FU
	10 Tons<WLL<20 Tons	116 FU
	20 Tons<WLL<50 Tons	136 FU
	WLL>50 Tons	$(0.71 \times WLL) + 136$ FU
Towing Equipment	Triangle Plates	58 FU
	Towing Bracket/Plate	228 FU
	Towing Bridle (complete)	698 FU

Fee Modifiers:

For used Shackles the final fee is to be multiplied by a factor of **1.5**

9.7 Shackles & Swivels

Calculation	
Unit of Measure	Weight (Kg)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100 Kg. Above 100 Kg special considerations required

Application Notes:

- Apply this fee when certifying the product without a load test. If a load test is witnessed, apply 9.6 instead

Weight up to	Fee Units (FU)
Up to 15kg	8 FU
30kg	18 FU
50kg	32 FU
100kg	41 FU



9.8 Steel Wire & Fiber Ropes

Calculation	
Unit of Measure	Project I.D Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	1,000 Project I.D Quantity. Above 1,000 Project I.D Quantity special considerations required

Application Notes:

1. Fee is inclusive of load test
2. Fiber/Wire rope Single Lay Sling is to be applied per batch for mooring ropes.

Item	Fee Units (FU)
Fibre/Wire rope Single Lay Sling	88+(0.012 X MBL (kN)) FU
Cable Lay Sling/Grommet (IMCA)	293 FU
Cable Lay Sling/Grommet (EN13414-3)	135+(0.019 X SWL(Ton)) FU
Complete 2,3,4 – Leg Wire Rope Assembly (including Master link, hooks, shackles)	225 FU
Destruction test wire rope sample	294 FU
Re-certification/visual examination only	53 FU
Length measuring	134 FU

Fee Modifiers:

For certificates containing more than one component a **60% reduction** is to be applied to each additional component named on the certificate. Please note that this discount does not apply for IMCA components.

9.9 Winches For Cargo Gear and other winches

Calculation	
Unit of Measure	Per Winch
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100 Pieces. Above 100 Pieces special considerations required

Application Notes:

1. Fee to be applied when only the winch is to be certified. For the fee for cargo gear please see 9.6 & 9.7 as applicable
2. Fee section to be used when products are certified in accordance with the **LR Code for Lifting Appliances in a Marine Environment**
3. **Windlass as per chapter 11.7**

Type of Winch	Fee Units (FU)
Topping Lift (Hand)	275 FU
Topping Lift (Electric)	420 FU
Boat	495 FU
Electric Mooring	595 FU
Normal Cargo	615 FU
Heavy Lift Cargo	1,185 FU

10 Machinery Equipment

Product	Fee Scale to be used
Displacement pumps (pistons, gears, screws, plunger, vane, etc.)	Pumps (10.1)
Dynamic pumps (centrifugal, turbine, etc.)	
Hydraulic Pumps	
Product	Fee Scale to be used
Reciprocating Air Compressors	Reciprocating Air Compressors (10.3)
Product	Fee Scale to be used
Rotary Air Compressors	Turbo Compressors, Screw Compressor and Rotary Air Compressors (10.4)
Product	Fee Scale to be used
Valves and Cryogenic Valves	Valves (10.5)
Product	Fee Scale to be used
Gearbox for non-propulsion purposes	Gearing for Non-Propulsion Purposes (10.7)
Product	Fee Scale to be used
Nitrogen and Inert Gas Generator	Inert Gas and N2 Generators (10.8)
Product	Fee Scale to be used
Expansion seal	Misc Machinery Comps (10.9)
Gas fuel burner, Gas valve units and gas regulation units	
Flexible Hoses and Hoses and Strainer	
Screw elements	
Product	Fee Scale to be used
Fabricated Pipes & Hoses & Tubes & Ejector & Flexible Joints	Fabricated Pipes, Hoses & Tubes, Expansion Bellows (10.10)
Product	Fee Scale to be used
Tank, Fresh Water Tank and Hydraulic Oil Tanks	Tank Welded Structure (10.11)
Bilge Primary Tank and Dirty Fuel Leakage Collecting Tank	
Carbon Dioxide Storage Tanks	
Clean Fuel Leakage Collecting Tank	
Gas Fuel Tanks and Emergency Generator MGO Tank	
Product	Fee Scale to be used
Filters & Oil Separators	Oil Filtering Equipment & Oil Separators (10.12)
Fuel oil booster units etc. and Oil Content Meters	
Oil Discharge Monitoring and Control System	
Product	Fee Scale to be used
Machinery Units and Machinery Skid	Machinery Units/Skid (10.13)
Hydraulic Power Unit	
Pump units and Hi-Fog suppression units,	
Product	Fee Scale to be used
Hydraulic Cylinders	Hydraulic Cylinders (10.14)



10.1 Pumps

Calculation	
Unit of Measure	Volumetric Flow Rate (m3/hr)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	2,500 m3/hr. Above 2,500 m3/hr special considerations required

Displacement Pumps	Dynamic Pumps	Hydraulic Pumps
$25 + 70 \times \sqrt[3]{C}$	$(25 + 70 \times \sqrt[3]{C}) \times 1.2$	$(25 + 70 \times \sqrt[3]{C}) \times 1.5$

Fee Modifiers:
Pumps used for cryogenic purposes the final FU are to be multiplied by a factor of 2
Hydraulic Motors: a 10% increase is applied

Example Calculations of Fees	Fee Units		
Capacity (m3/hr) up to	Displacement Pumps	Dynamic Pumps	Hydraulic Pumps
1	95 FU	114 FU	143 FU
2	113 FU	136 FU	170 FU
3	126 FU	151 FU	189 FU
4	136 FU	163 FU	204 FU
5	145 FU	174 FU	217 FU

10.2 Compressors, Evaporators & Condensers for Refrigeration Plant - no longer be used

10.3 Reciprocating Air Compressors

Calculation	
Unit of Measure	Capacity (m3/hr)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 (m3/hr). Above 10,000 (m3/hr) special considerations required

Capacity up to	Fee Units (FU)	Capacity up to	Fee Units (FU)	Capacity up to	Fee Units (FU)
Up to 5 m3 /hr	240 FU	100 m3 /hr	490 FU	250 m3 /hr	950 FU
20 m3 /hr	270 FU	150 m3 /hr	680 FU	300 m3 /hr	1080 FU
50 m3 /hr	410 FU	200 m3 /hr	810 FU	10,000 m3/hr	1,080 FU + 3 FU Per Additional 1 m3/hr

Volume Discounts:
For 2 or 3 Compressors, a discount of 20% is applied to the final product fee.
For 4 or more Compressors, a discount of 30% is applied to the final product fee.



10.4 Turbo Compressors, Screw Compressor and Rotary Air Compressors

Calculation	
Unit of Measure	Capacity (m3/hr)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 (m3/hr). Above 10,000 (m3/hr) special considerations required

Capacity up to	Fee Units (FU)	Capacity up to	Fee Units (FU)	Capacity up to	Fee Units (FU)
Up to 40 m3/hr.	242 FU	400 m3/hr	753 FU	1,200 m3/hr.	1,308 FU
60 m3/hr.	297 FU	500 m3/hr	841 FU	1,500 m3/hr.	1,462 FU
100 m3/hr.	399 FU	600 m3/hr.	923 FU	1,500 m3/hr.	1,462 FU
150 m3/hr.	454 FU	700 m3/hr.	996 FU	2,000 m3/hr.	1,680 FU
200 m3 /hr	512 FU	800 m3/hr.	1,067 FU	2,500 m3/hr.	2,065 FU
250 m3 /hr.	569 FU	900 m3/hr.	1,138 FU	10,000 m3/hr.	2,332 FU
300 m3 /hr.	657 FU	1000 m3/hr.	1,192 FU	N/A	N/A

Volume Discounts:
For 2 or 3 Compressors, a discount of 20% is applied to the final product fee.
For 4 or more Compressors, a discount of 30% is applied to the final product fee.

10.5 Valves

Calculation	
Unit of Measure	Diameter (mm)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	5,0000 mm. Above 5,000 mm special considerations required

Nominal Bore up to	Ordinary & Butterfly Valves FU	Stainless/Duplex Alloy Value FU	Safety, Steam, Control, & Other Function Valve FU
0 to 40mm	15 FU	18 FU	22.5 FU
100mm	25 FU	30 FU	37.5 FU
150mm	30 FU	36 FU	45 FU
200mm	35 FU	42 FU	52.5 FU
250mm	40 FU	48 FU	60 FU
300mm	50 FU	60 FU	75 FU
500mm	60 FU	72 FU	90 FU
700mm	80 FU	96 FU	120 FU
1000mm	110 FU	132 FU	165 FU
1300mm	150 FU	180 FU	225 FU
5000mm	150 FU + [40 FU Per Add.. 300 mm]	180 FU + [48 FU Per Add. 300mm]	225 FU + [60 FU Per Add. 300mm]

Fee Modifiers:
Valves used for cryogenic purposes the final FU are to be multiplied by a factor of 2
Valves below 100mm produced in mainland China the fee is to be multiplied by a factor of 0.65

10.6 Mechanical Ventilators - no longer be used



10.7 Gearing for Non-Propulsion Purposes

Calculation	
Unit of Measure	Power (KW)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 kW. Above 100,000 kW special considerations required

Power Rating	Fee Units (FU)
Up to 50kW	600
Each 50KW or part thereof up to 200KW	796.12 FU
<i>Fee Units at 200KW</i>	<i>3,184.47 FU</i>
Each 100KW or part thereof above 200KW and up to 1,000KW	796.12 FU
<i>Fee Units at 1,000KW</i>	<i>9,553.4 FU</i>
Each 200KW or part thereof above 1,000KW and up to 3,000KW	796.12 FU
<i>Fee Units at 3,000KW</i>	<i>17,514.56 FU</i>
Each 250KW or part thereof above 3,000KW and up to 5,000KW	796.12 FU
<i>Fee Units at 5,000KW</i>	<i>23,883.5 FU</i>
Each 500KW or part thereof above 5,000KW and up to 10,000KW	796.12 FU
<i>Fee Units at 10,000KW</i>	<i>31,844.66 FU</i>
Each 500KW or part thereof above 10,000KW and up to 26,000KW	995.15 FU
<i>Fee Units at 26,000KW</i>	<i>63,689.32 FU</i>
Each 500KW or part thereof above 26,000KW	995.15 FU

Fee Modifiers:
For Single Reduction Gearing, a discount of 70% is applied to the final product fee based on the table above
For Double Reduction Gearing, a discount of 60% is applied to the final product fee based on the table above
For Multiple Gearing, a discount of 50% is applied to the final product fee based on the table above
For Complicated Gearing, a discount of 40% is applied to the final product fee based on the table above
For Reverse Gears, a 10% increase is applied to the final product fee.
If Coupling is included in the Gearing, a 10% increase is applied to the final product fee.
For Reconditioned Gearing, a discount of 20% is applied to the final product fee.
For stand-alone coupling fee to be calculated as 4,5% of the value according to the table above

10.8 Inert Gas and N2 Generators

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	1,000. Above 1,000 special considerations required

Generator Capacity in m3/hour	Fee Units (FU)
1,000	1200 FU
2,000	1370 FU
4,000	1550 FU
6,000	1730 FU
8,000	1910 FU
11,500	2230 FU
15,000	2550 FU

10.9 Miscellaneous Machinery Components

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	300 Kg

Application Notes:

1. A minimum fee is to be charged per number of pieces dependent on the weight of the products. For example, 5000 bolts of a weight per product less than 0.1 kg are to be charged at 1 Minimum Fee
2. Items greater than 300kg are to be charged as castings/forgings or other relevant fee scale section as appropriate. For mass produced and large batch items (i.e. nuts, bolts etc) then this fee section is to be applied.
3. The Fee is excluding any kind of Material testing which will be charged in addition

Product Weight (kg) Up to	1 Min fee up to
0.1	5,000 pieces
0.11 - 1	1,000 pieces
1.1 - 5	200 pieces
5.1 - 10	100 pieces
10.1 - 100	50 pieces
101 - 300	25 pieces

10.10 Fabricated Pipes, Hoses & Tubes, Expansion Bellows

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000. Above 10,000 special considerations required

Quantity up to	Fee Units (FU)
Up to 100	470 FU
200	940 FU
300	1300 FU
400	1,630 FU
500	1,950 FU
1000	1,950 FU + [150 FU Per Additional 100 Items above 500]
Above 1000	2,700 FU + [600 FU Per Additional 1000 Items above 1000]

Fee Modifiers:

For Double-walled Pipe, a 15% increase is applied to the final product fee.

10.11 Tank Welded Structure

Calculation	
Unit of Measure	Weight (Ton)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	500 Ton. Above 500 Ton special considerations required

Weight ton Up to	Fee Units (FU)
Up to 10 ton	550 FU
Over 10 ton	550 FU + [55 FU Per Additional Ton]

10.12 Oil Filtering Equipment & Oil Separators

Calculation	
Unit of Measure	Diameter (mm)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	5 m. Above 5 m special considerations required

Application Notes:

1. The inner diameter from the first stage is to be used.

Diameter up to	Fee Units (FU)	Diameter up to	Fee Units (FU)	Diameter up to	Fee Units (FU)
Up to 0.5 m	230 FU	2.5 m	325 FU	4.5 m	477 FU
1.0 m	255 FU	3.0 m	357 FU	5.0 m	525 FU
1.5 m	268 FU	3.5 m	393 FU	N/A	N/A
2.0 m	295 FU	4.0 m	433 FU	N/A	N/A

10.13 Machinery Units/Skid

Calculation	
Unit of Measure	Footfall (m2). Note: Footfall is the area that each unit occupies on the deck
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	50 m2. Above 50 m2 special considerations required

Footfall up to	Fee Units (FU)	Footfall up to	Fee Units (FU)	Footfall	Fee Units (FU)
1	325 FU	18	4,981 FU	35	8,441 FU
2	599 FU	19	5,255 FU	36	8,640 FU
3	872 FU	20	5,456 FU	37	8,839 FU
4	1,146 FU	21	5,655 FU	38	9,038 FU
5	1,419 FU	22	5,854 FU	39	9,237 FU
6	1,693 FU	23	6,053 FU	40	9,363 FU
7	1,967 FU	24	6,252 FU	41	9,489 FU
8	2,241 FU	25	6,451 FU	42	9,615 FU
9	2,515 FU	26	6,650 FU	43	9,741 FU
10	2,789 FU	27	6,849 FU	44	9,867 FU
11	3,063 FU	28	7,048 FU	45	9,993 FU
12	3,337 FU	29	7,247 FU	46	10,119 FU
13	3,611 FU	30	7,446 FU	47	10,245 FU
14	3,885 FU	31	7,645 FU	48	10,371 FU
15	4,159 FU	32	7,844 FU	49	10,497 FU
16	4,433 FU	33	8,043 FU	50	10,623 FU
17	4,707 FU	34	8,242 FU		



10.14 Hydraulic Cylinders

Calculation	
Unit of Measure	per each Cylinder, Where L is the Capacity in Liters
Minimum Fee per Project I. D	As per Appendix II

Litres up to	Fee Units (FU)		Litres up to	Fee Units (FU)		Litres up to	Fee Units (FU)
1	78 FU		8	85 FU		60	137 FU
2	79 FU		9	86 FU		70	147 FU
3	80 FU		10	87 FU		80	157 FU
4	81 FU		20	97 FU		90	167 FU
5	82 FU		30	107 FU		100	177 FU
6	83 FU		40	117 FU		Over 100	177 FU + 10 FU per 10L
7	84 FU		50	127 FU			



11 Outfitting Equipment & Components

Product	Fee Scale to be used
Rudder & Fabricated Rudder Horn	Rudder Assembly (11.2)

Product	Fee Scale to be used
Closing Appliances (Hatch Covers)	Hatch Covers (11.3)
Non-Steel Doors	
Fabricated Steel Hatch Covers	
Small Hatchways	

Product	Fee Scale to be used
Single Points Mooring System	Mooring Components for Single Point Mooring System (including Stopper, Fairlead & Pedestal) and Emergency Towing Arrangement (11.4)
Emergency Towing Arrangement	

Product	Fee Scale to be used
Closing Appliances (Doors)	Shell Doors (11.5)
Side and Stern Doors	
Bow Doors	

Product	Fee Scale to be used
Watertight/Weathertight Hatches & Doors	Watertight/Weathertight Small Hatched & Doors (11.6)

Product	Fee Scale to be used
Windlass	Windlasses for Anchoring Equipment (11.7)

Product	Fee Scale to be used
Steering Gear	All Types of Steering Gear (11.8)



11.1 Windows Glass Panes - no longer in use. Please use 8.7.2 instead

11.2 Rudder Assembly

Calculation	
Unit of Measure	Area (m ²)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	1,000 m2. Above 1,000 m2 special considerations required

Area(m2) up to	Fee Unit (FU)
Up to 30 m ²	70 FU per m ² (area) FU
Over 30 m ²	2,100 FU + [60 FU per m ² (area) (for area over 30 m ²)]

11.3 Hatch Covers

Calculation	
Unit of Measure	Area (m ²)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	5,000 m2. Above 5,000 m2 special considerations required

Application Notes:

- Area in m² is the total combined surface of hatch covers, tween decks, and movable bulkheads surveyed at a fabricator, calculated per ship and per contract
- Tween Decks and Movable Bulkheads are under 8.5 Welded structure

Total Area of All Hatch Covers (m ²) up to	Fee Units (FU)
Up to 40 m ²	825 FU
up to 200m ²	825 FU + [100 FU per 10m ² (for area over 40 m ²)]
Up to 1000m ²	2,425 FU + [60 FU per 10m ² (for area over 200 m ²)]
Over 1000m ²	7,225FU + [30 FU per 10m ² (for area over 1000 m ²)]

Fee Modifiers:

For pontoon type hatch covers (e.g., Container ship hatch cover), a discount of **30%** is applied to the final product fee.

A discount of **20%** to be applied to single type panels.

11.4 Mooring Components for Single Point Mooring Systems (including Stopper, Fairlead & Pedestal) and Emergency Towing Arrangement

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	1,000. Above 1,000 special considerations required

Application Notes:

- These requirements are applicable to conventional oil tankers

Fitting	Fee Units (FU)
One Set	600 FU
Additional sets	120 FU each additional set

11.5 Shell Doors

11.5.1 Below 2.5m²

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II, section 3.6 not applicable
Maximum Limit for UoM:	1,000. Above 1,000 special considerations required

Number of items	Fee Unit
Shell Door	300 FU per door

11.5.2 Above 2.5m²

Calculation	
Unit of Measure	Area (m ²)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	50 m2. Above 50 m2 special considerations required

Size up to	Fee Unit
5m ²	607
10m ²	1,368
30m ²	2,053
50m ²	2,851

11.6 Watertight/Weathertight Small Hatches & Doors

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II, section 3.6 not applicable
Maximum Limit for UoM:	1,000. Above 1,000 special considerations required

Application Notes:

- Electric/Hydraulic Sliding Watertight/Weathertight doors are to be charged under 3.7

Number of items up to	Fee Unit (FU)
Up to 15 doors	525 FU
For over 15 doors	525 FU + 35 FU per Additional door

Application Notes:

- A small Hatch is < 2.5m².

Fee Modifiers:

For passenger vessels or mega yachts, a factor of 2 shall be applied.



11.7 Windlasses for Anchoring Equipment

Calculation	
Unit of Measure	Diameter (mm)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	300 mm. Above 300 mm special considerations required

Application Notes:

1. Winches as per chapter 9.9

Cable Diameter mm up to	Fee Units (FU)	Cable Diameter mm up to	Fee Units (FU)	Cable Diameter mm up to	Fee Units (FU)
Up to 10mm	450FU	90mm	1447 FU	225mm	2868 FU
25mm	823 FU	100mm	1650 FU	250mm	3207 FU
30mm	861 FU	125mm	1833 FU	275mm	3587 FU
40mm	979 FU	150mm	2050 FU	300mm	4011 FU
50mm	1,102 FU	175mm	2293 FU	N/A	N/A
70mm	1,266 FU	200mm	2564 FU	N/A	N/A

Fee Modifiers:

Mooring Winch & Capstan: 25% deduction

11.8 All Types of Steering Gears

Calculation	
Unit of Measure	Diameter (mm)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	2,500 mm. Above 2,500 mm special considerations required

Application Notes:

1. The Steering Gear refers to the complete unit, when mounted on a frame. All applicable components are to be supplied with LR certificate

Rudder Stock Diameter (mm) up to	Fee Unit
Up to 350	6.5 FU per diameter (mm)
Over 350	2,275 FU + (diameter (mm)-350) x 6



12 Pressure Vessels

Product	Fee Scale to be used
Combined Boiler	Boilers (12.1)
Dual Evaporation Boiler	
Exhaust Gas Boiler	
Oil Fired Boilers	
Steam Raising Plant Others	
Thermal Oil Heaters (Fired and Exhaust Gas)	
Product	Fee Scale to be used
Exhaust Gas Economiser	Exhaust Gas Economisers (12.2)
Product	Fee Scale to be used
Heat Exchanger Plate Type	Plate Type Heat Exchanger (12.3)
Product	Fee Scale to be used
Heat Exchanger Shell Type	Shell Type Heat Exchangers and Electrical Heaters (12.4)
Electrical Heaters	
Product	Fee Scale to be used
Box Cooler	Box Coolers (12.5)
Product	Fee Scale to be used
Steam drum/receiver	Unfired Pressure Vessels (12.6)
Air receivers	
Product	Fee Scale to be used
Pipe Fittings & Heated Coil	Pipe Fittings & Flanges (12.7)
Mounting and Fittings for Pressure Vessels	
Economiser Soot Blowers	
Headers (roof/bottom)	
Side Wall Headers	
Plugs for Small Openings	
Small Circular Flat Cover Plates	
Flanges	
Heated Coil	
Product	Fee Scale to be used
Miscellaneous Boiler Components	Miscellaneous Boiler Components (12.8)
Product	Fee Scale to be used
Solid Drawn Cylinders	Mass Produced Solid Drawn or Welded Gas Cylinders (12.9)
Welded Gas Cylinders	
Economizer Soot Blowers	
Water Level Gauges	



12.1 Boilers

Calculation	
Unit of Measure	Heating Surface (m ²)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	30,000 m ² . Above 30,000 m ² special considerations required

Application Notes:

1. There are two heating surfaces that determine the formula to calculate the overall heating surface:

Type of Boiler	Overall Heating Surface
Exhaust Gas Boiler	HS = 0.75E
Composite Boiler	HS = 0.85E + F
Fin tube type Boiler	HS = 1.1 F
Overall Heating Surface (HS) m ² up to	Fee Units
<i>For up to 100m²</i>	<i>2,400 FU</i>
Each 10m ² of HS or part thereof up to 200m ²	60 FU
<i>Fee at 200m² HS</i>	<i>3,000 FU</i>
Each 20m ² of HS or part thereof up to 600m ²	150 FU
<i>Fee at 600m² HS</i>	<i>6,000 FU</i>
Each 30m ² of HS or part thereof up to 1,200m ²	150 FU
<i>Fee at 1,200m² HS</i>	<i>9,000 FU</i>
Each 40m ² of HS or part thereof up to 2,000m ²	150 FU
<i>Fee at 2,000m² HS</i>	<i>12,000 FU</i>
Each 50m ² of HS or part thereof up to 30,000m ²	150 FU

Application Notes:

1. E = Exhaust Gas Heating Surface
2. F = Oil-Fired Heating Surface
3. For Overall Heating Surface (HS):

12.2 Exhaust Gas Economisers

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100. Above 100 special considerations required

Exhaust Gas Economisers	Fee Units
Per Unit	2,230 FU

12.3 Plate Type Heat Exchangers

Calculation	
Unit of Measure	Cooling Surface (m ²)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	5,100 m ² . Above 5,100 m ² special considerations required

Application Notes:

1. Unit of measure based upon the cooling surface (coolant side) of the heat exchanger
2. Air Cooler as per 3.7

Surface Area up to	Fee Units (FU)	Surface Area up to	Fee Units (FU)	Surface Area up to	Fee Units (FU)
up to 5m ²	50 FU	1,300 m ²	1,335 FU	3,500 m ²	4,643 FU
10 m ²	100 FU	1,500 m ²	1,495 FU	3,700 m ²	5,200 FU
15 m ²	150 FU	1,700 m ²	1,674 FU	3,900 m ²	5,824 FU



Surface Area up to	Fee Units (FU)	Surface Area up to	Fee Units (FU)	Surface Area up to	Fee Units (FU)
20 m ²	200 FU	1,900 m ²	1,875 FU	4,100 m ²	6,523 FU
50 m ²	285 FU	2,100 m ²	2,100 FU	4,300 m ²	7,305 FU
100 m ²	390 FU	2,300 m ²	2,352 FU	4,500 m ²	8,182 FU
300 m ²	600 FU	2,500 m ²	2,634 FU	4,700 m ²	9,164 FU
500 m ²	845 FU	2,700 m ²	2,951 FU	4,900 m ²	10,264 FU
700 m ²	950 FU	2,900 m ²	3,305 FU	5,100 m ²	11,495 FU
900 m ²	1,064 FU	3,100 m ²	3,701 FU		
1,100 m ²	1,192 FU	3,300 m ²	4,145 FU		

12.4 Shell Type Heat Exchangers and Electrical Heaters

Calculation	
Unit of Measure	Cooling Surface (m ²)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 m ² . Above 10,000 m ² special considerations required

Application Notes:

- Unit of measure based upon the cooling surface (coolant side) of the heat exchanger
- Air Cooler as per 3.7

Cooling Heating Surface Area up to	Fee Units (FU)	Surface Area up to	Fee Units (FU)	Surface Area up to	Fee Units (FU)
up to 5m ²	123 FU	1,500 m ²	3479 FU	6,500 m ²	11,339 FU
10 m ²	245 FU	2,000 m ²	4265 FU	7,000 m ²	12,125 FU
15 m ²	367 FU	2,500 m ²	5051 FU	7,500 m ²	12,911 FU
20 m ²	490 FU	3,000 m ²	5837 FU	8,000 m ²	13,697 FU
50 m ²	720 FU	3,500 m ²	6623 FU	8,500 m ²	14,483 FU
100 m ²	1000 FU	4,000 m ²	7409 FU	9,000 m ²	15,269 FU
300 m ²	1260 FU	4,500 m ²	8195 FU	9,500 m ²	16,055 FU
500 m ²	1907 FU	5,000 m ²	8981 FU	10,000 m ²	16,841 FU
700 m ²	2141 FU	5,500 m ²	9767 FU	N/A	N/A
1,000 m ²	2693 FU	6,000 m ²	10553 FU	N/A	N/A

Fee Modifiers:
For Electrical Heater, a factor of 1.2 shall be applied.

12.5 Box Coolers

Calculation	
Unit of Measure	Cooling Surface (m ²)
Minimum Fee per Project I. D	As per Appendix II

Surface Area up to	Fee Units (FU)	Surface Area up to	Fee Units (FU)
Up to 1 m ²	74 FU	80 m ²	271 FU
2 m ²	105 FU	100 m ²	325 FU
10 m ²	134 FU	Over 100 m ²	325FU + 4 FU per m ²
50 m ²	158 FU		

12.6 Unfired Pressure Vessels

Calculation	
Unit of Measure	Volume (Litres)
Minimum Fee per Project I. D	As per Appendix II



Maximum Limit for UoM:	50,000 Litres. Above 50,000 Litres special considerations required
------------------------	--

Volume in Litres up to	Class I	Class II	Class III	Alloy or Clad Steel
500	216 FU	180.25 FU	162 FU	234 FU
1,000	433 FU	360.5 FU	324 FU	469 FU
2,000	865 FU	721 FU	649 FU	937 FU
3,000	1,260 FU	1,050 FU	945 FU	1,365 FU
4,000	1,680 FU	1,400 FU	1,260 FU	1,820 FU
5,000	2,100 FU	1,750 FU	1,575 FU	2,275 FU
6,000	2,233 FU	1,861 FU	1,675 FU	2,419 FU
7,000	2,366 FU	1,972 FU	1,775 FU	2,564 FU
8,000	2,500 FU	2,083 FU	1,875 FU	2,708 FU
9,000	2,633 FU	2,194 FU	1,975 FU	2,852 FU
10,000	2,767 FU	2,306 FU	2,075 FU	2,998 FU
11,000	2,927 FU	2,439 FU	2,195 FU	3,171 FU
12,000	3,086 FU	2,572 FU	2,315 FU	3,344 FU
13,000	3,247 FU	2,706 FU	2,435 FU	3,518 FU
14,000	3,407 FU	2,839 FU	2,555 FU	3,691 FU
15,000	3,566 FU	2,972 FU	2,675 FU	3,864 FU
16,000	3,727 FU	3,106 FU	2,795 FU	4,038 FU
17,000	3,887 FU	3,239 FU	2,915 FU	4,211 FU
18,000	4,046 FU	3,372 FU	3,035 FU	4,384 FU
19,000	4,207 FU	3,506 FU	3,155 FU	4,558 FU
20,000	4,367 FU	3,639 FU	3,275 FU	4,731 FU
21,000	4,567 FU	3,806 FU	3,425 FU	4,948 FU
22,000	4,766 FU	3,972 FU	3,575 FU	5,164 FU
23,000	4,967 FU	4,139 FU	3,725 FU	5,381 FU
24,000	5,167 FU	4,306 FU	3,875 FU	5,598 FU
25,000	5,366 FU	4,472 FU	4,025 FU	5,814 FU
26,000	5,567 FU	4,639 FU	4,175 FU	6,031 FU
27,000	5,767 FU	4,806 FU	4,325 FU	6,248 FU
28,000	5,966 FU	4,972 FU	4,475 FU	6,464 FU
29,000	6,167 FU	5,139 FU	4,625 FU	6,681 FU
30,000	6,360 FU	5,300 FU	4,770 FU	6,890 FU
50,000	6,360 FU + [200 FU Per Additional 1,000 Litres]	5,300 FU + [167 FU Per Additional 1,000 Litres]	4,770 FU + [150 FU Per Additional 1,000 Litres]	6,890 FU + [217 FU Per Additional 1,000 Litres]

Fee Modifiers:
For each Associated Pipe Fittings, an extra 44.54 FU is applied to the final product fee.
Class I Unfired pressure vessels in mainland China are to be multiplied by a factor of 0.4
Class II Unfired pressure vessels in mainland China re to be multiplied by a factor of 0.46

12.7 Pipe Fittings & Flanges

Calculation	
Unit of Measure	Quantity
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	100,000 above 100,000 special considerations required

Application Notes:

- The below fee is applicable for mass produced items. Bespoke items are to be charged under 3.7

Quantity of Pipe Fittings/Flanges up to	Fee Units (FU)	Quantity of Pipe Fittings/Flanges up to	Fee Units (FU)	Quantity of Pipe Fittings/Flanges up to	Fee Units (FU)
100 or less	490 FU	900	2,540 FU	2,500	4,100 FU
200	980 FU	1,100	2,930 FU	2,800	4,300 FU
300	1,300 FU	1,300	3,200 FU	3,100	4,500 FU
400	1,630 FU	1,600	3,450 FU	3,500	4,700 FU
500	1,950 FU	1,900	3,710 FU	4,000	4,900 FU
700	2,200 FU	2,200	3,900 FU	Above 4,000	4,900 FU + [200 FU Per Additional 500 Flanges]

Fee Modifiers:
Flanges produced on the China mainland are to be adjusted by a factor of 0.75
Pipe fittings produced on the China mainland are to be adjusted by a factor of 0.51

12.8 Miscellaneous Boiler Components

Calculation	
Unit of Measure	3.7 Applies
Minimum Fee per Project I. D	As per Appendix II

12.9 Mass Produced Solid Drawn or Welded Gas Cylinders (e.g. CO2 bottle)

Calculation	
Unit of Measure	Number of Bottles
Minimum Fee per Project I. D	As per Appendix II

Application Notes:

- Bottles with a volume greater than 160L are to be charged as per 3.7
- Surveys for re-testing (pressure test) after 10 years of use are to be charged as per 3.7

No. of Bottles up to	Fee Units (FU)
Up to 50 Bottles	1,007 FU
150 bottles	1,007 FU + 3.6FU/Bottle over 50
250 bottles	1,367 FU + 2.5FU/Bottle over 150
Over 250 bottles	1,617 FU + 1FU/Bottle over 250



13 LNG/CCS Components

Product	Fee Scale to be used
Boil Off Gas Compressors	Boil Off Gas Compressors (13.1)

Product	Fee Scale to be used
Type C Tank	Type C Tank (13.2)

Product	Fee Scale to be used
Type B Tank	Type B Tank (13.3)

Product	Fee Scale to be used
Cargo Tank Insulation	Cargo Tank Insulation (13.4)

Product	Fee Scale to be used
Fuel Gas Supply Unit/Station	Fuel Gas Supply Unit/Station (13.5)

Product	Fee Scale to be used
Cargo Containment System	Cargo Containment System & Metallic Component for GTT's NO96 and MARK III/V (13.6)

13.1 Boil off Gas Compressors

Calculation	
Unit of Measure	Capacity (m ³)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 m ³ . Above 10,000 m ³ special considerations required

Capacity up to	Fee Units (FU)	Capacity up to	Fee Units (FU)	Capacity up to	Fee Units (FU)
40 m ³ /hr.	466 FU	400 m ³ /hr	2,350 FU	1,200 m ³ /hr.	4,079 FU
60 m ³ /hr.	926 FU	500 m ³ /hr	2,623 FU	1,500 m ³ /hr.	4,560 FU
100 m ³ /hr.	1,243 FU	600 m ³ /hr.	2,878 FU	2,000 m ³ /hr.	5,242 FU
150 m ³ /hr.	1,414 FU	700 m ³ /hr.	3,107 FU	2,500 m ³ /hr.	6,443 FU
200 m ³ /hr	1,596 FU	800 m ³ /hr.	3,328 FU	10,000 m ³ /hr.	7,275 FU
250 m ³ /hr.	1,773 FU	900 m ³ /hr.	3,549 FU	Above 10,000	=7,275+100 FU per 1 000m ³ /HR
300 m ³ /hr.	2,049 FU	1,000 m ³ /hr.	3,718 FU		

Fee Modifiers:
CARGO Boil of Gas Compressor is: 0.6

13.2 Type C Tank to be included Liquid Gas Cargo and Fuel Tanks (LNG, Ammonia, etc)

Calculation	
Unit of Measure	Tank Volume (m ³)
Minimum Fee per Project I. D	As per Appendix II
Maximum Limit for UoM:	10,000 m ³ . Above 10,000 m ³ special considerations required

Application Notes:
1. N= Tank volume in m ³

Tank Volume up to	Fee Units (FU)
Up to 100m ³	N x 50FU
500m ³	(N-100) x 30 + 5000FU
1,000m ³	(N-500) x 14 +17000FU
6,000m ³	(N-1000) x 6 + 24000FU
10,000m ³	(N-6000) x 3 + 54000FU

13.3 Type B Tank to be included Liquid Gas Cargo and Fuel Tanks (LNG, Ammonia, etc)

Calculation	
Unit of Measure	3.7 Applies
Minimum Fee per Project I. D	As per Appendix II

13.4 Cargo Tank Insulation

Calculation	
Unit of Measure	3.7 Applies
Minimum Fee per Project I. D	As per Appendix II

13.5 Fuel Gas Supply Unit/Station

Calculation	
Unit of Measure	3.7 Applies
Minimum Fee per Project I. D	As per Appendix II

Application Notes:

1. The relevant sub-components like Pumps and Valves etc. need to show a relevant valid certificate.
2. Ex-Proof/Gastight housing to be charged separately as pressure Vessel Class 1 and 2 as per chapter 12

13.6 Cargo Containment System & Metallic Component for GTT's NO96 and MARK III/V

Calculation	
Unit of Measure	As per table below
Minimum Fee per Project I. D	As per Appendix II

Reinforced Polyurethane Foam (R-PUF)	Insulation Panels (IP)	Membrane Sheet	SUS Corner, Anchor Strip, and metallic component	Rigid Secondary Barrier (RSB)	Flexible Secondary Barrier (FSB)	Pump Tower	CCS Pre Assembly Unit
0.4 FU / Sheet	0.6 FU / each	2.0 FU / each	0.085 FU / kg	0.5 FU / m ²	0.75 FU / m ²	25 FU / Ton	25 FU / Ton



14 Appendix I – Country Factors (Local Currency)

Application Notes:

1. That country factors are subject to minor adjustments in line with Forex rate changes

Country	Currency	Country Factor
Austria	EUR	1.3967
Belgium	EUR	1.3530
Bulgaria	BGN	2.5666
Canada	CAD	2.0170
China	CNY	9.1666
Croatia	EUR	1.3530
Czech Republic	CZK	35.4445
Denmark	DKK	11.1229
Finland	EUR	1.2542
France	EUR	1.6610
Germany	EUR	1.0886
Greece	EUR	1.1734
India	INR	105.2482
Indonesia	IDR	22,792.0770
Italy	EUR	1.1671
Japan	JPY	82.9668
Netherlands	EUR	1.2105
Norway	NOK	13.4635
Poland	PLN	5.7450
Portugal	EUR	1.3273
Romania	RON	6.3999
Singapore	SGD	1.9700
South Korea	KRW	1,225.7784
Spain	EUR	1.6420
Sweden	SEK	14.7284
Turkey	USD	1.4561
UK	GBP	1.5511
USA	USD	1.0469
Other Countries	GBP	1.1667
Other Countries	EUR	1.3790
Other Countries	USD	1.4816



15 Appendix II - Minimum Fee (Local Currency)

Application Notes:

1. Each product is subject to a minimum fee to be charged in accordance with Appendix II.
2. The minimum fee is to be a fixed rate for each country and is to be applicable on a per project basis.
3. Should more than one project in a visit trigger a minimum fee then the minimum fee is to be split up to a maximum of three projects **as per 3.6.**

Country	Currency	Minimum Fee
Austria	EUR	622
622Belgium	EUR	622
Bulgaria	BGN	1,202
Canada	CAD	898
China	CNY	4,840
Croatia	EUR	622
Czech Republic	CZK	14,874
Denmark	DKK	4,569
Finland	EUR	616
France	EUR	622
Germany	EUR	622
Greece	EUR	622
India	INR	54,161
Indonesia	IDR	10,543,455
Italy	EUR	622
Japan	JPY	79,482
Netherlands	EUR	622
Norway	NOK	7,025
Poland	PLN	2,818
Portugal	EUR	622
Romania	RON	3,022
Singapore	SGD	899
South Korea	KRW	884,369
Spain	EUR	622
Sweden	SEK	6,659
Turkey	USD	674
UK	GBP	528
USA	USD	681
Other Countries	GBP	524
Other Countries	EUR	624
Other Countries	USD	692

16 Appendix III – Zonal Travel Fees

Application Notes:

1. Zonal fee rates are subject to change, in exceptional circumstances, due to changes in travel costs. In all instances clients will be informed in writing 30 days in advance of the changes.

	Currency	Zone A	Zone B	Zone C	Zone D	Zone E	Zone F
Austria	EUR	92.40	181.65	392.70	668.85	1,034.25	As Incurred
Belgium	EUR	92.40	181.65	392.70	668.85	1,034.25	As Incurred
China	CNY	1,739.85	2,649.15	3,974.25	6,179.25	9,069.90	As Incurred
Denmark	DKK	812.70	1,741.95	3,521.70	5,643.75	8,469.30	As Incurred
Finland	EUR	127.05	273.00	553.35	886.20	1,331.40	As Incurred
France	EUR	92.40	181.65	392.70	668.85	1,034.25	As Incurred
Germany	EUR	92.40	181.65	392.70	668.85	1,034.25	As Incurred
Italy	EUR	92.40	181.65	392.70	668.85	1,034.25	As Incurred
Japan	JPY	28,062.30	49,501.20	82,618.20	118,001.10	154,081.20	As Incurred
Netherlands	EUR	86.10	168.00	362.25	619.50	955.50	As Incurred
Norway	NOK	1,341.90	2,885.40	5,833.80	9,347.10	14,040.60	As Incurred
Poland	PLN	374.85	726.60	1,567.65	2,669.10	4,123.35	As Incurred
South Korea	KRW	202,644.75	474,627.30	746,726.40	1,018,710.00	1,290,809.10	As Incurred
Spain	EUR	92.40	181.65	392.70	668.85	1,034.25	As Incurred
Sweden	SEK	1,494.15	3,227.70	6,535.20	10,464.30	15,703.80	As Incurred
UK	GBP	74.55	144.90	313.95	535.50	828.45	As Incurred
All other countries	Local Currency	n/a	n/a	n/a	n/a	n/a	As Incurred

Zone F is to be charged as follows:

$$\text{Travel Charge Per Invoice} = \frac{((LHR \times TT1) + E1)}{NoP} + \frac{((LHR \times TT2) + E2)}{NoP} + \dots \dots \frac{((LHR \times TT"N") + E"N")}{NoP}$$

Where:

LHR = Local Hourly Rate as per Appendix IV

TT "N" = Travel Time for attendance where the number indicates the attendance number. E.g., first attendance = TT1, second attendance = TT2 and attendance "N" = TT "N"

E "N" = Expenses incurred for attendance where the number indicates the attendance number. E.g., expenses incurred for first attendance = E1 etc.

Note: Expenses will cover like ferry, toll station, parking lot, mileage and other costs needed to get to the destination to be included. This includes hotel, flights and trains as well.

Mileage Rate as per local country.

NoP = Number of projects in progress or closed during attendance. If 2 projects were ongoing during attendance and 4 were closed, then NoP=6.



17 Appendix IV – Hourly Rate (Local Currency)

Country	Local Currency	Hourly Rate
Austria	EUR	312
Belgium	EUR	312
Bulgaria	BGN	529
Canada	CAD	408
China	CNY	2,801
Croatia	EUR	312
Czech Republic	CZK	6,644
Denmark	DKK	2,828
Finland	EUR	427
France	EUR	312
Germany	EUR	312
Greece	EUR	276
India	INR	22,937
Indonesia	IDR	4,463,613
Italy	EUR	312
Japan	JPY	39,740
Netherlands	EUR	291
Norway	NOK	4,685
Poland	PLN	1,255
Portugal	EUR	312
Romania	RON	1,350
Singapore	SGD	389
South Korea	KRW	446,519
Spain	EUR	312
Sweden	SEK	5,041
Türkiye	USD	316
UK	GBP	252
USA	USD	320
Other Countries	GBP	258
Other Countries	EUR	313
Other Countries	USD	340

