SPOJ.com - Problem TEST 10/10/16, 4:53 AM



♣ PROBLEMS (/problems) ● STATUS (/status) ♥ RANKS (/ranks)

Q DISCUSS (http://spoj.com/forum) CONTESTS (/contests) ▲ (/manageaccount/)

○ PROFILE **→**

Problems (/problems) / classical (/problems/classical) / Life, the Universe, and Everything

My status (/status/TEST,mikebutler5/) Status (/status/TEST/) Ranking (/ranks/TEST/)

✓ Submit solution! (/submit/TEST/)

Added by: Michał Małafiejski (/users/mima)
Date: 2004-05-01
Time limit: 10s
Source limit: 50000B

Source limit: 50000B Memory limit: 1536MB

Cluster: Cube (Intel G860) (/clusters/)

Languages: All

Douglas Adams, The

Resource: Hitchhiker's Guide to the

Galaxy

TEST - Life, the Universe, and Everything

#basic (/problems/tag/basic) #tutorial (/problems/tag/tutorial) #ad-hoc-1 (/problems/tag/ad-hoc-1)

Your program is to use the brute-force approach in order to *find the Answer to Life, the Universe, and Everything.* More precisely... rewrite small numbers from input to output. Stop processing input after reading in the number 42. All numbers at input are integers of one or two digits.

Example


Input: 1 2 88 42 99			
Output: 1 2 88			

Information

If you have some troubles with your code, you can take a look in the forum (http://www.spoj.com/forum/), you'll find the answer, only for this problem, in various languages.

✓ Submit solution! (/submit/TEST/)

hide comments




fotisj (/users/fotisj): 2016-10-09 17:07:39

Guys, the definition of the problem is extremely sloppy. What is meant AFAIK (at least the solution to this problem was accepted): Input and output are happening on the commandline. Let the user enter a number. If the number is not "42", show the number to the user. Let him/her enter another number. If the entered number is 42, then stop.

9

rashi_96 (/users/rashi_96): 2016-10-05 22:12:57 How many inputs can the user give?



157 🖒

34 ♥

SPOJ.com - Problem TEST 10/10/16, 4:53 AM

0	codeashish912 (/users/codeashish912): 2016-10-02 15:47:05 The given example is so wrong!		
O	balaz42 (/users/balaz42): 2016-10-01 00:51:18 If number is 42, so the program ended.		
Q	abeltre1 (/users/abeltre1): 2016-09-27 18:32:13 Are we getting a text file as input ?		
0	sheeredmaze (/users/sheeredmaze): 2016-09-27 13:39:13 do we have to only store some integers and then output all integers before 42???		
9	realrefo31 (/users/realrefo31): 2016-09-26 11:06:24 easy		
9	ashit_1 (/users/ashit_1): 2016-09-25 19:40:21 Umm seems good by the way.But didnt find any clue to solve this. who else has solved here?		
9	idiatgaurav (/users/idiatgaurav): 2016-09-24 18:58:03 what does the question mean??	Own tags	
9	manuelojeda (/users/manuelojeda): 2016-09-24 04:33:38 nice reference	#######	# # #
	Last edit: 2016-09-24 04:34:03	Tag name	Add
Leave	a Comment		
Publ	ish		
Notes	: n't post any source code here.		
2. Ple	ase be careful, leave short comments only. Don't spam here.		
	more discussion (hints, ideas, solutions) please visit our forum (/forum). hors of the problems are allowed to delete the post and use html code here (e.g. to provide some useful links).		
	About (/info) Tutorial (/tutorials) Tools (/tools) Clusters (/clusters) Credits (/credi (/sphereengine) Terms (/gfx/spoj-terms.pdf)	ts) Jobs (/jobs) API	S RSS (/rss/)

© Spoj.com. All Rights Reserved. Spoj uses Sphere Engine (http://sphere-engine.com?utm_campaign=permanent&utm_medium=footer&utm_source=spoj)™ © by Sphere Research Labs (http://sphere-research.com?utm_campaign=permanent&utm_medium=footer&utm_source=spoj).