

Logic I: Fast Lecture 04

s.butterfill@warwick.ac.uk

Readings refer to sections of the course textbook,
Language, Proof and Logic.

1. Everything Is Broken

Reading: §9.1, §9.2


Everything is broken: $\forall x \text{ Broken}(x)$

Something is broken: $\exists x \text{ Broken}(x)$


2. \exists Elim

Reading: §12.2, §13.2


Existential Elimination (\exists Elim)



where c does not occur outside the subproof where it is introduced.



Note this restriction on the use of \exists Elim:



3. All Squares Are Blue (Fast Version)

Reading: §9.2, §9.3, §9.5

\exists and \wedge work together

Some square is blue:

$\exists x (\text{Square}(x) \wedge \text{Blue}(x))$

Some of my things are broken:

$\exists x (\text{Belongs}(a, x) \wedge \text{Broken}(x))$

\forall and \rightarrow work together

All squares are blue:

$\forall x (\text{Square}(x) \rightarrow \text{Blue}(x))$

All my things are broken:

$\forall x (\text{Belongs}(a, x) \rightarrow \text{Broken}(x))$

4. What does \forall mean?

Reading: §9.4

We give the meaning of \forall by specifying what it takes for a sentence containing \forall to be true:

1. Give every object a name.


2. For each name in turn, create a new sentence like this: delete the quantifier and replace all instances of the variable it binds with that name.

3. If ALL of the new sentences are true, so is the original sentence.


5. \forall Intro

Reading: §12.1, §12.3, §13.1


Universal Introduction (\forall Intro)



where c does not occur outside the subproof where it is introduced.



Why is this proof incorrect?



Underlining shows the scope of the quantifiers:

“All squares are blue”
 $\forall x (\text{Square}(x) \rightarrow \text{Blue}(x))$

“If everything is square, everything is blue”
 $\forall x \text{ Square}(x) \rightarrow \forall x \text{ Blue}(x)$

6. Summary of Quantifier Rules

Reading: §13.1, §13.2

\forall Elim

If it's true of everything it's true of Baudrillard

\exists Intro

If it's true of Baudrillard it's true of something

\exists Elim

If it's true of something and Q follows no matter which something it is, then Q

\forall Intro

If it's true of an arbitrary thing, then it's true of everything.

8. Translation with Quantifiers

Reading: §9.5, §9.6

All discordians weep:

$\forall x (\text{Dscrdn}(x) \rightarrow \text{Wps}(x))$

All French discordians weep:

$\forall x ((\text{Frnch}(x) \wedge \text{Dscrdn}(x)) \rightarrow \text{Wps}(x))$

All French discordians weep and wail:

$\forall x ((\text{Frnch}(x) \wedge \text{Dscrdn}(x)) \rightarrow (\text{Wps}(x) \wedge \text{Wls}(x)))$

All French discordians weep and wail **except Gillian Deleude**:

$\forall x ((\text{Frnch}(x) \wedge \text{Dscrdn}(x) \wedge \neg(x=a)) \rightarrow (\text{Wps}(x) \wedge \text{Wls}(x)))$

7. Scope and Quantifiers

Reading: §9.5, §9.6

9. Quantifiers Bind Variables

Reading: §9.3

"If everything is square, everything is blue"

$\forall x \text{ Square}(x) \rightarrow \forall x \text{ Blue}(x)$

This quantifier binds this variable

Typically, a quantifier $\forall x$ or $\exists x$ binds all instances of the variable x in it's scope

Consider this made-up rule:

$\wedge\text{Fubar}$:

*
...
* \wedge #

What would be wrong with adding $\wedge\text{Fubar}$ Fitch?

Q2. What would be wrong with having $\wedge\text{Fubar}$ in any system of proof?

These two arguments are valid: does that mean that 'if' means what ' \rightarrow ' means?

$\vdash \neg A \vee B$ America does not exist \vee Baudrillard is wrong
 $\vdash \text{If } A, B$ If America exists, Baudrillard is wrong

$\vdash \text{If } A, B$ If you love logic, things will fall into place
 $\vdash \neg(A \wedge \neg B)$ Not both: you take logic and things don't fall into

The English argument isn't valid; the FOL argument is valid; therefore 'if' can't mean what ' \rightarrow ' means?

10. Substitution of Equivalents

Reading: §4.5, §10.3

Suppose that ϕ , ψ and χ are sentences of FOL. Suppose that ϕ is logically equivalent to ψ . Let $\chi[\phi/\psi]$ be the result of replacing, in χ , zero or more occurrences of ϕ with ψ . The *substitution theorem* says that $\chi[\phi/\psi]$ is logically equivalent to χ .

11. Fubar Rules

Reading: §8.3

12. Something Is Above Something

Reading: §11.1

Something is above something:
 $\exists x \exists y \text{ Above}(x, y)$

13. Two Things Are Broken

Reading: §14.1

To translate sentences involving number into FOL, use identity. For example,

'Two things are broken' might be translated as:

$\exists x \exists y (\text{Broken}(x) \wedge \text{Broken}(y) \wedge \neg(x=y))$

14. Does 'if' mean what ' \rightarrow ' means?

Reading: §7.3

$\vdash \neg A$ Marnie will not miss her train
 $\vdash A \rightarrow B$ If Marnie misses her train, she will arrive on time.

15. Exercises

These exercises will be discussed in seminars the week after this lecture. The numbers below refer to the numbered exercises in the course textbook, e.g. ‘1.1’ refers to exercise 1.1. on page 39 of the second edition of *Language, Proof and Logic*. Exercises marked ‘*’ are optional.

8.26–8.30

9.8--9.10

9.16.10–9.16.15

9.17.7–9.17.15

10.20

*10.24–10.7

10.28–10.29

13.2–13.3, 13.8–13.9

13.11, 13.13, 13.15

9.12--9.13

4.31, 7.25