0.0.1 $\bar{\Lambda}K^0_S$ Residuals



Fig. 1: Residuals: $\bar{\Sigma}^0 K^0_S$ to $\bar{\Lambda} K^0_S$ (0-10% Centrality)



Fig. 2: Residuals: $\bar{\Xi}^0 K_S^0$ to $\bar{\Lambda} K_S^0$ (0-10% Centrality)



Fig. 3: Residuals: $\bar{\Xi}^+ K_S^0$ to $\bar{\Lambda} K_S^0$ (0-10% Centrality)



Fig. 4: Residuals: $\bar{\Sigma}^{*-}\mathrm{K}^0_S$ to $\bar{\Lambda}\mathrm{K}^0_S$ (0-10% Centrality)



Fig. 5: Residuals: $\bar{\Sigma}^{*+}\mathrm{K}^0_S$ to $\bar{\Lambda}\mathrm{K}^0_S$ (0-10% Centrality)



Fig. 6: Residuals: $\bar{\Sigma}^{*0}K_S^0$ to $\bar{\Lambda}K_S^0$ (0-10% Centrality)



Fig. 7: Residuals: $\bar{\Lambda}K^{*0}$ to $\bar{\Lambda}K_S^0$ (0-10% Centrality)



Fig. 8: Residuals: $\bar{\Sigma}^0K^{*0}$ to $\bar{\Lambda}K^0_S$ (0-10% Centrality)



Fig. 9: Residuals: $\bar{\Xi}^0K^{*0}$ to $\bar{\Lambda}K^0_S$ (0-10% Centrality)



Fig. 10: Residuals: $\bar{\Xi}^{+}\mathrm{K}^{*0}$ to $\bar{\Lambda}\mathrm{K}^{0}_{S}$ (0-10% Centrality)