WEI YANG

Interpreter & Trading Service

Machine tools

| | Reference | Name | Norm | Quality | Unit | Price(usd) | Total |
|----------------------|-----------|----------------|-----------|---------|-------|------------|---------|
| Name: | | | | | | | 小计: |
| ▼ Mandrins shank | | | | | | | 388.98 |
| | cku002001 | Mandrins shank | | 1 | piece | 18.90 | 18.90 |
| | | | NT30-ER16 | | | | |
| | cku002002 | Mandrins shank | NT30-ER20 | 1 | piece | 20.47 | 20.47 |
| | cku002003 | Mandrins shank | NT30-ER25 | 1 | piece | 22.05 | 22.05 |
| | cku002004 | Mandrins shank | NT30-ER32 | 1 | piece | 23.62 | 23.62 |
| | cku002005 | Mandrins shank | NT40-ER16 | 1 | piece | 23.62 | 23.62 |
| | cku002006 | Mandrins shank | NT40-ER20 | 1 | piece | 23.62 | 23.62 |
| | cku002007 | Mandrins shank | NT40-ER25 | 1 | piece | 23.62 | 23.62 |
| | cku002008 | Mandrins shank | NT40-ER32 | 1 | piece | 23.62 | 23.62 |
| | cku002009 | Mandrins shank | NT30-ER40 | 1 | piece | 25.20 | 25.20 |
| | cku002010 | Mandrins shank | NT40-ER40 | 1 | piece | 26.77 | 26.77 |
| | cku002011 | Mandrins shank | NT50-ER25 | 1 | piece | 51.97 | 51.97 |
| | cku002012 | Mandrins shank | NT50-ER30 | 1 | piece | 51.97 | 51.97 |
| | cku002013 | Mandrins shank | NT50-ER40 | 1 | piece | 53.54 | 53.54 |
| ▼ Mandrins réglables | | | | | | | 3225.20 |

| | Reference | Name | Norm | Quality | Unit | Price(usd) | Total |
|--|-----------|------------------------|---------------------------------|---------|-------|------------|--------|
| J | cku003001 | Mandrins réglables | | 1 | piece | 92.91 | 92.91 |
| | | | BT30-C20-90L | | | | |
| | cku003002 | Mandrins réglables | BT30-C25-90L | 1 | piece | 92.91 | 92.91 |
| | cku003003 | Mandrins réglables | BT30-C32-105L | 1 | piece | 92.91 | 92.91 |
| | cku003004 | Mandrins réglables | BT40-C20-90L | 1 | piece | 92.91 | 92.91 |
| | cku003005 | Mandrins réglables | BT40-C25-90L | 1 | piece | 92.91 | 92.91 |
| | cku003006 | Mandrins réglables | BT40-C32-105L | 1 | piece | 96.06 | 96.06 |
| | cku003007 | Mandrins réglables | BT40-C32-135L | 1 | piece | 119.69 | 119.69 |
| | cku003008 | Mandrins réglables | BT40-C32-200L | 1 | piece | 204.72 | 204.72 |
| | cku003009 | Mandrins réglables | BT50-C25-90L | 1 | piece | 160.63 | 160.63 |
| | cku003010 | Mandrins réglables | BT50-C32-105L | 1 | piece | 163.78 | 163.78 |
| | cku003011 | Mandrins réglables | BT50-C32-165L | 1 | piece | 206.30 | 206.30 |
| | cku003012 | Mandrins réglables | BT50-C32-200L | 1 | piece | 236.22 | 236.22 |
| | cku003013 | Mandrins réglables | BT50-C32-250L | 1 | piece | 272.44 | 272.44 |
| | cku003014 | Mandrins réglables | BT50-C32-300L | 1 | piece | 349.61 | 349.61 |
| | cku003015 | Mandrins réglables | BT50-C32-400L | 1 | piece | 529.13 | 529.13 |
| | cku003016 | Mandrins réglables | BT50-C42-135L | 1 | piece | 201.57 | 201.57 |
| | cku003017 | Mandrins réglables | BT50-C42-165L | 1 | piece | 220.47 | 220.47 |
| ▼ Drill chucks with keys | | | | | | | 113.07 |
| C TO E TO STATE OF THE STATE OF | cku004001 | Drill chucks with keys | Fasteness 0.2-4mm cone size JT0 | 1 | piece | 7.87 | 7.87 |

| | Reference | Name | Norm | Quality | Unit | Price(usd) | Total |
|---------------------------|-----------|------------------------|--------------------------------------|---------|-------|------------|--------|
| | cku004002 | Drill chucks with keys | Fasteness0.6-6mm cone size B10 | 1 | piece | 6.93 | 6.93 |
| | cku004003 | Drill chucks with keys | Fasteness1-10mm cone size B12 | 1 | piece | 11.02 | 11.02 |
| | cku004004 | Drill chucks with keys | Fasteness1-13mm cone size B16 | 1 | piece | 13.23 | 13.23 |
| | cku004005 | Drill chucks with keys | Fasteness3-16mm cone size B16 | 1 | piece | 14.17 | 14.17 |
| | cku004006 | Drill chucks with keys | Fasteness3-16mm cone size B18 | 1 | piece | 18.90 | 18.90 |
| | cku004007 | Drill chucks with keys | Fasteness3-16mm cone size B18 plus | 1 | piece | 18.90 | 18.90 |
| | cku004008 | Drill chucks with keys | Fasteness5-20mm T cone size B22 plus | 1 | piece | 22.05 | 22.05 |
| ▼ Drill chucks | | | | | | | 25.51 |
| 带柄套装 包含图片配件 | cku005001 | Drill chucks | Fasteness1-13mm cone size CM2 | 1 | piece | 11.97 | 11.97 |
| | cku005002 | Drill chucks | Fasteness 1-10mm cone size CM3 | 1 | piece | 13.54 | 13.54 |
| ▼ Chucks with 3 jawDIN63. | 50 | | | | | | 617.32 |

| | Reference | Name | Norm | Quality | Unit | Price(usd) | Total |
|-------------------------|-----------|-----------------------------|---|---------|-------|------------|--------|
| YTUM | cku006001 | Chucks with 3 jawDIN6350 | K11-80 with jaw and key Diameter external fastening maximum 70mm Diameter inner fastening maximum 63mm Thickness 44mm Diameter passage 16mm Diameter false tray 56mm Speed of rotation maxi 6000 Weight 1.5kg | 1 | piece | 48.82 | 48.82 |
| | cku006002 | Chucks with 3 jawDIN6350 | K11-100 with jaw and key | 1 | piece | 56.69 | 56.69 |
| | cku006003 | Chucks with 3 jawDIN6350 | K11-125 with jaw and key high quality | 1 | piece | 70.87 | 70.87 |
| | cku006004 | Chucks with 3 jawDIN6350 | K11-130 with jaw and key high quality | 1 | piece | 74.02 | 74.02 |
| | cku006005 | Chucks with 3 jawDIN6350 | K11-160 with jaw and key high quality | 1 | piece | 110.24 | 110.24 |
| | cku006006 | Chucks with 3 jawDIN6350 | K11-165 with jaw and key high quality | 1 | piece | 114.96 | 114.96 |
| | cku006007 | Chucks with 3 jawDIN6350 | K11-200 with jaw and key high quality | 1 | piece | 141.73 | 141.73 |
| ▼ Mandrins ER morse DIN | 228 | | | | | | 226.77 |
| V | cku008001 | Mandrins ER morse DIN228 | Straight MT1-ER11 M6 | 1 | piece | 10.08 | 10.08 |
| | cku008002 | Mandrins ER morse DIN228 | Straight MT2-ER11 M10 | 1 | piece | 10.08 | 10.08 |

| | Reference | Name | Norm | Quality | Unit | Price(usd) | Total |
|--------------------|-----------|-----------------------------|-----------------------|---------|--------|------------|--------|
| | cku008003 | Mandrins ER morse DIN228 | Straight MT2-ER20 M10 | 1 | piece | 10.08 | 10.08 |
| | cku008004 | Mandrins ER morse DIN228 | Flat MT1-ER16 | 1 | piece | 10.08 | 10.08 |
| | cku008005 | Mandrins ER morse DIN228 | Flat MT2-ER16 | 1 | piece | 10.08 | 10.08 |
| | cku008006 | Mandrins ER morse DIN228 | Flat MT2-ER25 | 1 | piece | 13.23 | 13.23 |
| | cku008007 | Mandrins ER morse DIN228 | Straight MT2-ER32 M10 | 1 | piece | 16.38 | 16.38 |
| | cku008008 | Mandrins ER morse DIN228 | Flat MT2-ER40 | 1 | piece | 19.53 | 19.53 |
| | cku008009 | Mandrins ER morse DIN228 | Straight MT3-ER16 M12 | 1 | piece | 13.23 | 13.23 |
| | cku008010 | Mandrins ER morse DIN228 | Flat MT3-ER20 | 1 | piece | 13.23 | 13.23 |
| | cku008011 | Mandrins ER morse DIN228 | Straight MT3-ER25M12 | 1 | piece | 16.38 | 16.38 |
| | cku008012 | Mandrins ER morse DIN228 | Straight MT3-ER32 M12 | 1 | piece | 17.95 | 17.95 |
| | cku008013 | Mandrins ER morse DIN228 | Flat MT3-ER40 | 1 | piece | 19.53 | 19.53 |
| | cku008014 | Mandrins ER morse DIN228 | Straight MT4-ER16 M16 | 1 | piece | 14.80 | 14.80 |
| | cku008015 | Mandrins ER morse DIN228 | Straight MT5-ER40 M20 | 1 | piece | 32.13 | 32.13 |
| ▼ 3 jaw for chucks | | | | | | | 326.61 |
| KN-SAMA AN | cku009001 | 3 jaw for chucks | 80 | 1 | 3piece | 13.23 | 13.23 |

| | Reference | Name | Norm | Quality | Unit | Price(usd) | Total |
|------------------------|-----------|-------------------------|---|---------|--------|------------|--------|
| | cku009002 | 3 jaw for chucks | 100, 125-120 | 1 | 3piece | 14.17 | 14.17 |
| | cku009003 | 3 jaw for chucks | 160 | 1 | 3piece | 17.32 | 17.32 |
| | cku009004 | 3 jaw for chucks | 200tooth height 9mm | 1 | 3piece | 20.47 | 20.47 |
| | cku009005 | 3 jaw for chucks | 250tooth height11mm | 1 | 3piece | 25.20 | 25.20 |
| | cku009006 | 3 jaw for chucks | 320tooth height13mm thickness 36 | 1 | 3piece | 58.27 | 58.27 |
| | cku009007 | 3 jaw for chucks | 200tooth height10mm | 1 | 3piece | 36.22 | 36.22 |
| | cku009008 | 3 jaw for chucks | 250tooth height12mm | 1 | 3piece | 47.24 | 47.24 |
| | cku009009 | 3 jaw for chucks | 320 | 1 | 3piece | 94.49 | 94.49 |
| ▼ Key | | | | | | | 7.87 |
| | cku010001 | Key | 12*12 | 1 | 3piece | 7.87 | 7.87 |
| ▼ Chucks wrench | | | | | | | 5.67 |
| | cku011001 | Chucks wrench | 1-16/5-20 | 1 | Piece | 3.15 | 3.15 |
| | cku011002 | Chucks wrench | 1-13 | 1 | Piece | 2.52 | 2.52 |
| ▼ ER lathe tool holder | | | | | | | 207.24 |
| | cku012001 | ER lathe tool holder | Modele ER11 Diameter 3,3.5,4,4.5,5,5.5,6,6.5,7 external diameter max 11.5 height 18mm precision 0.008mm | 1 | Piece | 5.67 | 5.67 |
| | cku012002 | ER lathe tool holder | ER16 Diameter 3,4,5,6,7,8,9,10 external diameter max 17mm height 27.5mm precision 0.008mm | 1 | Piece | 5.67 | 5.67 |

| | Reference | Name | Norm | Quality | Unit | Price(usd) | Total |
|---|-----------|-------------------------|--|---------|-------|------------|-------|
| | cku012003 | ER lathe tool holder | ER16 Diameter 3,4,5,6,7,8,9,10 external diameter max 17mm height 27.5mm Precision <0.005 | 1 | Piece | 9.45 | 9.45 |
| EROS 前 村 月 未 泉 (2-16) 南 北 : 0 000m 南 北 : 3 40m 直 弦 : 2 40m | cku012004 | ER lathe tool holder | Coffre ER16 Diameter 3,4,5,6,7,8,9,10 external diameter max 17mm height 27.5mm precision 0.008mm | 1 | Piece | 56.06 | 56.06 |
| | cku012005 | ER lathe tool holder | ER40 Diameter 3-25 external diameter max 41mm height 40mm precision 0.005mm | 1 | Piece | 15.12 | 15.12 |
| | cku012006 | ER lathe tool holder | ER20 Diameter 3-13 external diameter max 21mm height 31.5mm precision 0.008mm | 1 | Piece | 5.67 | 5.67 |
| EDDS 有計 点 会 (2-16) 情 点 1 O O O O O | cku012007 | ER lathe tool holder | ER25 Diameter 2-16 external diameter max 26mm height 34mm precision 0.008mm | 1 | Piece | 97.01 | 97.01 |
| | cku012008 | ER lathe tool holder | ER 32 Diameter 1/4-20 external diameter max 33mm hauteur 40mm précision 0.005mm | 1 | Piece | 12.60 | 12.60 |
| ▼ Pinces R8 | | | | | | | 22.68 |
| 1 | cku012001 | Pinces R8 | M12 tap diameter11.5-12mm | 1 | Piece | 5.04 | 5.04 |
| | cku012002 | Pinces R8 | 7/16 tap diameter 10.5-11mm | 1 | Piece | 5.04 | 5.04 |
| | cku012003 | Pinces R8 | Harder | 1 | Piece | 6.30 | 6.30 |

| Reference | Name | Norm | Quality | Unit | Price(usd) | Total |
|-----------|-----------|--|---------|-------|------------|-------|
| cku012004 | Pinces R8 | R3-R20 hardness58-62 précision 0.005 weight 0.27kg | 1 | Piece | 6.30 | 6.30 |