NULL OBJECT

Design Pattern

"nothing will come of nothing"

Mihai Suciu 30432

INTRODUCTION

- It is a behavioral pattern
- The intent of a Null Object is to encapsulate the absence of an object by providing a substitutable alternative that offers suitable default do nothing behavior.


USAGE

When

- o an object requires a collaborator
- some collaborator instances should do nothing
- you want to abstract the handling of null away from the client

STRUCTURE

- Client requires a collaborator
- AbstractObject declares the interface for Client's collaborator
 - implements default behavior for the common interface
- RealObject defines a concrete subclass of AbstractObject whose instances
 - provide useful behavior that Client expects
- NullObject implements its interface to do nothing
 - provides an interface identical to AbstractObject's so that a null object can be substituted for a real object



EXAMPLE

```
class Application {
   private PrintStream debugOut;
   public Application(PrintStream debugOut) {
       this.debugOut = debugOut;
   public void doSomething() {
        int sum = 0;
       for (int i = 0; i < 10; i++) {
            sum += i;
            debugOut.println("i = " + i);
        System.out.println("sum = " + sum);
```

```
class NullOutputStream extends OutputStream {
    public void write(int b) {
        // Do nothing
    }
}

class NullPrintStream extends PrintStream {
    public NullPrintStream() {
        super(new NullOutputStream());
    }
}
```

```
public class NullObjectDemo {
    public static void main(String[] args) {
        Application app = new Application(new NullPrintStream());
        app.doSomething();
    }
    sum = 45
```

ADVANTAGES & DISADVANTAGES

• Pros

- It defines class hierarchies consisting of real objects and null objects.
- Also makes the client code simple. Clients can treat real collaborators and null collaborators uniformly.

Cons

- Can be difficult to implement if various clients do not agree on how the null object should do nothing as when your AbstractObject interface is not well defined.
- Can necessitate creating a new NullObject class for every new AbstractObject class.